

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
CASE FOLLOW SPOT 1000	FOS Technologies - FOS Case Follow Spot 1000	369,69	369,69	St
FOS LED FOLLOW SPOT	FOS Technologies - FOS Led Follow Spot 1000 watt	5.206,99	5.206,99	St
FOS STAND LED FOLLOW SPOT 1000	FOS Technologies - FOS Stand Led Follow Spot 1000	372,70	372,70	St
FTE-1000RGB	FOS 1000RGB - RGB Laser with 25KPPS scanners, sound active	640,98	536,03	St
FTE-10W RGB	FOS 10W RGB - high quality 10watt laser, scanner is 40KPPS, max scanning angle is 60 degree	3.759,09	3.143,58	St
FTE-12CH DMX CONSOLE	12ch DMX console, 12 Channels Dmx Controller, 12 individual channel faders & one master fader. 12 DMX channels. Compact design & simple operation, DMX Output: 3 pin female XLR DMX connector.	99,48	83,19	St
FTE-12R HYBRID PRO	FOS Technologies - 12R Hybrid PRO - Professional Lamp Beam/Spot/Wash moving head	1.210,67	1.012,43	St
FTE-192CH DMX CONSOLE	192ch DMX console, 192ch DMX console, 12 scanner buttons for quick individual control, 30 banks with memory space up to 8 scenes each, 6 chases can program 240 scenes respectively	101,28	84,70	St
FTE-1CH DIMMER DMX	1ch Dimmer DMX, 1 channel DMX Dimmer, 10A channel output, LCD display 3 pin male XLR socket for DMX input. Two control curves are available: SWITCH,LINER, dimming from 0-100%.	128,78	107,69	St
FTE-2000RGB	2000RGB, High Quality RGB Laser with 25 KPPS scanners , Laser: R:300mW + G:300mW + B:900mW , Wave Length: R: 635nm+G:532nm+B: 450nm, Sound active,AUTO,ILDA PC, DMX512 (12channels)	750,95	627,99	St
FTE-20W RGB	20W RGB, High Quality 20watt RGB Laser red:5w@638nm, green:5W@520nm, blue:11W@450nm ,scanner is 40KPPS,max scanning angle is 60 degree.	7.460,31	6.238,76	St
FTE-24CH DMX CONSOLE	24ch DMX console, Dmx Controller 24 channels 24 channel-choose buttons and 24 channel sliders, 48 programs chase up to 1000steps each, Master sliders, Blackout button available, 4 run modes.	224,27	187,55	St
FTE-3000RGB DIODE	3000RGB Diode, Professional Full Diode RGB Animation Laser, R:400mW + G:500mW + B:1600mW Analog Modulation (total2.5W), R: 635nm+G: 520nm+B:450nm, scanner25KPPS, ±20°	1.280,52	1.070,85	St
FTE-4000RGB DIODE	4000RGB Diode, Professional Full Diode RGB Animation Laser, R:600mW + G:700mW + B:2200mW Analog Modulation (total3.3W), R: 635nm+G: 520nm+B:450nm, scanner25KPPS, ±20°	1.817,33	1.519,76	St
FTE-48CH DMX CONSOLE	48ch DMX console, Dmx Controller 48 channels, 96 programs chase up to 1000steps each , 48 channelchoose buttons and 48 channel sliders, Master sliders, Blackout button available, 4 run modes	393,56	329,12	St
FTE-4CH DIMMER DMX	4ch Dimmer DMX, 4CH DMX Dimmer Pack , 6.3A/channel, Max.16A totally 4 outlets , Stand-alone chasing function , AC 110-220V/60Hz, weight: 2.7kgs, Unit size: 260 x 190 x 75 mm.	134,56	112,53	St
FTE-5000RGB DIODE	5000RGB Diode, Professional Full Diode RGB Animation Laser, R:1000mW + G:1000mW + B:3000mW Analog Modulation (total 5W) , R: 635nm+G: 520nm+B:450nm, scanner 40KPPS, ±30°	2.882,26	2.410,32	St
FTE-535 ADAPTOR UN5	535 Adaptor UN5, Tower 535 Truss Adaptor , 55mm	92,24	77,14	St
FTE-611 CASE	611 Case, Flight case with wheels for 1 pc chain motor 611 D8+.	316,88	264,99	St
FTE-611 D8+	FOS 611 D8+ - Electric Chain Hoist D8+	2.005,43	1.677,06	St
FTE-611 HANDLES SET	611 Handles Set, Additional Handles Set for 611+ hoist.	37,98	31,76	St
FTE-650 / 400 ADAPTOR UN3	650 / 400 Adaptor UN3, Tower 650 and tower 400 Truss Adaptor , 35mm	92,24	77,14	St
FTE-6CH DMX CONSOLE	FOS 6ch DMX Console - 6 Channels Dmx Controller, 6individual channel faders & one master fader	68,01	56,87	St
FTE-AC 900S	AC 900S, Dynamic super-cardiod live stage performance microphone, handling noise reducer, 50Hz-18KHz, ,	59,69	49,91	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
FTE-AC 910S	dimensions ?54.9 x 181.2 mm, senitivity -74dBV/ $\mu$ bar, impedance 600 $\Omega$ , 302gr. AC 910S, Dynamic cardioid live stage performance microphone, handling noise reducer, 50Hz-15KHz, , dimensions ?48.2 x 181.2 mm, senitivity -72dBV/ $\mu$ bar, impedance 1200 $\Omega$ , 258gr.	56,98	47,65	St
FTE-ACL LINE 12	FOS Technologies - ACL LINE 12 - Pixel Control Moving Bar	574,43	480,37	St
FTE-ACTIVE WINCH	Active Winch, Hybrid Winch for control RGB or Pixel control fixtures, amazing speed 1,2m per sec , 9 meters lifting height , LCD display, 2 dmx modes 9 ch and 63 ch , 3 pin XLR in/out, powercon in/out, 8.5 kg.	820,40	686,07	St
FTE-AIRLINK	AirLink, AirLink DMX transmitter for the Solo and Luminus PRO pars.	133,12	111,32	St
FTE-AIRLINK 24	FOS AirLink 24 - AirLink DMX transmitter/ fader desk for the Solo and Luminus PRO	186,52	155,98	St
FTE-AIRLINK FOLDABLE	AirLink Foldable, AirLink DMX transmitter for the Solo / Luminus / Nano PRO pars.	149,03	124,63	St
FTE-AIRLINK PRO	AirLink PRO, AirLink DMX transmitter for the Solo and Luminus PRO pars with backup battery operation.	202,57	169,40	St
FTE-ARC ENCODER	ARC Encoder, Encoder for change DMX address to ARC Series.	308,19	257,73	St
FTE-ARC INGROUND 40	ARC Inground 40, Architectural LED Inground for fixed installations, 4 led RGBW (4in1) 10w chip Osram, 50.000 hours led life, 20 degrees ZooNeo optics, DMX control mode, 230V 50/60Hz direct, weatherproof IP66, DMX addressable by ARC encoder, preset D	373,30	312,18	St
FTE-ARC LASER 2	ARC Laser 2, IP65 Architectural RGB laser with high output 2watt RGB ( R 550mW 638nm, G 450mW 520nm, B 1000 mW 450nm), Precise step motor with 60 degree projection angle, DMX, Manual , Auto , Master/Slave, 7ch DMX control, 2.4kg.	416,71	348,48	St
fte-ARC Line 200	Architectural LED Bar for fixed installations, 20 led RGBW (4in1) 10w chip Osram, 50.000 hours led life, 30 degrees ZooNeo optics, DMX control mode, 230V 50/60Hz direct, weatherproof IP66, DMX addressable by ARC encoder, pre	491,95	411,40	St
FTE-ARC LINE 80	ARC Line 80, Architectural LED Bar for fixed installations, 24 led RGBW (4in1) 4w chip Osram, 50.000 hours led life, 20 degrees ZooNeo optics, DMX control mode, 230V 50/60Hz direct, weatherproof IP66, DMX addressable by ARC encoder, preset DMX adres	305,59	255,55	St
FTE-ARC SPOT 40	ARC Spot 40, Architectural LED Spot for fixed installations, 18 led RGBW (4in1) 4w chip Osram, 50.000 hours led life, 20 degrees ZooNeo optics, DMX control mode, 230V 50/60Hz direct, weatherproof IP66, DMX addressable by ARC encoder, preset DMX adde	263,34	220,22	St
FTE-ARC SPOT 60	ARC Spot 60, Architectural LED Spot for fixed installations, 9 led RGBW (4in1) 10w chip Osram, 50.000 hours led life, 20 degrees ZooNeo optics, DMX control mode, 230V 50/60Hz direct, weatherproof IP66, DMX addressable by ARC encoder, preset DMX adde	321,22	268,62	St
FTE-ARC WASH 150	ARC Wash 150, Architectural LED Washer for fixed installations, 18 led RGBW (4in1) 10w chip Osram, 50.000 hours led life, 20 degrees ZooNeo optics, DMX control mode, 230V 50/60Hz direct, weatherproof IP66, DMX addressable by ARC encoder, preset DMX a	662,69	554,18	St
FTE-ARC WASH 75	ARC Wash 75, Architectural LED Washer for fixed installations, 12 led RGBW (4in1) 10w chip Osram, 50.000 hours led life, 20 degrees ZooNeo optics, DMX control mode, 230V 50/60Hz direct, weatherproof IP66, DMX addressable by ARC encoder, preset DMX ad	399,35	333,96	St
FTE-ARES PROFILE	FTE-ARES PROFILE Professional low noise Led profile moving head for stages and theater applicator	3.022,82	3.022,82	St
FTE-ARTNET CONTROLLER PRO	Artnet Controller PRO, Art-Net node and an optical splitter , 8 optically isolated output ports , Variable operating modes for	593,24	496,10	St

Code	Naam	Catalogusprijs Uw nettoprijs Eenheid	
		Inclusief BTW	Inclusief BTW
	all DMX outputs , Supports ArtNet (V4) and DMX ,2 RJ45 TCP/IP 10/100M Ethernet connectors,LED indicator for each output.		
FTE-ATEM156	ATEM156, Professional 15.6 inch live streaming monitor with 4 Hdmi input/output, multi view monitoring, focus-checking function, Peaking Focus, False Color, Pixel to Pixel, simple operation control panel,Quad View/ Dual View , True Color · Professio	826,19	690,91 St
FTE-ATLAS DMX EXTENSION CABLE	Atlas Dmx Extension Cable, Dmx extension cable 5 meter for the Atlas Tube.	31,11	25,71 St
FTE-ATLAS FLOOR STAND	Atlas Floor Stand, Floor stand for the Atlas Tube	50,64	42,35 St
FTE-ATLAS TUBE	FOS Technologies ATLAS TUBE Wireless RGBW Battery Tube	541,38	452,73 St
FTE-ATLAS TUBE CASE	Atlas Tube Case, Flight case with wheels and charger for 8 pcs Atlas Tube, include space for all the accessories.	640,98	536,03 St
FTE-ATLAS TUBE HOLDERS	Porte-tubes FOS Atlas	21,96	18,15 St
FTE-ATLAS WING PLATE	Atlas Wing Plate, Wing plate with omega bracket for attach 2pcs Atlas Tube holders.	24,16	19,97 St
FTE-AURORA	FOS Technologies - Aurora - Super Bright Beam/Wash Moving Head	900,71	753,23 St
FTE-BACK DROP 6X4M	Back Drop 6x4m, Heavy Duty molton , 440gr/sqm backdrop 6x4m, eyelet every 300mm on top edge	267,68	223,85 St
FTE-BAR 24X4 WATT IP65	FOS Bar 24x4 Watt IP65 - weather proof RGBW bar with 24 leds 4 watts, 1 meter	217,04	181,50 St
FTE-BARNDOOR PC	Barndoor PC, Barn Door for PC 1000/650	39,79	33,28 St
FTE-BAR PENTE	Bar PENTE, Professional pixel control Led bar for wall washing and stages, 18 RGBW+ Amber 12w LEDs (4in1), Beam aperture: 40°,Auto programs with speed adjustment , 99cm	306,59	256,39 St
FTE-BEAM 150 PRO	FOS Tecnologies - Beam 150 Pro - High performance glass lens LED beam moving head	701,76	586,85 St
FTE-BEAM 150W LED	Beam 150W Led, Beam Moving head 150 watt White Led, Color Temperature 6800 K, Beam angle: 2°,11 colors + white,14 fixed gobos + white ,8 facet prism rotation.linear dimmer, lcd display.	648,22	542,08 St
FTE-BEAM 7R HYBRID PLUS	Fos Technolies - Beam 7R Hybrid Plus - High Light output Lamp Beam Moving head	720,57	602,58 St
FTE-BICOLOR200WFRESNEL	FOS Bicolor 200W Fresnel	319,44	319,44 St
FTE-BLINDER INNOVATIVE	Blinder Innovative, Very powerful blinder, it use 4pcs high power 100W COB LED It can adjust the beam angle, Output: 35,000 lm, Warm White, Optical lens: 60°, Color temperature: 3000K, IP65	768,31	642,51 St
FTE-BLINDER UNO DOUBLE BRACKET	Blinder UNO Double Bracket, Support bracket for 2 pcs Blinder UNO.	24,89	20,57 St
FTE-BLINDER UNO PRO	Blinder UNO PRO, Powerful single blinder IP65 , 100W COB and a wide 60° beam angle, 3000kWarm White and 10 watt preheating simulation Amber LED, true powercon seetronic connectors.	458,67	383,57 St
FTE-BUBBLE 100	Bubble 100, High Output professional Bubble machine 100 watt , DMX 512 control , roller technology , 6.5 kg , Size: 450 x 420 x 230mm.	209,80	175,45 St
FTE-BUBBLE LIQUID 5L	Bubble Liquid 5L, FOS Bubble Liquid 5L , Ready to use.	14,64	12,10 St
FTE-CABLE PATH 1 BLACK	Cable Path 1 Black, 1 way (40x15mm path size) cable Ramp 100 x13 x 2cm Black.	20,50	16,94 St
FTE-CABLE PATH 1 YELLOW	Cable Path 1 Yellow, 1 way (40x15mm path size) cable Ramp 100 x13 x 2cm Yellow.	20,50	16,94 St
FTE-CABLE RAMP 1	Cable Ramp 1, 1 way (50x30mm path size) cable Ramp 100 x13 x 2cm Black.	44,67	37,35 St
FTE-CABLE RAMP 2	Cable Ramp 2, 2 way (25x30mm path size) cable Ramp 100 x 24.5 x 4 cm.	49,20	41,14 St
FTE-CABLE RAMP 3	Cable Ramp 3, 3 way (35x33mm path size) cable Ramp 90 x 34.5 x 5 cm.	68,01	56,87 St
FTE-CABLE RAMP 4	Cable Ramp 4, 4 way (35x30mm path size) cable Ramp 80 x	70,90	59,29 St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
	41 x 5 cm.			
FTE-CABLE RAMP 5	Cable Ramp 5, 5 way (33x30mm path size) cable Ramp 80 x 44.5 x 4.5 cm.	75,24	62,92	St
FTE-CABLE TESTER	Cable Tester, Battery Powered Cable Tester Heavy Duty Metal Construction .	100,50	84,05	St
FTE-CASE 8IN1 PAR PRO	Case 8in1 PAR PRO, Flight case with wheels for 8pcs Pro series and Touring Pars.	303,85	254,10	St
FTE-CASE ACL LINE 12	Case ACL Line 12, Flight case with wheels for 6 pcs ACL line12.	303,85	254,10	St
FTE-CASE ACTIVE WINCH	Case Active Winch, Flight case with wheels for the active wich system , fits 4 pcs Active Winch, 4 pcs Pixel Tubes, 4 pcs Drones , 4 pcs RGB ball 25,	528,13	441,65	St
FTE-CASE AURORA	Case Aurora, Flight case with wheels for 4 pcs Aurora Wash.	409,48	342,43	St
FTE-CASE BAR PRO	Case Bar PRO, Flight case with wheels for 8 pcs Lighting Bars 1m.	337,13	281,93	St
FTE-CASE BLINDER INNOVATIVE	Case Blinder Innovative, Flight case with wheels for 4 pcs Blinder Innovative.	384,88	321,86	St
FTE-CASE BLINDER UNO	Case Blinder UNO, Flight case with wheels for 4 pcs Blinder UNO .	274,91	229,90	St
FTE-CASE BLINDER UNO PRO	Case Blinder UNO PRO, Flight case with wheels for 6 pcs Blinder UNO .	491,95	411,40	St
FTE-CASE COB PAR 100	Case Cob Par 100, Case with wheels for 4 pcs Led par Cob 100 Zoom	274,91	229,90	St
FTE-CASE COB PAR 200 6IN1	Case COB Par 200 6in1, Flight case with wheels for 6 pcs COB Par 200.	286,49	239,58	St
FTE-CASE CYCLONE PRO/F-6 GO	Case Cyclone PRO/F-6 GO, Flight case with wheels for 4 pcs Cyclone PRO or F-6 GO	332,79	278,30	St
FTE-CASE F-5	Case F-5, Flight case with wheels for 4 pcs F-5.	397,90	332,75	St
FTE-CASE F-7	Case F-7, Flight case with wheels for 4 pcs F-7.	397,90	332,75	St
FTE-CASE FOLLOW SPOT 150	Case Follow Spot 150, Flight case with wheels for the follow spot 150.	280,70	234,74	St
FTE-CASE GLOW	Case Glow, Flight case with wheels for 6 pcs Glow	332,79	278,30	St
FTE-CASE HALO	Case Halo, Flight case with wheels for 2 pcs Halo	357,39	298,87	St
FTE-CASE HYDOR BSW	Case HYDOR BSW, Single case with wheels for 1 pc HYDOR BSW.	390,67	326,70	St
FTE-CASE HYDOR PROFILE	Case HYDOR PROFILE, Single case with wheels for 1 pc HYDOR PROFILE.	390,67	326,70	St
FTE-CASE IQ AURORA/28X12	Case IQ Aurora/28x12, Flight case with wheels for 4 pcs IQ Aurora/28x12.	354,49	296,45	St
fte-Case IQ Par	Flight case with wheels for 8 pcs IQ Par.	335,68	280,72	St
FTE-CASE IRIDIUM	Case Iridium, Case with wheels for 4 pcs Iridium.	347,26	290,40	St
FTE-CASE LED FOLLOW SPOT 350	Case Led Follow Spot 350, Flight case with wheels for Led Follow Spot 350.	434,08	363,00	St
FTE-CASE LED FOLLOW SPOT 600	Case Led Follow Spot 600, Flight case with wheels for Led Follow Spot 600.	434,08	363,00	St
FTE-CASE LIFTING BALL	Case Lifting Ball, Flight case for 4 Lifting balls Sets	260,45	217,80	St
FTE-CASE LINEA ZOOM	Case Linea Zoom, Flight case with wheels for 4pcs Linea Zoom.	434,08	363,00	St
fte-Case Luminus Pole	Flight case with wheels for 4 pcs Luminus Pole with charging station.	473,14	395,67	St
FTE-CASE PICO PRO	Case Pico PRO, Case with wheels for 6 pcs Pico PRO	274,91	229,90	St
FTE-CASE PIXEL BAR IP65 6IN1	Case Pixel Bar IP65 6in1, Flight case with wheels for 6 pcs Pixel Bar IP65 6in1.	328,45	274,67	St
FTE-CASE PIXEL BLADE	Case Pixel Blade, Flight case with wheels for 4 pcs Pixel Blade.	335,68	280,72	St
FTE-CASE PIXEL BLADE ULTRA	Case Pixel Blade Ultra, Flight case with wheel for 4 pcs Pixel Blade Ultra.	322,66	269,83	St
FTE-CASE PIXEL PANEL	Case Pixel Panel, Flight case with wheels for 6 pcs pixel panels.	260,45	217,80	St
FTE-CASE PROFILE LED	Case Profile Led, Professional case with wheels for 4 pcs Profile leds.	383,43	320,65	St
FTE-CASE RAZOR LASER	Case Razor Laser, Flight case with wheels for 4 pcs Razor	296,62	248,05	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
	Lasers.			
FTE-CASE RGB FAN	Case RGB FAN, Flight case with wheels for 4 pcs RGB FAN.	350,15	292,82	St
FTE-CASE SMART BEAM / BSW	Flight case with wheels for 4 pcs Smart Beam, BSW	371,86	310,97	St
FTE-CASE SPARK JET PRO	Case Spark Jet PRO, Flight case with wheels for 4 pcs Spark Jet PRO with accesories and console space.	414,18	346,36	St
FTE-CASE SPOT 100 /150 PRO	Case Spot 100 /150 PRO, Flight case with wheels for 4 pcs Spot 100 PRO.	376,20	314,60	St
fte-Case Tornado Pro	Flight case with wheels for 4 pcs Tornado Pro and 1 space place for accesories	332,79	278,30	St
FTE-CASE TOUR PAR 150	CASE TOUR PAR 150, Flight case with wheels for 10 pcs the Tour Par 150	355,94	297,66	St
FTE-CASE ULTRA PAR	Case Ultra Par, Flight case with wheels for 4 pcs Ultra Par.	248,87	208,12	St
FTE-CASE WASH 600 HEX	Case Wash 600 HEX, Case with Wheels for 4 pcs Wash 600 HEX	332,79	278,30	St
FTE-CASE WASH 7X15 / 12X10	Case Wash 7x15 / 12x10, Flight case with wheels for 6 pcs Wash 7x15 / 12x10	274,91	229,90	St
FTE-CASE WASH Q7	Case Wash Q7, Flight case with wheels for 4 pcs Wash Q7	376,20	314,60	St
FTE-CLAMP 100	CLAMP 100, Professional clamp for fixtures lifting weight 100kg.	12,93	10,68	St
FTE-CLAMP 100 BLACK	CLAMP 100 Black, Professional clamp for fixtures lifting weight 100kg. Black	13,18	10,89	St
FTE-CLAMP 40	Clamp 40, Clamp for professional fixtures , 40-60mm lifting weight 30kg.	3,66	3,03	St
FTE-CLAMP 80	Clamp 80, Clamp for professional fixtures , 30-62mm lifting weight 80kg.	6,38	5,28	St
FTE-CLIMATE 1 BLACK	CLIMATE 1 BLACK, Compact ABS plastic in/Out-Door professional passive speaker, 1x2.75" full-range driver, 15w RMS, 83 dB Spl, 1 way passive, 8ohm, Frequency range 250-20kHz, black housing, quick install bracked included	40,51	33,88	St
FTE-CLIMATE 1 PEARL	CLIMATE 1 PEARL, Compact ABS plastic in/Out-Door professional passive speaker, 1x2.75" full-range driver, 15w RMS, 83 dB Spl, 1 way passive, 8ohm, Frequency range 250-20kHz, white housing, quick install bracked included.	46,30	38,72	St
FTE-CLIMATE 3 BLACK	CLIMATE 3 BLACK, Compact ABS plastic in/Out-Door professional passive speaker 3.5 inch woofer, 28mm PEI tweeter, 30w RMS, 84 dB Spl, 2 way passive, 8ohm, Frequency range 90-20kHz, white housing, quick install bracked included.	70,15	58,66	St
FTE-CLIMATE 3 PEARL	CLIMATE 3 PEARL, Compact ABS plastic in/Out-Door professional passive speaker 3.5 inch woofer, 28mm PEI tweeter, 30w RMS, 84 dB Spl, 2 way passive, 8ohm, Frequency range 90-20kHz, white housing, quick install bracked included.	70,15	58,66	St
FTE-CLIMATE 5 BLACK	CLIMATE 5 BLACK, Compact ABS plastic in/Out-Door professional passive speaker 5.25 inch woofer, 0.75" silk dome twiter, 50w RMS, 87 dB Spl, 2 way passive, 8ohm, Frequency range 60-20kHz, black housing, quick install bracked included.	89,68	75,00	St
FTE-CLIMATE 5 PEARL	CLIMATE 5 PEARL, Compact ABS plastic in/Out-Door professional passive speaker 5.25 inch woofer, 0.75" silk dome twiter, 50w RMS, 87 dB Spl, 2 way passive, 8ohm, Frequency range 60-20kHz, white housing, quick install bracked included.	89,68	75,00	St
FTE-CLIMATE 8 BLACK	CLIMATE 8 BLACK, Compact ABS plastic in/Out-Door professional passive speaker 8 inch woofer, 1" silk dome twiter, 70w RMS, 89 dB Spl, 2 way passive, 8ohm, Frequency range 50-20kHz, black housing, quick install bracked included.	125,71	105,12	St
FTE-CLIMATE 8 PEARL	CLIMATE 8 PEARL, Compact ABS plastic in/Out-Door professional passive speaker 8 inch woofer, 1" silk dome twiter, 70w RMS, 89 dB Spl, 2 way passive, 8ohm, Frequency range 50-20kHz, white housing, quick install bracked included.	125,71	105,12	St
FTE-CLIMATE C5	CLIMATE C5, High quality ceiling speaker for pro audio and	91,84	76,80	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
FTE-CLIMATE C6	public address, 100/70V and 8Ω selecting switch, polypropylene woofer 4", superior tweeter 1", frequency response 80Hz -23kHz, 87 dB Spl, Hole size 175mm. CLIMATE C6, High quality ceiling speaker for pro audio and public address, 100/70V and 8Ω selecting switch, polypropylene woofer 5.25", superior tweeter 1", frequency response 65Hz -23kHz, 89 dB Spl, Hole size 205mm.	99,13	82,90	St
FTE-CLIMATE C8	CLIMATE C8, High quality ceiling speaker for pro audio and public address, 100/70V and 8Ω selecting switch, polypropylene woofer 6", superior tweeter 1", frequency response 53Hz -23kHz, 90 dB Spl, Hole size 230mm.	113,02	94,51	St
FTE-CLIMATE HORN	CLIMATE HORN, Outdoor IP66 Horn Speaker, Built-in 70V/100V transformer, built-in LF 6.5" and 1" HF driver, ABS plastic and steel grille. Frequency Response 90Hz-20kHz, 362x252x310mm , 4kg.	140,35	117,37	St
FTE-CLIMATE INGROUND	CLIMATE INGROUND, Unidirectional outdoor IP65 speaker, inground, wall mount and hanging mounted, ABS plastic, 100V, 20W/8Ω, max SPL 105dB, Frequency Response 120Hz-20KHz, Dispersion Angle 170*90 degree, 4"woofer 1" tweeter, 1.6kg	111,41	93,17	St
FTE-CLIMATE IP4 BLACK	Climate IP4 Black	65,26	54,57	St
FTE-CLIMATE IP4 PEARL	Climate IP4 Pearl	65,26	54,57	St
FTE-CLIMATE IP5 -BLACK	CLIMATE IP5 -Black, High Quality public address 2 way speaker, dust-proof and waterproof IP55, 100/70V and 8Ω, U type steel bracket included, ideal for out door installations, max input 60W/100V , 160W/8Ω, SPL 90 dB, 5?? Woofer + 1?? Tweeter, rugged	105,08	87,87	St
FTE-CLIMATE IP5 -PEARL	CLIMATE IP5 -Pearl, High Quality public address 2 way speaker, dust-proof and waterproof IP55, 100/70V and 8Ω, U type steel bracket included, ideal for out door installations, max input 60W/100V , 160W/8Ω, SPL 90 dB, 5?? Woofer + 1?? Tweeter, rugged	105,08	87,87	St
FTE-CLIMATE IP6 -BLACK	CLIMATE IP6 -Black, High Quality public address 2 way speaker, dust-proof and waterproof IP55, 100/70V and 8Ω, U type steel bracket included, ideal for out door installations, max input 90W/100V , 180W/8Ω, SPL 90 dB, 6.5?? Woofer + 1?? Tweeter, rugg	141,16	118,05	St
FTE-CLIMATE IP6 -PEARL	CLIMATE IP6 -Pearl, High Quality public address 2 way speaker, dust-proof and waterproof IP55, 100/70V and 8Ω, U type steel bracket included, ideal for out door installations, max input 90W/100V , 180W/8Ω, SPL 90 dB, 6.5?? Woofer + 1?? Tweeter, rugg	141,16	118,05	St
fte-Climate IP7 Black	All weather loudspeaker, IP66 waterproof for all extreme outdoor applications, 6.5" weatherproof woofer and 1? silk tweeter 2-way speaker system, ABS enclosure, stainless metal grille stainless mounting bracket, Supplied wi	90,07	75,32	St
fte-Climate IP7 Pearl	All weather loudspeaker, IP66 waterproof for all extreme outdoor applications, 6.5" weatherproof woofer and 1? silk tweeter 2-way speaker system, ABS enclosure, stainless metal grille stainless mounting bracket, Supplied wi	90,07	75,32	St
FTE-CLIMATE PRO BLACK	CLIMATE PRO BLACK, Column in/Out-Door professional passive speaker, mdf black housing, 4x4" inch woofer, 1x1" HF driver, 200w RMS, 95 dB Spl, 2 way passive, 8ohm, Frequency range 80-20kHz, quick install bracked included.	208,36	174,24	St
FTE-CLIMATE PRO PEARL	CLIMATE PRO PEARL, Column in/Out-Door professional passive speaker, mdf white housing, 4x4" inch woofer, 1x1" HF driver, 200w RMS, 95 dB Spl, 2 way passive, 8ohm, Frequency range 80-20kHz, quick install bracked included.	208,36	174,24	St
FTE-CLIMATE SUB BLACK	CLIMATE SUB BLACK, Professional active mdf bandpass subwoofer 1 x10 inch, 150w Rms, 118 dB Spl, D class amplifier, 2XLR input Frequency response 50-150Hz, LED power / signal / clip indicator, gnd and float switchable, Phase switchable(0/180), black hous	470,25	393,25	St
FTE-CLIMATE SUB PEARL	CLIMATE SUB PEARL, Professional active mdf bandpass subwoofer 1 x10 inch, 150w Rms, 118 dB Spl, D class	470,25	393,25	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
	amplifier, 2XLR input Frequency response 50-150Hz, LED power / signal / clip indicator.gnd and float switchable,Phase switchable(0/180), white hous			
FTE-CLM 101	CLM 101, Vintage dynamic super-cardiod microphone, superb, capturing, 2 high sensitivity capsules. Vintage metallic design, advanced shock mount, 120Hz-10,000Hz , senitivity -66 µbar, impedance 1.2KΩ (at 1,000 Hz).	108,52	90,75	St
FTE-CO2 GUN	Co2 GUN, Handheld CO2 Gun for fast connection hose.	190,99	159,72	St
FTE-CO2 HIGH PRESSURE HOSE 2M	CO2 high pressure hose 2m, Fast connection Co2 high pressure hose 2m.	49,20	41,14	St
FTE-CO2 HIGH PRESSURE HOSE 4M	CO2 high pressure hose 4m, Fast connection Co2 high pressure hose 4m.	76,69	64,13	St
FTE-CO2 HIGH PRESSURE HOSE 8M	CO2 high pressure hose 8m, Fast connection Co2 high pressure hose 8m.	108,52	90,75	St
FTE-CO2 LED DMX	Co2 Led DMX, LED CO2 Jet is a professional high quality DMX CO2 Jet. Spray angle is 0°-90° adjustable, 27pcs 5W RGB LEDs, CO2 can reach 7m high when gas`s pressure is enough, DMX-512, On-Board Control Panel, Wireless remote	502,08	419,87	St
FTE-COB PAR 100 ZOOM	Cob Par 100 Zoom, Retro Led Cob Par 100watt Warm White 3200K , Life Time: 50,000 hours , manually adjusted zoom 9°/15°/20°/25°/30° , 0-100% linear dimmer , Strobe: 10 Flashes per second , Aluminium housing , In/Out: 3-pin XLR , powercon in/out, High	270,57	226,27	St
FTE-COB PAR 200 RGBW	COB Par 200 RGBW, Professional Led Par COB, led source 200W?4-in-1 RGBW? COB, light distribution uniform and soft, Beam angle:60 degree, 0-100% linear dimmer, DMX channel:4/8 channels, Barndoor Included, 3.5kg.	244,53	204,49	St
FTE-COB SYSTEM	Cob System, Led Par System, 4 leds 30 watt COB RGBW , Pixel Control, 25° Beam Angle, DMX mode , IR remote, powercon in/out, built in programs, black stand included.	332,79	278,30	St
FTE-CS-5	FOS CS-5 - High-performance ABS rimless ceiling speaker, 100V 20Watt, SPL 1w/1m - 89dB	42,61	35,63	St
FTE-CS-6	CS-6 High-performance ABS Rimless ceiling speaker	52,96	44,29	St
FTE-CS-8	CS-8 High-performance ABS Rimless ceiling speaker	79,28	66,30	St
FTE-CUELUX 2	CueLux 2, Cuelux is an intuitive software controller for the entertainment lighting industry, incorporating a range of exciting features. It is a DMX 512 lighting controller for intelligent lights, LED, dimmers, lasers and various other effects.	432,63	361,79	St
FTE-CYCLONE PRO D2	FOS Cyclone PRO D2 - Powerful moving Strobe IP65	1.076,51	900,24	St
FTE-CYCLONE RGB II	FOS Cyclone RGB II - Pixel RGB Strobe	244,53	204,49	St
FTE-D1000	IHOS D1000 D Class High Performance 2 Ch. Amplifier	422,50	353,32	St
FTE-D1200	IHOS D1200 D Class High Performance 2 Ch. Amplifier	465,91	389,62	St
FTE-D1204	IHOS D1204 D Class High Performance 4 Ch. Amplifier	539,70	451,33	St
FTE-D1800	IHOS D1800 D Class High Performance 2 Ch. Amplifier	577,32	482,79	St
FTE-D2004	IHOS D2004 D Class High Performance 4 Ch. Amplifier	614,94	514,25	St
FTE-D2600	IHOS D2600 D Class High Performance 2 Ch. Amplifier	720,57	602,58	St
FTE-D3000	IHOS D3000 D Class High Performance 2 Ch. Amplifier	826,19	690,91	St
FTE-D3600	IHOS D3600 D Class High Performance 2 Ch. Amplifier	899,98	752,62	St
FTE-D4004	IHOS D4004 D Class High Performance 4 Ch. Amplifier	889,85	744,15	St
FTE-D46	D46, 6 channel DMX Dimmer, 400 watt per channel , ideal for dimmable led lamps, 2A fuse on each channel, Manual check 3-character Display with 4 buttons 18 connection terminal output	244,53	204,49	St
FTE-D600	IHOS D600 D Class High Performance 2 Ch. Amplifier	358,84	300,08	St
FTE-D6004	IHOS - D6004 D Class High Performance 4 Ch. Amplifier	1.017,18	850,63	St
FTE-DESIGNER 1024	Designer 1024, Lighting Controller , 1024 channels with 2 individual optical isolated DMX outputs and Net-work interface, 7" TFT-LCD touch screen for operating, 3 colour backlite keyboard, R20 library files , USB interface , flight case included , 10	1.894,02	1.583,89	St
FTE-DESIGNER 2048	Designer 2048, 2048 channels Lighting Console, high-resolution 15 inches capacitive LCD touch screen,	2.875,03	2.404,27	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
	Art-Net, 15 playback faders and 15 playback keys, 4 backlit optical encoders, WiFi antenna provides WiFi signal for connecting App, backlit which c			
FTE-DILOS	FOS DILOS - 3 way line array speaker, 1400watt Rms, multiple DSP, 130 dB	1.009,95	844,58	St
FTE-DILOS FLYBAR	DILOS FLYBAR, Flybar for Dilos Line array, flying and ground stack features.	471,70	394,46	St
FTE-DILOS RS485	Dilos RS485, USB to RS485 for the Dilos Line Array.	46,30	38,72	St
FTE-DILOS SATELITE DOLLY	Dilos Satelite Dolly, Dolly for Dilos Satelite with blue wheels, 30mm plywood, can carry up to 4 Dilos Satelite , 75 x55 x15cm,	497,74	416,24	St
FTE-DILOS SUB	FOS DILOS SUB - plywood bandpass subwoofer for Dilos line array, 1000watt Rms, multiple DSP, 134dB	1.604,63	1.341,89	St
FTE-DILOS SUB DOLLY	Dilos SUB Dolly, Dolly for Dilos Sub with blue wheels, 30mm plywood, can carry up to 4 Dilos Sub, 100 x78x15cm,	532,47	445,28	St
FTE-DILOS SYSTEM 1	Dilos System 1, Dilos Line array floor stackable configuration that includes 4 pcs 3 way active with DSP Dilos Plywood satelite and 2 pcs Dilos active plywood bandpass subwoofer with DSP.	7.249,06	6.062,10	St
FTE-DILOS SYSTEM 2	Dilos System 2, Dilos Line array Flying configuration that includes 4 pcs 3 way active with DSP Dilos Plywood satelite , 1 pc Dilos active plywood bandpass subwoofer with DSP and a Dilos FlyBar.	6.114,68	5.113,46	St
FTE-DILOS SYSTEM 3	Dilos System 3, Dilos Line array Flying configuration that includes 6 pcs 3 way active with DSP Dilos Plywood satelite , 3 pcs Dilos active plywood bandpass subwoofer with DSP and a Dilos FlyBar.	11.343,84	9.486,40	St
FTE-DILOS SYSTEM 4	Dilos System 4, Dilos Line array Flying configuration that includes 8 pcs 3 way active with DSP Dilos Plywood satelite , 4 pcs Dilos active plywood bandpass subwoofer with DSP and a Dilos FlyBar.	14.968,37	12.517,45	St
fte-DJ Desk	Professional foldable DJ booth, elegant white color high-grade steel construction, black and white removable polyethylene covers with Velcro, plastic carrying bag, 2 shelves with cable management system, 120x60x112.5cm 27.5kg	516,55	431,97	St
FTE-DM20M	DM20M, Digital mixing console , 16 channel - 12 mic inputs, 2 stereo inputs, 8 customizable XLR outputs, 16 bus and 4 mono output bus, 5 stereo output, Up to 8 modules(2 reverb,2 Modulations,2 Delay,2 15-band EQ	1.085,04	907,38	St
FTE-DM20M CASE	DM20M Case, Travel case for DM20 mixing console.	71,38	59,69	St
FTE-DM20M RACK	DM20M Rack, Rack brackets for for DM20 mixing console.	30,37	25,10	St
FTE-DM8	DM8, Digital mixing console , 8 channel - 6 mic inputs, 1stereo inputs, 2 XLR outputs, 2 bus, 4 Effects Modules ,2 reverb ,2 Delay, WIFI connecting to USB wireless module,1 LAN interface	399,35	333,96	St
FTE-DM8 RACK	DM8 Rack, 19-inch rack brackets for DM8 mixing console.	26,53	21,93	St
FTE-DMX OPERATOR	DMX OPERATOR, Dmx lighting desk,Control up to 192 DMX Channels, Control up to 12 Separate DMX intelligent lights with up to 16 DMX channels per fixture,Record up to 6 chases with separate fade times and step speeds , 8 individual faders.	206,91	173,03	St
FTE-DOUBLE CASE 12R.	Double Case 12R., Double case with wheels for 2 pcs 12R Hybrid	293,72	245,63	St
FTE-DOUBLE CASE 12R PRO	Double Case 12R PRO, Double case with wheels for 2 pcs 12R Hybrid	358,84	300,08	St
FTE-DOUBLE CASE 7R	Double Case 7R, Double case with wheels for 2 pcs 7R Hybrid	289,38	242,00	St
FTE-DOUBLE CASE ARES PROFILE	FTE-DOUBLE CASE ARES PROFILE Double case with wheels for 2 pcs Ares Profile	406,58	340,01	St
FTE-DOUBLE CASE COB SYSTEM	Double Case COB System, Double case for COB System	292,28	244,42	St
FTE-DOUBLE CASE HELIX	Double Case Helix, Double Case with Wheels for 2 pcs Helix.	331,34	277,09	St
FTE-DOUBLE CASE HELIX	Double Case Helix Ultra/HP, Flight case with wheels for 2	351,60	294,03	St



Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
ULTRA/HP	pcs Helix Ultra/HP.			
FTE-DOUBLE CASE HERCULES PRO	Double Case Hercules PRO, Double case with wheels for 2 pcs Hercules	429,73	359,37	St
FTE-DOUBLE CASE HYDOR BEAM	Double Case HYDOR BEAM, Double case with wheels for 2 pcs HYDOR BEAM.	311,09	260,15	St
FTE-DOUBLE CASE HYDOR WASH	Double Case HYDOR Wash, Double case with wheels for 2 pcs HYDOR Wash	390,67	326,70	St
FTE-DOUBLE CASE IRIDIUM	Double Case Iridium, Double case for 2 pcs Iridium.	212,70	177,87	St
FTE-DOUBLE CASE LED BEAM 150.	Double Case Led Beam 150., Double Case with Wheels for 2 pcs Led Beam 150.	311,09	260,15	St
FTE-DOUBLE CASE ORION	Double Case Orion, Double case with wheels for 2 pcs Orion.	429,73	359,37	St
FTE-DOUBLE CASE SCORPIO BEAM	Double Case Scorpio Beam, Double case with wheels for 2 pcs Scorpio Beam.	361,73	302,50	St
FTE-DOUBLE CASE SCORPIO BSW	Double Case Scorpio BSW, Double case with wheels for 2 pcs Scorpio BSW.	361,73	302,50	St
fte-Double Case Scorpio Spot/Beam	Double case with wheels for 2 pcs Scorpio Spot or Beam.	361,73	302,50	St
FTE-DOUBLE CASE SPIDER 3D	Double Case Spider 3D, Double Case with Wheels for 2 pcs Spider 3D.	209,80	175,45	St
FTE-DOUBLE CASE SPOT 150	Double Case Spot 150, Flight case with wheels for 2 pcs Spot 150.	311,09	260,15	St
FTE-DOUBLE CASE TITAN BEAM	Double Case Titan Beam, Double case with wheels for 2 pcs Titan Beam.	342,92	286,77	St
FTE-DOUBLE CASE TRITON	Double Case TRITON, Double Case with Wheels for 2 pcs TRITON.	349,21	349,21	St
fte-Double Case TRITON / Nintro BSW	Double Case with Wheels for 2 pcs Triton , Nitro BSW.	376,20	314,60	St
FTE-DOUBLE CASE WASH Q19	Double Case Wash Q19, Double Case with Wheels for 2 pcs Wash Quad.	364,62	304,92	St
FTE-DOUBLE CASE WASH QUAD.	Double Case Wash Quad., Double Case with Wheels for 2 pcs Wash Quad.	199,67	166,98	St
FTE-DOUBLE CASE WASH QUAD III	Double Case Wash Quad III, Double Case with Wheels for 2 pcs Wash Quad III.	311,09	260,15	St
FTE-DP2004	IHOS DP2004 Professional Audio Processor 2 Input/ 4 Output	417,80	349,39	St
FTE-DP2006	IHOS DP2006 Professional Audio Processor 2 Input/ 6 Output	512,76	428,80	St
FTE-DP4008	IHOS DP4008 Professional Audio Processor 4 Input/ 8 Output	667,39	558,11	St
FTE-DVC4 GOLD ZM 3072CH	DVC4 Gold ZM 3072ch, Dmx Software and hardware, 3072 Dmx Channels (1024 via DMX 3- / 5-pin and 2048 via art-net) , compatible with DVC4 , connection mini USB and RJ45 Ethernet, suitable for stand-alone applications, SD Card as the storage device (n	580,21	485,21	St
FTE-DVC GOLD 1024CH	DVC Gold 1024ch, New hardware with stand alone option for Daslight 5 & 4, 1024 Dmx Channels, type c USB, Rj 45, 13 buttons, sdcard, DMX in, 99 scenes. 4 xlr 3pin.	622,17	520,30	St
FTE-F-5 PRO	F-5 Pro, Amazing IP 65 washer 44 x RGBW 4in1 10W LEDs, 12,000 lm , 35° lens , Pan/Tilt: 0° / 120° , DMX channels 1, 3, 4, 5, 10, 14 & 15 selectable, Die-casting Aluminum, Floor stand, hanging, 9 Kg .	787,12	658,24	St
FTE-F5PRO POWER ADAPTOR	F5PRO Power Adaptor, Switching power adaptor 12V for the F5PRO broadcast monitor.	14,64	12,10	St
FTE-F5PRO V2	F5PRO V2, Professional 4K 5.5 inch touch screen camera field monitor, Hdmi in/out, 500nit touch display, 1920x1080 pixels, 1000: contrast ratio, 160° viewing angle, Sony F970 external install kit ready,	253,21	211,75	St
FTE-F-6 GO	F-6 Go, Moving Outdoor IP 65 Washer, 44 led 10 watt RGBW 4in1, Tilt (Degrees): 185° , 16Bit Tilt resolution, 35° lens optics, IP65 XLR and True powercon connectors, USITT DMX-512, RDM, Auto Run Effects, Die-casting Aluminum, 10kg	902,88	755,04	St
FTE-F6 PLUS	F6 PLUS, .5 inch DSLR Camera Field Touch Screen Monitor	282,15	235,95	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
	with HDR 3D Lut Small Full HD 1920x1080 IPS Video Peaking Focus Assist 4K HDMI 8.4V DC Input Output Include Tilt Arm			
FTE-F-7	F-7, Super Bright 700watt IP65 Strobe/Washer, 48 led 15watt RGBW 7000hz scan rate, 16bit Dimmer, Barndoor, Beam agle 120 degrees, Strobe Flash 0-650ms.	1.076,51	900,24	St
fte-FC-CT	Cable Tie with Velcro.	0,89	0,74	St
fte-FC-PC-10	Professional powercon 10 meter male/female 3x2.5mm cable,	42,80	35,79	St
fte-FC-PC-3	Professional powercon 3 meter male/female 3x2.5mm cable,	20,82	17,21	St
fte-FC-PC-5	Professional powercon 5 meter male/female 3x2.5mm cable,	29,81	24,64	St
FTE-FC-PDC-10	FOS Technologies - FC-PDC-10 - Professional PowerCon / DMX cable 10 meter	64,23	53,71	St
fte-FC-PDC-1.5	Professional PowerCon / DMX cable 1.5 meter,	22,56	18,65	St
FTE-FC-PDC-3	FOS Technologies - FC-PDC-3 - Professional PowerCon / DMX cable 3 meter	29,28	24,20	St
FTE-FC-PDC-5	FOS Technologies - FC-PDC-5 - Professional PowerCon / DMX cable 5 meter	38,63	32,31	St
fte-FC-PL	PowerCon male / Female in line adaptor.	7,63	6,30	St
fte-FC-Powercon Blue	Powercon Blue	3,97	3,28	St
fte-FC-Powercon White	Powercon White	3,97	3,28	St
fte-FC-PS	Professional Powercon/Schuko cable.	7,63	6,30	St
fte-FC-PT	Powercon true male/female set.	13,03	10,77	St
FTE-FC-TP-PDC-1.5	Professional TruePowercon/ DMX cable 1.5 meter.	42,87	35,85	St
FTE-FC-TP-PDC-3	Professional TruePowercon/ DMX cable 3 meter.	49,77	41,62	St
FTE-FC-TP-PDC-5	Professional TruePowercon/ DMX cable 5 meter.	59,05	49,38	St
FTE-FC-XLR3-10	FC-XLR3-10 Professional DMX 110 Ohm cable with XLR 3 pins plugs male / female, 10 meters	13,62	11,25	St
FTE-FC-XLR3-100	FC-XLR3-100 Professional DMX 110 Ohm cable in plastic roll package. 100 meter	91,16	76,23	St
FTE-FC-XLR3-15	FC-XLR3-15 Professional DMX 110 Ohm cable with XLR 3 pins plugs male / female 15 meters	17,67	14,60	St
FTE-FC-XLR3-1.5	FC-XLR3-1.5 Professional DMX 110 Ohm cable with XLR 3 pins plugs male / female, 1.5m	6,62	5,47	St
FTE-FC-XLR3-3	FC-XLR3-3 Professional DMX 110 Ohm cable with XLR 3 pins plugs male / female 3 meters	7,88	6,51	St
FTE-FC-XLR3-30	FC-XLR3-30 Professional DMX 110 Ohm cable with XLR 3 pins plugs male / female 30 meters	30,01	24,81	St
FTE-FC-XLR3-5	FC-XLR3-5 Professional DMX 110 Ohm cable with XLR 3 pins plugs male / female 5 meters	9,49	7,84	St
FTE-FC-XLR3-F	FC-XLR3-F Professional 3pin Female XLR connector.	1,63	1,34	St
FTE-FC-XLR-3F5M	FC-XLR-3F5M Professional DMX adaptor 3pin XLR female to 5pin XLR male	4,77	3,94	St
FTE-FC-XLR3-M	FC-XLR3-M Professional 3pin Male XLR connector.	1,63	1,34	St
FTE-FC-XLR-3M5F	FC-XLR-3M5F Professional DMX adaptor 3pin XLR male to 5pin XLR female	4,77	3,94	St
FTE-FEEDBACK EXTERMINATOR	Feedback Exterminator, Intelligent Feedback Extermination, automatically scanning and suppressing feedback points, 24-point dynamic notch for each channel, 12 ?band PEQ., 1Hz resolution accuracy. Operating frequency is 20Hz-20KHz , Special Noise gate	358,11	299,48	St
FTE-FOG 1500 DMX	FOS Fog 1500 DMX - 1500 watt high quality smoke machine DMX controlled	228,61	191,18	St
FTE-FOG LIQUID CO2 5L	Fog Liquid Co2 5L, Fast dispersion fog liquid, water based, 5 Liters.	17,26	14,27	St
FTE-FOG LIQUID HAZE 5L	Fog Liquid Haze 5L, Haze Liquid, water based , 5 liter	18,24	15,08	St
FTE-FOG LIQUID PROFESSIONAL 5L	Fog Liquid Professional 5L, High Density Fog liquid , water based , 5 liters.	15,67	12,95	St
FTE-FOG LIQUID STANDARD 5L	Fog Liquid Standard 5L, Fog liquid Standard, water based , 5 liters.	12,47	10,31	St
FTE-FOLDED CLAMP	Folded Clamp, Folded clamp for FOS moving heads. Suitable for Q19, Q19HP, Titan, Aurora & Scorpio models.	59,69	49,91	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
FTE-FOLDED SUPER CLAMP 100	Folded Super Clamp 100, Self lock clamp with folded operation for reduce the height, fixtures lifting weight 100 kg - 40-70mm .	21,79	18,00	St
FTE-FORTIUS PRO 1024	FORTIUS PRO 1024, 1024 Dmx Channels interface , Pro DMX + LED Player + Studio DMX compatible, 30 minutes loop of Audio and Video Timeline with Pro DMX, Infra Red LED remote , NEXT button , Pin-NEUTRIK XLR	313,98	262,57	St
FTE-FORTIUS STAND ALONE	FORTIUS Stand alone, 512 Dmx channels stand alone interface , Pro DMX + Studio DMX compatible 2x512 Out PC and Stand Alone channels (using no PC)	313,98	262,57	St
FTE-FORTIUS STUDIO 512	FORTIUS STUDIO 512, 512 Dmx Channels interface , LED Player , Mini USB 2.0 , Infra Red Remote Control, 5 V. DC USB Power supply Default scene triggering when power up	199,67	166,98	St
FTE-FOS ARENA ZOOM 10X40 IP65	FOS Arena Zoom 10x40 IP65	1.226,99	1.026,08	St
FTE-FOS ARENA ZOOM 20X40 IP65	FOS Arena Zoom 20x40 IP65	1.726,17	1.443,53	St
FTE-FOS CASE ARENA ZOOM 10X40 IP65	FOS case Arena Zoom 10x40 IP65 4in1 case with wheels for the Arena Zoom 10x40 IP65	371,86	310,97	St
FTE-FOS CASE ARENA ZOOM 20X40 IP65	FOS case Arena Zoom 20x40 IP65 Double Flight case with wheels for the Arena Zoom 20x40 IP65	342,92	286,77	St
FTE-FOS CASE HYDOR WASH 760	FOS Case Hydor Wash 760	335,68	280,72	St
FTE-FOS CASE IQ PAR IP65	FOS Case IQ Par IP65 Flight case with wheels for 8pcs IQ Par IP65.	331,34	277,09	St
FTE-FOS CASE IQ PAR ZOOM IP65	FOS Case IQ PAR ZOOM IP65	318,22	318,22	St
FTE-FOS CASE PICTOR	FOS Case Pictor	480,38	401,72	St
FTE-FOS CASE SCORPIO WASH	Fos Case Scorpio Wash Flight case with wheels for 4 pcs Scorpio Wash.	434,08	363,00	St
FTE-FOS CASE SPARK MOTO SPARK M3	FOS Case Spark Moto Spark M3	414,18	346,36	St
FTE-FOS CASE SUPERSTORM	FOS Case SuperStorm	338,58	283,14	St
FTE-FOS DOUBLE CASE NOX	Fos Double case NOX Double Case with Wheels for 2 pcs Nox	434,08	363,00	St
FTE-FOS FADER DESK 48	FOS Fader Desk 48	204,02	170,61	St
FTE-FOS HYDOR WASH 760	FOS Hydor Wash 760	1.535,18	1.283,81	St
FTE-FOS IQ PAR IP65 HEX	FOS IQ Par IP65 HEX	329,90	275,88	St
FTE-FOS IQ PAR IP65 LIME	FOS IQ Par IP65 Lime	329,90	275,88	St
FTE-FOS LUMINUS TABLE	FOS Luminus Table Wireless DMX battery table light	288,95	241,64	St
FTE-FOS LUMINUS TABLE CASE	FOS Luminus Table Case ABS	399,35	333,96	St
FTE-FOS MOTO SPARK M3	FOS Moto Spark M3	1.444,02	1.207,58	St
FTE-FOS NOX	FOS Nox Hybrid versatile BSW moving head	2.791,10	2.334,09	St
FTE-FOS PICTOR	FOS Pictor Innovative professional theater profile	1.428,11	1.194,27	St
FTE-FOS PICTOR FRESNEL ADAPTOR	FOS Pictor Fresnel Adaptor Fresnel adaptor for led engine	201,12	168,19	St
FTE-FOS PICTOR GOBO HOLDER	FOS Pictor Gobo Holder Gobo	19,03	15,73	St
FTE-FOS PICTOR IRIS	FOS Pictor Iris Iris for Pictor Zoom profile.	59,67	49,90	St
FTE-FOS SPARK POWDER LARGE	FOS Spark Powder Large - Large version titanium powder 150 gr and RFID Card for Spark Jet Pro	48,83	40,84	St
FTE-FOSTSHIRTBLACKL	FOS T Shirt Black L	14,64	12,10	St
FTE-FOSTSHIRTBLACKM	FOS T Shirt Black M	14,64	12,10	St
FTE-FOSTSHIRTBLACKS	FOS T Shirt Black S	14,64	12,10	St
FTE-FOSTSHIRTBLACKXL.	FOS T Shirt Black XL.	14,64	12,10	St
FTE-FOSTSHIRTBLACKXXL.	FOS T Shirt Black XXL.	14,64	12,10	St
FTE-FPB-001	FPB-001, Powercon Power Box 16A-3pin CEE Input , 6PCS Grey Powercon ,With hanger easy to use , Size: 24x17x8CM.	75,37	63,03	St
FTE-FPB-011	FPB-011, Schuko Power Box ,1 x 3pin CEE 16A input , Output?6 x Socket,Size: 50x8.8x7cm	106,78	89,30	St
FTE-FPB-013	FPB-013, Schuko Power Box ,1 x 3pin CEE 16A input/output , Output 4 x Socket,Size: 34x7.5x9cm	69,09	57,78	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
FTE-FPB-017	FPB-017, CEE Power Box , 1 x 3-pin 32 A CEE input , 3 x 3-pin 16 A CEE output , Size: 22x20x18cm.	92,60	77,44	St
FTE-FPB-018	FPB-018, CEE Power Box , 1 x 3-pin 32 A CEE input , 6 x 3-pin 16 A CEE output ,Size: 33x20x18cm	130,22	108,90	St
FTE-FPB-020	FPB-020, PowerCon power box , input powercon , output 6x schuko16A ,Size:26x7x16CM.	87,94	73,54	St
FTE-FPB-025 CEE	FPB-025 CEE, CEE Power Box , 1 x 5-pin 32 A CEE input , 6 x 3-pin 16 A CEE output ,	288,95	241,64	St
FTE-FPB-025 SHUCKO	FPB-025 Shucko, CEE Power Box , 1 x 5-pin 32 A CEE input , 6 x Shucko output ,	266,96	223,25	St
FTE-FPB-210	FPB-210, CEE Power Distributor Rack , Size: 6U, 1 x 5PIN 63A CEE input , 4 x 5PIN 16A Output , 8 pcs Schuco sockets , Delixi breaker , Voltage meter, IP67 Cover to protect the breaker,IP Rated: IP44.	926,03	774,40	St
FTE-FPB-211	FPB-211, CEE Power Distributor Rack , Size: 6U, 1 x 5PIN 63A CEE input/output , 12 x 3PIN 16A Output , 2 x 3PIN 16A Output , Delixi breaker , Voltage Ammeter, IP67 Cover to protect the breaker,IP Rated: IP44.	831,98	695,75	St
FTE-FPB-265	FPB-265, CEE Power Distributor Rack , Size: 3U, 1 x 5PIN 63A CEE input , 2 x 5PIN three-phase 32A Output , 2 x 5PIN three-phase 16A Output, 30 mA Residual Current Device (RCD).	345,47	288,90	St
FTE-FPB-270	FPB-270, CEE Power Distributor Rack , Size: 6U, 1 x 5PIN 32A CEE input ,11 x Powercon Output , 11 x CEE 16A output , Three-phase Voltmeters.	910,11	761,09	St
FTE-FPB-RAIN COVER	FPB-Rain Cover, Rain Cover for the FPB-211/210 power box.	72,35	60,50	St
FTE-FPB-WHEEL DOLLY	FPB-Wheel Dolly, Wheel dolly for the FPB-211/210 power box.	69,45	58,08	St
FTE-FRESNEL KIT	Fresnel Kit, Fresnel lens replacement for the PC	36,60	30,25	St
FTE-FS3.9 INDOOR	FS3.9 Indoor, Indoor Led Screen 3 in 1 SMD 2020 , pixel pitch 3.9 mm , panel size 50 x 50 cm,6.9kg Brightness: 900 cd/m2, Resolution of module: 64 x 64 , Gray scale 16bits . Refresh Freq 3000 Hz , Nova star Input card included .	795,80	665,50	St
fte-FS-4LC	Steel clamp for connection of 4pcs stage platforms legs	31,13	25,72	St
FTE-FS-750H-1X1	FS-750H-1X1 - Professional Stages Decks 100x100cm TUV approved, Hexa Finish	321,22	268,62	St
FTE-FS-750H-2X0.5	FS-750H-2X0.5 Professional Stages Decks 200cm x 50cm TUV approved, HEXA Finish, 750kg/m 16kg per sqm stage.	321,22	268,62	St
FTE-FS-750H-2X1	FS-750H-2X1 - Professional Stages Decks 200cm x 100cm TUV approved, HEXA Finish, 750kg/m 16kg per sqm stage	447,10	373,89	St
FTE-FS-AS 60-100	FS-AS 60-100 Adjustable Stairs for stage platforms 60-100 cm	665,58	556,60	St
FTE-FS-AS 80-140	FS-AS 80-140 Adjustable Stairs for stage platforms 80-140 cm	750,95	627,99	St
FTE-FS-ASH-L	FS-ASH-L Adjustable Stairs hand rail left side.	209,80	175,45	St
FTE-FS-ASH-R	FS-ASH-R Adjustable Stairs hand rail right side.	209,80	175,45	St
FTE-FS-D2D	FS-D2D Clamp for connection of 2 pcs stage platforms.	11,20	9,26	St
FTE-FS-DL	FS-DL Leveler insert for stage platforms	6,71	5,54	St
FTE-FS-FL100	FS-FL100 Professional standard height 100 cm square legs, plastic cap protect floor, 60x60 profile.	25,48	21,05	St
FTE-FS-FL20	FS-FL20 Professional standard 20 cm height square legs, plastic cap protect floor, 60x60 profile.	8,49	7,02	St
FTE-FS-FL40	FS-FL40 Professional standard 40cm height square legs, plastic cap protect floor, 60x60 profile.	12,74	10,53	St
FTE-FS-FL60	FS-FL60 Professional standard 60 cm height square legs, plastic cap protect floor, 60x60 profile.	16,98	14,04	St
FTE-FS-FL80	FS-FL80 Professional standard 80 cm height square legs, plastic cap protect floor, 60x60 profile.	19,77	16,34	St
FTE-FS-H1.0	FS-H1.0 Stage Handrail 1 meter with easy and stable 2 point connection and built in attachment to the deck.	134,56	112,53	St
FTE-FS-H2.0	FS-H2.0 Stage Handrail 2 meter with easy and stable 2 point connection and built in attachment to the deck.	154,24	128,99	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
FTE-FS-LC	FS-LC Steel clamp for connection of 2pcs stage platforms legs.	14,55	12,03	St
FTE-FS-TL40-60	FS-TL40-60 Professional Telescopic 40cm-60cm Legs, 60x60 profile, Height scale, self locking screw, grey rubber.	33,24	27,47	St
FTE-FS-TL60-100	FS-TL60-100 Professional Telescopic 60cm-100cm Legs, 60x60 profile, Height scale, self locking screw, grey rubber.	65,98	55,18	St
FTE-FS-TL80-140	FS-TL80-140 Professional Telescopic 80 cm-140cm Legs, 60x60 profile, Height scale, self locking screw, grey rubber.	75,24	62,92	St
FTE-FS-TT	FS-TT Transport trolley for 15pcs stage platforms 2x1m.	489,06	408,98	St
FTE-FT-3101	FT-3101 Spare coupler for Truss FT31-HT44. Conical connector diam. 36mm	8,83	7,30	St
FTE-FT31-100	FT31-100 100 cm single side FT Truss	50,64	42,35	St
FTE-FT-3111	FT-3111 Half Connector Aluminium M12 for base plate 3004	10,19	8,42	St
FTE-FT31-150	FT31-150 150 cm single side FT Truss	56,43	47,19	St
FTE-FT-3116	FT-3116 Half Connector steel M12 for MCB Multi Connection Box.	11,55	9,55	St
FTE-FT31-200	FT31-200 200 cm single side FT Truss	65,11	54,45	St
FTE-FT-3150	FT-3150 Spare pin for Truss FT31-HT44.	3,40	2,81	St
FTE-FT31-50	FT31-50 50 cm single side FT Truss	41,96	35,09	St
FTE-FT-3191	FT-3191 Multi junction cube 90 degrees M12	48,34	40,43	St
FTE-FT34-100	FT34-100 Aluminium truss QUA290A-V1 system 100 cm is defined by the quick connection system.	250,32	209,33	St
FTE-FT34-100 BLACK	FT34-100 Black Aluminium truss QUA290A-V1 system 100 cm is defined by the quick connection system black.	224,45	187,70	St
FTE-FT34-150	FT34-150 Aluminium truss QUA290A-V1 system 150 cm is defined by the quick connection system.	242,88	203,11	St
FTE-FT34-150 BLACK	FT34-150 Black Aluminium truss QUA290A-V1 system 150 cm is defined by the quick connection system black.	288,10	240,92	St
FTE-FT34-200	FT34-200 Aluminium truss QUA290A-V1 system 200 cm is defined by the quick connection system	301,62	252,24	St
FTE-FT34-200 BLACK	FT34-200 Black Aluminium truss QUA290A-V1 system 200 cm is defined by the quick connection system black.	369,83	309,28	St
FTE-FT34-300	FT34-300 Aluminium truss QUA290A-V1 system 300 cm is defined by the quick connection system.	413,96	346,18	St
FTE-FT34-300 BLACK	FT34-300 Black Aluminium truss QUA290A-V1 system 300 cm is defined by the quick connection system black	509,08	425,73	St
FTE-FT34-50	FT34-50 Aluminium truss QUA290A-V1 system 50 cm is defined by the quick connection system	149,21	124,78	St
FTE-FT34-50 BLACK	FT34-50 Black Aluminium truss QUA290A-V1 system 50cm is defined by the quick connection system black	174,82	146,19	St
FTE-FT34-BPM-3004	FT34-BPM-3004 Base plate PSD 35 for FT , HT 34 Male , half couplers included	66,28	55,43	St
FTE-FT34-BPM-3004 BLACK	FT34-BPM-3004 Black Base plate PSD 35black powder coat paint for FT , HT 34 Male , half couplers included	75,37	63,03	St
FTE-FT34-C21	FOS FT34-C21 - Aluminium truss QUA290A-V1 system, 2 way 90 degrees corner, 0,5m each side	205,07	171,49	St
FTE-FT34-C21 BLACK	FOS FT34-C21 Black Aliminium truss QUA290A-V1 system 2-way (4x pins, safety clips couplers included)	242,76	203,01	St
FTE-FT34-C-3	FT34-C-3 Circle 3m , 4 segments 90 degreed arcs from FT 34 (pins, safety clips & couplers included).	2.718,76	2.273,59	St
FTE-FT34-C30	FT34-C30 Aluminium truss QUA290A-V1 system 3-WAY 90 degrees corner	308,44	257,94	St
FTE-FT34-C30 BLACK	FT34-C30 Black Aluminium truss QUA290A-V1 system 3-WAY 90 degrees corner	362,66	303,27	St
FTE-FT34-C-4	FT34-C-4 Circle 4m , 4 segments 90 degreed arcs from FT 34 (pins, safety clips & couplers included).	3.625,98	3.032,26	St
FTE-FT34-C41	FT34-C41 Aluminium truss QUA290A-V1 system 4-WAY 90 degrees corner	366,00	306,07	St
FTE-FT34-C41 BLACK	FT34-C41 Black Aluminium truss QUA290A-V1 system 4-WAY 90 degrees corner	431,08	360,50	St
FTE-FT34-MCB	FT34-MCB Aluminium truss QUA290A-V1 system multi connection box for 30x30 trusses	541,02	452,43	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
FTE-FT34-T35	FOS FT34-T35 - Aluminium truss QUA290A-V1 system T-corner, 0.5m each side (4x pins, safety clips & couplers included)	300,96	251,68	St
FTE-FT34-T35 BLACK	FT34-T35 Black Aluminium truss QUA290A-V1 system T-corner	307,85	257,44	St
FTE-FT-5556	FT-5556 U-Light Frame top with eye clamps for close and ring the U-Light Frame.	122,99	102,85	St
FTE-FT-8011	FT-8011 Clamp for truss , load 100kg diameter 48-51 mm	5,86	4,84	St
FTE-FT-8011 BLACK	FT-8011 Black Black Clamp for truss , load 100kg diameter 48-51 mm	5,86	4,84	St
FTE-FT-8037	FT-8037 Clamp for truss , load 300kg diameter 48-51 mm	20,86	17,24	St
FTE-FT-8304	FT-8304 Book Corner plated for the FT34 and HT34	468,80	392,04	St
FTE-FTC BLACK1M	FTC Black1m Black truss cover 1m, Velcro hoop & loop	25,94	21,44	St
FTE-FTC BLACK 2M	FTC Black 2m Black truss cover 2m, Velcro hoop & loop	45,58	38,12	St
FTE-FTC BLACK 3M	FTC Black 3m Black truss cover 3m, Velcro hoop & loop	65,52	54,79	St
FTE-FTC WHITE 1M	FTC White 1m White truss cover 1m, Velcro hoop & loop	25,94	21,44	St
FTE-FTC WHITE 2M	FTC White 2m White truss cover 2m, Velcro hoop & loop	45,58	38,12	St
FTE-FTC WHITE 3M	FTC White 3m White truss cover 3m, Velcro hoop & loop	65,52	54,79	St
fte-FT-PA TOWER 5	Line Array PA tower , unique design , lifting height 6m , loading capacity 350 kg , included steel base , long outriggers , FT truss , circle segment	5.441,86	4.550,81	St
fte-FT-ROOF 1	Completed roof system, 12m x 10m and clear height 7m, Total loading capacity 3500kg Included 4 towers , roof construction, canopy , keder profile.	65.179,32	54.506,87	St
fte-FT-Tower 1 Set	Tower 1 is a heavy duty lifting tower with loading capacity 1000kg , height 7.5m , main tubes 50x4mm , included TT truss , long outriggers , base plate , sleeve block , top section	6.580,58	5.503,08	St
fte-FT-Tower 5	Compact Tower for HT 34 Truss , Easy and fast set up. Equipped with handwinch, steel rope and outriggers. Lighting Height 6.5 m Loading Capacity 500kg , Self weight 100kg.	5.201,67	4.349,95	St
FTE-GLOW II	FOS Technologies - Glow II - Pixel Laser/Led WW bar	719,12	601,37	St
FTE-GO 21	GO 21, Miniature condenser microphone with a shock-mounted capsule, designed for percussion instruments. phantom power, cardioid, clamp-on mounting system, cardioid, 50Hz-16KHz , dimensions 210.1 x 68.9 x 49.8 mm, sensitivity -44dBV/ $\mu$ bar, impedance 68	138,37	115,71	St
FTE-GO 22	GO 22, Miniature condenser microphone with a shock-mounted capsule, designed for saxophones, brass, and woodwind instruments. phantom power, cardioid, clamp-on mounting system, cardioid, 50Hz-16KHz , dimensions 154.4 x 67.5 x 43.4mm, sensitivity -44	139,71	116,84	St
FTE-GO 26	GO 26, Superior live-stage dynamic super cardioid microphone, engineered to perform under pressure, reduced handling noise, maximum gain before feedback, 50Hz-15KHz , dimensions 151.3 x 169.8mm, sensitivity -73dBV/ $\mu$ bar, impedance 300 $\Omega$ , 231gr.	32,40	26,78	St
FTE-GOBO HOLDER	Gobo Holder, Gobo Holder for Profile 750w FOS .	14,64	12,10	St
FTE-GOBO HOLDER 575	Gobo Holder 575, Gobo Holder for Profile 575w FOS .	14,64	12,10	St
FTE-GOBO PROJECTOR 200 ZOOM	Fos Gobo Projector 200 Zoom, Outdoor IP65 Gobo Projector	1.022,97	855,47	St
FTE-GODK 7	GODK 7, Drum kit microphones ser, 4 x GO 23 dynamic super-cardioid, 1 x GO 24 dynamic Bi-directional, 2x GO 25 condenser cardioid, 4xMic holder , 3x universal rack mount, 1 case	214,14	179,08	St
FTE-HALO LED	Halo Led, Retro / Vintage style LED fixture, with 19 total sections with independent control. Consisted of 336 RGB, 87 WW & 45 White & Amber LEDs.	1.394,83	1.166,44	St
FTE-HAZE 1200 PRO	Haze 1200 PRO, Professional large output haze machine 1200 watt, controlled by on board, DMX 512, non stop and dry operation, fluid consumption 0.524ml/min, self cleaning.	487,54	407,71	St
FTE-HAZE 700 DMX	Haze 700 DMX, 700 watt HAZE machine Very quiet but very strong fan integrated wind machine delivers 3500Cu ft/min , DMX controlled.	357,39	298,87	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
FTE-HAZE TOURING	Haze Touring, Professional Haze machine Dmx controlled for stages. 1500 watt , Very quiet but very strong integrated fan, LCD display control, DMX Control 2 channel,	960,75	803,44	St
FTE-HELIX HP	FOS Technologies - Helix HP - High power LED Wash Moving Head with Pixel ring	1.114,13	931,70	St
FTE-HELIX PRO	FOS Technologies - Helix PRO - Kaleidoscopic LED Wash Moving Head	902,88	755,04	St
FTE-HELIX ULTRA	FOS Technologies - Helix Ultra - Ultra high power LED Wash Moving Head with Pixel Ring	1.555,44	1.300,75	St
FTE-HERCULES PRO	Fos Technologies - Hercules PRO - Multipurpose LED Profile and Beam/Spot/Wash (BSW) moving head	6.593,61	5.513,97	St
FTE-HT34-100	HT34-100, 100cm HT Truss is defined by the quick connection system. 50x3 mm tubes , 20x2 mm braces, (4x pins, safety clips & couplers included), TUV approved , Made in Europe.	280,70	234,74	St
FTE-HT34-200	HT34-200, 200cm HT Truss is defined by the quick connection system. 50x3 mm tubes , 20x2 mm braces , TUV approved , Made in Europe.	426,84	356,95	St
FTE-HT34-250	HT34-250, 250cm HT Truss is defined by the quick connection system. 50x3 mm tubes , 20x2 mm braces, (4x pins, safety clips & couplers included), TUV approved , Made in Europe.	509,32	425,92	St
FTE-HT34-300	HT34-300, 300cm HT Truss is defined by the quick connection system. 50x3 mm tubes , 20x2 mm braces, (4x pins, safety clips & couplers included) mTUV approved , Made in Europe.	541,15	452,54	St
FTE-HYDOR BEAM	FOS Technologies - HYDOR BEAM - Outdoor IP66 Lamp Beam Moving Head	2.528,49	2.114,48	St
FTE-HYDOR BSW	HYDOR BSW, Innovative outdoor IP66 multipurpose Beam/Spot/Wash (BSW) moving head , MSD Platinum 25R 550 watt, Total Output (Lumen)130.000, 7800K, CRI 85Ra, Zoom range 1.7°-38°, variable High-precision glass lenses, electronic linear HD focus, 2 prims	6.515,47	5.448,63	St
FTE-HYDOR PROFILE	Fos Technologies - HYDOR PROFILE - Outdoor IP66 multipurpose Profile and Beam/Spot/Wash (BSW) moving head	8.572,99	7.169,25	St
FTE-HYDOR WASH	FOS Technologies - HYDOR WASH - Outdoor IP66 Led Wash Moving Head	3.673,72	3.072,19	St
FTE-IBAG MIC STAND	IBAG Mic Stand, Bag for Mic Stand.	7,98	6,59	St
FTE-IBAG MIC STAND - DOUBLE	IBAG Mic Stand - Double, Double Bag for Mic Stand.	32,03	26,47	St
FTE-IBAG MUSIC STAND	IBAG Music Stand, Bag for Music Stand.	8,46	8,46	St
FTE-IBAG SPEAKER STAND	IBAG Speaker Stand, Bag for Speaker Stand	10,61	8,77	St
FTE-IBAG SPEAKER STAND - DOUBLE	IBAG Speaker Stand - Double, Double Bag For Speaker Stand	30,42	25,14	St
FTE-IBP-INTERCOM BELTPACK	IBP-Intercom Beltpack	253,21	211,75	St
FTE-IC-ADPT-XLR-F2F	IC-ADPT-XLR-F2F XLR (female) to XLR (female) adaptor	4,49	3,71	St
FTE-IC-ADPT-XLR-F2M NJACK	IC-ADPT-XLR-F2M NJACK XLR (female) to 6.3 mm mono jack adaptor	3,07	2,54	St
FTE-IC-ADPT-XLR-M2F.RCA	IC-ADPT-XLR-M2F.RCA XLR (male) to RCA (female) adaptor	6,22	5,14	St
FTE-IC-ADPT-XLR-M2M	IC-ADPT-XLR-M2M XLR (male) to XLR (male) adaptor	4,25	3,51	St
FTE-IC-IC15-100	IC-IC15-100 Professional speaker cable for installations on reel, 100 meters	133,81	111,90	St
FTE-IC-IC25-100	IC-IC25-100 Professional speaker cable for installations on reel, 100 meters	212,89	178,03	St
FTE-IC-JM	IC-JM 1/4 mono jack connectors silver	1,98	1,63	St
FTE-IC-JM-C3	IC-JM-C3 Instrument cable 3 meter, black, both sides 6.3mm mono Jack.	12,50	10,33	St
FTE-IC-JM-C6	IC-JM-C6 Instrument cable 6 meter, black, both sides 6.3mm mono Jack.	15,08	12,46	St
FTE-IC-JS	IC-JS 1/4 stereo jack connectors silver	2,39	1,97	St
FTE-IC-MC100	IC-MC100 Professional microphone cable on reel, 100meters	79,07	66,13	St
FTE-IC-MIJ2J	IC-MIJ2J Y - Audio Cable , 3.5 mm Stereo jack to 2x 6.3 mm	8,80	7,27	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
FTE-IC-MIJ2RCA	mono jacks, Length: 3 m. IC-MIJ2RCA Y - Audio Cable , 3.5 mm Stereo jack to to 2x RCAs, Length: 3 m.	8,80	7,27	St
FTE-ICON 2.6	ICON 2.6, Bespoke 2.6mm led screen panel 50x50 cm, SMD 1515 RGB led,super light 8kg, die casting aluminium housing, easy installation and maintenance, A5S Novastar input card, brightness 800cd/m, refresh freq. 3000Hz, IP30.	717,86	600,32	St
FTE-ICON 3.9 IP	ICON 3.9 IP, Bespoke 3.9mm led screen outdoor IP65 panel 50x50 cm, SMD 1515 RGB led,super light 8kg, die casting aluminium housing, easy installation and maintenance, A5S Novastar input card, brightness 3500cd/m, refresh freq. 3000Hz, IP65.	712,53	595,86	St
FTE-ICON DOLLY	ICON Dolly, Professional sturdy dolly that fits at almost all tripods, Silent, smooth running rubber wheels, brakes for every roll, folding design with carrying handle and soft bag, ball bearing wheels for silent and smooth running, spreading diamete	86,82	72,60	St
FTE-ICON FLIGHT CASE	ICON Flight Case, Flight case with wheels for 8 pcs Icon Led panels 50x50 cm	470,25	393,25	St
FTE-ICON HANGING BEAM	ICON Hanging Beam, Hanging Beam 0,5m for Icon led screen panel.	188,10	157,30	St
FTE-ICON LED CLAMP	FOS ICON Led Clamp - connection clamp for ICON led screens, adjustable clamp diameter 42-58mm	107,61	89,99	St
FTE-ICON PTZ CONTROLLER	ICON PTZ Controller, IP Joystick Controller, lcd screen, 28 keys, Double color backlight, 10 level of brightness , up to 64 controllable cameras, protocol VISCA, PELCOP/D, Polycom, Cisco, Canon, Panasonic, high accuracy joystic.	656,90	549,34	St
FTE-ICON PTZ CONTROLLER NDI	ICON PTZ Controller NDI, IP Joystick Controller for NDI PTZ cameras, lcd screen, 28 keys, Double color backlight, 10 level of brightness , up to 64 controllable cameras, protocol VISCA, PELCOP/D, Polycom, Cisco, Canon, Panasonic, high accuracy joysti	1.804,31	1.508,87	St
FTE-ICON PTZ HD	ICON PTZ HD, Professional PTZ HD Camera for live broadcasting, SONY 1/2.8`` Progressive CMOS sensor 3.50 Megapixel, 20X optical zoom+58.7° view angle, Output: HDMI+SDI+USB+IP, RS232 In/out, RS422, 1080p, auto focus, IR remote, Minimum Illumination 0.	1.053,99	881,41	St
FTE-ICON PTZ HD NDI	ICON PTZ HD NDI, Professional PTZ HD NDI Camera for live broadcasting, POE, Full HD 1080p50/60 , SONY 1/2.8`` Progressive CMOS sensor 3.50 Megapixel, 20X optical zoom+58.7° view angle, Output: HDMI+SDI+USB+IP, RS232 In/out, RS422, 1080p, auto focus,	2.029,30	1.697,03	St
FTE-ICON TRIPOD	ICON Tripod, Aviation aluminum alloy tripod for medium and large sized cameras, 75mm fluid head for smooth shooting, flip and knob locking, 3 sections, min height 86cm , max height 190cm, folded height 89cm, max load 8kg , soft bag included.	231,51	193,60	St
FTE-ICON VX1000	ICON VX1000	3.446,56	2.882,22	St
FTE-ICON VX4S-N	ICON VX4S-N, The VX4S is a professional LED display controller. Besides the function of display control, it also features in powerful front end processing, so an external scalar is no longer needed.	2.449,63	2.048,53	St
FTE-ICON-VX600	ICON-VX600, The Novastar VX-600 is an all-in-one video processor suitable for small to medium size LED screen installations. It can drive up to 3,900,000 pixels in total, at up to 10,240 pixels wide or up to 8,192 pixels in height, which is ideal for	2.527,77	2.113,87	St
FTE-ICOVER DILOS	iCover Dilos, Cover For Dilos.	49,20	41,14	St
FTE-ICOVER DILOS SUB	iCover Dilos Sub, Cover For Dilos Sub.	49,20	41,14	St
FTE-ICOVER IOS10	iCover IOS10, Cover for IOS 10	32,21	26,62	St
FTE-ICOVER IOS12	iCover IOS12, Cover for IOS 12	32,94	27,23	St
FTE-ICOVER IOS15	iCover IOS15, Cover for IOS 15	34,60	28,59	St
FTE-ICOVER IOS15 SUB	iCover IOS15 Sub, Cover for IOS15 sub	33,67	27,83	St
FTE-ICOVER IOS18 SUB	iCover IOS18 Sub, Cover for IOS18 sub	39,07	32,67	St



Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
FTE-ICOVER IOS8	iCover IOS8, Cover for IOS 8	30,75	25,41	St
FTE-ICOVER IOS STAGE MONITOR10	Cover for IOS Stage Monitor 10	22,99	22,99	St
FTE-ICOVER IOS STAGE MONITOR12	Cover for IOS Stage Monitor 12	375,10	25,41	St
FTE-ICOVER IOS STAGE MONITOR15	Cover for IOS Stage Monitor 15	375,10	30,25	St
FTE-ICOVER KEA SYSTEM	iCover Kea System, Cover for Kea System	32,21	26,62	St
fte-iCover KOS Satelite	iCover KOS Satelite Cover for 2 speakers of Kos Satellites Set.	37,62	31,46	St
fte-iCover KOS Sub	iCover KOS Sub Cover fos KOS sub.	37,62	31,46	St
FTE-ICOVER MILOS PRO	iCover Milos Pro, Cover for Milos Pro	29,28	24,20	St
FTE-ICOVER MILOS SUB	iCover Milos Sub, Cover For Milos SUB	30,75	25,41	St
FTE-ICOVER NAXOS 10	iCover Naxos 10, Cover for Naxos 10	32,21	26,62	St
FTE-ICOVER NAXOS 12	iCover Naxos 12, Cover for Naxos 12	33,67	27,83	St
FTE-ICOVER NAXOS 15	iCover Naxos 15, Cover for Naxos 15	36,60	30,25	St
FTE-ICOVER NAXOS 18 SUB	iCover Naxos 18 Sub, Cover for Naxos18 Sub	39,07	32,67	St
FTE-ICOVER TILOS C	iCover Tilos C, Cover for Tilos C	29,28	24,20	St
FTE-ICOVER TILOS L	iCover Tilos L, Cover for Tilos L	35,14	29,04	St
FTE-ICOVER TINOS	iCover Tinos, Cover For Tinos System	30,75	25,41	St
FTE-IC-RCA2JACK	IC-RCA2JACK Audio cable, 2 x 6.3 mm Male jack to 2 x male RCA, Length: 3m	10,59	8,75	St
FTE-IC-RCA2RCA	IC-RCA2RCA Audio cable, 2x RCA to 2X RCA, Length: 3m	11,93	9,86	St
FTE-IC-SC15-100	IC-SC15-100 Professional speaker cable on reel, 100 meters black	154,82	129,47	St
FTE-IC-SC25-100	IC-SC25-100 Professional speaker cable on reel, 100 meters black	228,09	190,74	St
FTE-IC-SPC-A	IC-SPC-A Lockable 4P-4P pole speakon barrel adapter.	7,38	6,10	St
FTE-IC-SPK	IC-SPK Speakon (4P) chassis connector black.	2,52	2,08	St
FTE-IC-SPK-10	IC-SPK-10 Professional male 4P to female 4P speacon cable 10 meters	34,42	28,45	St
FTE-IC-SPK-15	IC-SPK-15 Professional male 4P to female 4P speacon cable 15 meters	46,40	38,80	St
FTE-IC-SPK-3	IC-SPK-3 Professional male 4P to female 4P speacon cable 3 meters	16,84	13,92	St
FTE-IC-SPK-5	IC-SPK-5 Professional male 4P to female 4P speacon cable 5 meters.	21,86	18,07	St
FTE-IC-SPK-C	IC-SPK-C Speakon (4P) cable connector.	3,07	2,54	St
FTE-IC-XLRB-0.5	IC-XLRB-0.5 Professional XLR male to XLR female cable 0.5 meter	7,25	5,99	St
FTE-IC-XLRB-1	IC-XLRB-1 Professional XLR male to XLR female cable 1 meter	7,63	6,30	St
FTE-IC-XLRB-10	IC-XLRB-10 Professional XLR male to XLR female cable 10 meters	14,79	12,22	St
FTE-IC-XLRB-15	IC-XLRB-15 Professional XLR male to XLR female cable 15 meters	18,78	15,52	St
FTE-IC-XLRB-3	IC-XLRB-3 Professional XLR male to XLR female cable 3 meters	9,24	7,64	St
FTE-IC-XLRB-5	IC-XLRB-5 Professional XLR male to XLR female cable 5 meters	10,83	8,95	St
FTE-IC-XLRB-F	IC-XLRB-F Professional nickel plated XLR connector, black, female.	2,69	2,23	St
FTE-IC-XLRB-M	IC-XLRB-M Professional nickel plated XLR connector male	2,08	1,72	St
FTE-IC-XLRC-F	IC-XLRC-F Professional nickel plated XLR connector	1,51	1,25	St
FTE-IC-XLRC-FB	IC-XLRC-FB Professional nickel plated XLR connector	1,51	1,25	St
FTE-IC-XLRC-M	IC-XLRC-M Professional nickel plated XLR connector	1,48	1,22	St
FTE-IC-XLRS-0.5	IC-XLRS-0.5 Professional XLR male to XLR female cable 0.5meter	7,41	6,12	St
FTE-IC-XLRS-1	IC-XLRS-1 Professional XLR male to XLR female cable 1 meter	7,79	6,44	St
FTE-IC-XLRS-10	IC-XLRS-10 Professional XLR male to XLR female cable 10	14,95	12,35	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
	meters			
FTE-IC-XLRS-15	IC-XLRS-15 Professional XLR male to XLR female cable 15 meters	18,93	15,65	St
FTE-IC-XLRS-3	IC-XLRS-3 Professional XLR male to XLR female cable	9,38	7,76	St
FTE-IC-XLRS-5	IC-XLRS-5	11,00	9,09	St
FTE-IC-XLRS-F	IC-XLRS-F	2,80	2,31	St
FTE-IC-XLRS-M	IC-XLRS-M	2,17	1,79	St
FTE-IDI A	IDI A, Active stand alone direct injection box (DI), phantom power and battery, ground-lift switch, Transformer Balanced output,	57,47	48,06	St
FTE-IDI P	IDI P, Passive stand alone direct injection box (DI), ground-lift switch, Transformer Balanced output, handle signal level up to 100V line.	36,49	30,52	St
FTE-IEH-INTERCOM HEADSET	IEH-Intercom Headset	147,59	123,42	St
FTE-IEM-100	IEM-100, Wireless in ear monitor system, freq. range UHF 863-865MHZ, IR sync downloading the frequency from receiver, LCD display shows the RF level, AF level, channel and frequency, 200m line-of-sight operating range.	298,43	249,56	St
FTE-IHOS SPARE PART	IHOS spare part, Spare Part for IHOS audio products.	0,00	0,00	St
FTE-IHOS T SHIRT BLACK L	IHOS T Shirt Black L, Black Tshirt Large HOS	9,08	7,50	St
FTE-IHOS T SHIRT BLACK M	IHOS T Shirt Black M, Black Tshirt Medium IHOS	9,08	7,50	St
FTE-IHOS T SHIRT BLACK S	IHOS T Shirt Black S, Black Tshirt Small IHOS	9,08	7,50	St
FTE-IHOS T SHIRT BLACK XL	IHOS T Shirt Black XL, Black Tshirt Extra Large IHOS	9,08	7,50	St
FTE-IHOS T SHIRT BLACK XXL	IHOS T Shirt Black XXL, Black Tshirt Double Extra Large HOS	9,08	7,50	St
fte-IHOS T Shirt Black XXXL	IHOS T Shirt Black XXXL Black Tshirt Double Extra Large HOS	9,08	7,50	St
FTE-IHOS WHEELS KIT	IHOS Wheels Kit, Set of 4 swivel wheels kit with brake for IHOS Subwoofer.	53,54	44,77	St
FTE-ILDA EXT-20	ILDA EXT-20, ILDA Extension Cable 20 meter	60,77	50,82	St
FTE-ILDA EXT-5	ILDA EXT-5, ILDA Extension Cable 5 meter	17,57	14,52	St
FTE-ILDA EXT-50	ILDA EXT-50, ILDA Extension Cable 50 meter	150,48	125,84	St
FTE-ILDA RJ45	ILDA RJ45	47,86	40,03	St
FTE-I MIX 12	I MIX 12, Compact, portable mixing console, 8 mono + 2 stereo input, 1bus, USB/SD Player and Bluetooth, A/D&D/A converter sample freq .24-Bit, 16 programs	486,16	406,56	St
FTE-I MIX 12 RACK	I MIX 12 Rack, Rack brackets for i mix 12 mixing console.	24,93	20,61	St
FTE-I MIX 16	I MIX 16, Compact, portable mixing console, 14 mono + 2 stereo input, 2 bus, USB/SD Player and Bluetooth, A/D&D/A converter sample freq .24-Bit, 16 programs	593,83	496,60	St
FTE-I MIX 4	I MIX 4, Compact, portable mixing console, 2mono + 2 stereo input, 1bus, USB interface	133,43	111,59	St
FTE-I MIX 4/2 STAND	I MIX 4/2 Stand, Microphone stand adapter for I MIX 4 and I MIX 6.	9,41	7,78	St
FTE-I MIX 6	I MIX 6, Compact, portable mixing console, 4mono + 2 stereo input, 1bus, USB interface	156,27	130,68	St
FTE-I MIX 8	FOS I MIX 8 - portable mixing console, 4 mono + 2 stereo input, 1 bus, USB/SD Player and Bluetooth	353,05	295,24	St
FTE-I MIX 8 RACK	I MIX 8 Rack, Rack brackets for i mix 8 mixing console.	24,07	19,89	St
FTE-IMS-INTERCOM MASTER STATION	IMS-Intercom Master Station	596,13	498,52	St
FTE-INET4-F	FOS INET4-F - 4CH over network cable extender, AES/EBU digital signal, DMX signal	25,62	21,18	St
FTE-INET4-M	FOS INET4-M - 4CH over network cable extender, AES/EBU digital signal, DMX signal	25,62	21,18	St
FTE-INTERCOM 4CH SET	Intercom 4ch Set	2.199,32	1.839,20	St
FTE-IOS 10A DSP	IHOS IOS 10A DSP Professional Plywood Active 10" Speaker	500,63	418,66	St
FTE-IOS 10P	IOS 10P Professional Plywood Fullrange Passive Speaker 10"	313,34	262,04	St
FTE-IOS 12A DSP	IHOS IOS 12A DSP Professional Plywood Active 12" Speaker	594,68	497,31	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
FTE-IOS12P	Fos IOS 12P - Professional Plywood Fullrange Passive Speaker 12"	376,03	314,45	St
FTE-IOS 15A DSP	IHOS IOS 15A DSP - Professional Plywood Active 15 Inch Speaker	656,90	549,34	St
FTE-IOS 15A SUB	IHOS IOS 15A SUB Professional Plywood Active Bandpass 15" Subwoofer	704,65	589,27	St
FTE-IOS 15P	IOS 15P Professional Plywood Fullrange Passive Speaker 15"	438,69	366,86	St
FTE-IOS 18A SUB	IHOS IOS 18A SUB Professional Plywood Active Bandpass 18" Subwoofer	830,53	694,54	St
FTE-IOS 18P SUB	IOS 18P SUB Professional Plywood Passive Subwoofer Speaker 18"	548,38	458,59	St
FTE-IOS 8A DSP	IHOS IOS 8A DSP Professional Plywood Active 8" Speaker	438,42	366,63	St
FTE-IOS STAGE MONITOR10	IOS Stage Monitor 10 Coaxial Stage 10" Monitor	332,35	274,67	St
FTE-IOS STAGE MONITOR12	IOS Stage Monitor 12 Coaxial Stage 12" Monitor	377,74	312,18	St
FTE-IOS STAGE MONITOR15	IOS Stage Monitor 15 Coaxial Stage 15" Monitor	453,87	375,10	St
FTE-IPA-120	FOS IPA-120 - Public Address mixer amplifier 120w, 100V/70V constant voltage output	227,89	190,58	St
FTE-IPA-240	FOS IPA-240 - public address mixer amplifier 240w, 100V/70V constant voltage output	334,24	279,51	St
FTE-IPA-360	FOS IPA-360 -Public Address mixer amplifier 360w, 100V / 70V constant voltage output	487,61	407,77	St
FTE-IPA-480	IPA-480	682,95	571,12	St
FTE-IPA-480 PAGING MICROPHONE	IPA-480 Paging Microphone	179,42	150,04	St
FTE-IPA-50	FOS IPA-50 - Public address mixer amplifier 50w, 100v/70v constant voltage output	143,32	119,85	St
FTE-IPA-CS	FOS IPA-CS - ceiling speaker, 6W transformer, 100/70V, 90dB spl.	16,11	13,31	St
FTE-IPA-M	IPA-M, Goosenec chime microphone for public address systems, 4 tones, 9VDC battery or external AC 12V power supply.	72,35	60,50	St
FTE-IPA-MULTIPLAYER	FOS - IPA-Multiplayer PA USB Recorder & Player with Bluetooth Connectivity	189,55	158,51	St
FTE-IQ 28X12 WASH	FOS Technologies - IQ 28x12 - LED Wash Moving Head	413,82	346,06	St
FTE-IQ AURORA WASH	Fos Technologies - IQ Aurora Wash - LED Wash Moving Head with Aurora Effect	384,88	321,86	St
FTE-IQ PAR	FOS IQ PAR - professional par, 12 led 12 watt RGBW 4in1, 18/10 DMX channels, IR remote	125,88	105,27	St
FTE-IQ PAR PEARL	FOS IQ Par Pearl - 12 led 12 watt RGBW 4in1, 18/10 dmx channels, IR remote	126,42	105,72	St
FTE-IQ PAR ZOOM	FOS IQ Par Zoom - 28 leds x 12 watt RGBW, 13/29 DMX Channels, powercon in/out	205,46	171,82	St
FTE-IQ PAR ZOOM C	FOS IQ Par Zoom C - 28 leds x 12 watt RGBW, 13/29 DMX Channels, powercon in/out	205,46	171,82	St
FTE-IQ PAR ZOOM IP65 WDMX	video IQ Par Zoom IP65 WDMX	373,94	373,94	St
FTE-IRACK 12U	FOS IRack 12U - 19" format, robust steel design, installation height 56,7cm	128,78	107,69	St
FTE-IRACK 16U	FOS IRack 16U - 19" format, robust steel design, installation height 74,5cm	143,24	119,79	St
FTE-IRACK 18U	FOS IRack 18U - 19" format, robust steel design, installation height 83,3cm	163,50	136,73	St
FTE-IRACK 22U	FOS IRack 22U - professional installation rack, robust steel design, 19" format	170,74	142,78	St
FTE-IRACK 8U	FOS IRack 8U - 19" format, robust steel design, installation height 39,7cm	114,31	95,59	St
FTE-IRACK BLANC PANEL 1U	IRack Blanc Panel 1U, 19U Blanc Panel 1U, width 48,26cm , depth 4,4cm , thickness 1.2mm	2,93	2,42	St
FTE-IRACK BLANC PANEL 2U	IRack Blanc Panel 2U, 19U Blanc Panel 2U, width 48,26cm , depth 8,8cm , thickness 1.2mm	4,39	3,63	St
FTE-IRACK BLANC PANEL 3U	IRack Blanc Panel 3U, 19U Blanc Panel 3U, width 48,26cm , depth 13,2cm , thickness 1.2mm	6,59	5,45	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
FTE-IRACK BLANC PANEL 4U	FOS IRack Blanc Panel 4U - width 48,26 cm, depth 17,7cm, thickness 1,2mm	10,25	8,47	St
FTE-IRACK DRW 2U	FOS IRack DRW 2U - depth 39cm, width 48,26cm, height 8.8cm	62,22	52,03	St
FTE-IRACK DRW 4U	FOS IRack DRW 4U - depth 39cm, width 48,26cm, height 17,7cm	81,03	67,76	St
FTE-IRACK MOUNTING KIT	iRack Mounting Kit, Mounting kit for iRacks, includes 20pcs Screws, M6 x 12, 20 pcs Hex nuts M6, 20pcs Plastic washers.	7,32	6,05	St
FTE-IRACK PLEXI 1U	FOS IRack Plexi 1U - security rack cover 1U, with keylock, width 48,26cm, height 4,5cm	29,28	24,20	St
FTE-IRACK PLEXI 2U	FOS IRack Plexi 2U - security rack cover 2U, with keylock, width 48.26cm, height 4.5cm	32,21	26,62	St
FTE-IRACK PLEXI 3U	FOS IRack Plexi 3U - security rack cover 3U, with keylock, width 48.26cm, height 4.5cm	35,14	29,04	St
FTE-IRACK PLEXI 4U	FOS IRack Plexi 4U - security rack cover 4U, with keylock, width 48.26cm, height 4.5cm	37,62	31,46	St
FTE-IRACK PRF PANEL 1U	IRack PRF Panel 1U, 19U perforated Panel for rack ventilation 1U, width 48,26cm , depth 4,4cm , thickness 1.2mm	5,86	4,84	St
FTE-IRACK PRF PANEL 2U	IRack PRF Panel 2U, 19U perforated Panel for rack ventilation 2U, width 48,26cm , depth 8,8cm , thickness 1.2mm	7,32	6,05	St
FTE-IRACK PRF PANEL 3U	IRack PRF Panel 3U, 19U perforated Panel for rack ventilation 3U, width 48,26cm , depth 13.2cm , thickness 1.2mm	10,25	8,47	St
FTE-IRACK PRF PANEL 4U	IRack PRF Panel 4U, 19U perforated Panel for rack ventilation 4U, width 48,26cm , depth 17.7cm , thickness 1.2mm	13,18	10,89	St
FTE-IRACK TRAY 2U	IRack Tray 2U, 2U Shelf Tray for devices up to 37,5 cm, powder coating, depth 29.4cm, width 48.26cm, height 88cm.	23,43	19,36	St
FTE-IRIDIUM 6X15W WASH	FOS Technologies - Iridium 6x15w Wash - Led Wash Moving Head	432,63	361,79	St
FTE-IRIDIUM 75W BEAM	FOS Technologies - Iridium - Led Beam Moving head	432,63	361,79	St
FTE-IRIDIUM 75W SPOT	FOS Technologies - Iridium 75w Spot - Led Spot Moving Head	470,25	393,25	St
FTE-IRIS PROFILE 575.	Iris Profile 575., Drop in Iris for Profile 575w.	86,82	72,60	St
FTE-IRIS PROFILE 750	Iris Profile 750, Drop in Iris for Profile 750w.	86,82	72,60	St
FTE-IS701-MIC STAND	FOS IS701-Mic Stand - microphone stand with telescopic boom, arm extends from 38cm-73cm, stand height variable between 100-160cm	41,67	34,85	St
FTE-IS702-MIC STAND	FOS IS702-Mic Stand - microphone stand, stand height variable between 100-160cm	40,44	33,82	St
FTE-IS703-MIC STAND	FOS IS703-Mic Stand - quality microphone short stand with telescopic boom, stand height variable between 55-80cm	33,54	27,72	St
FTE-IS704-MICTABLE MOUNT	FOS IS704-MicTable Mount - gooseneck microphone table mount, XLR female connector	46,30	38,72	St
FTE-IS705-MIC STAND	FOS IS705-Mic Stand - microphone straight stand, adjustable height 85-155cm	36,81	30,78	St
FTE-IS706- SPEAKER WALL BRACKET	IS706- Speaker Wall bracket, Steel wall bracket for speaker, black , load capacity 40kg, M35 pole, self weight 3kg,	23,07	19,07	St
FTE-IS707-SPEAKER STAND	FOS IS707-Speaker Stand - alluminium air-powered speaker stand, height 110-180cm	81,49	68,15	St
FTE-IS708-MIC CLAMP	FOS IS708-Mic Clamp - high quality plastic, diameter 24-28 mm	1,92	1,59	St
FTE-IS709-MIC CLAMP	FOS IS709-Mic Clamp - high quality plastic, diameter 22-25 mm	1,54	1,27	St
FTE-IS710-MIC CLAMP	FOS IS710-Mic Clamp - high quality plastic, diameter of 22-30mm	1,98	1,63	St
FTE-IS711-MIC CLAMP	FOS IS711-Mic Clamp - high quality plastic, diameter of 25-30mm	1,95	1,61	St
FTE-IS712-MIC THREAD	IS712-Mic Thread, Microphone thread adapter for mic clamps, M 5/8 to F 3/8	0,85	0,70	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
FTE-IS713-SPEAKER STAND ADAPTOR	IS713-Speaker Stand Adaptor, Adaptor for speaker stand 35mm x 120mm - thread M10	11,62	9,61	St
FTE-IS714-SPEAKER STAND ADAPTOR	IS714-Speaker Stand Adaptor, Adaptor for speaker stand 35mm x 120mm - thread M10	11,62	9,61	St
FTE-IS715-MUSIC STAND	FOS IS715-Music Stand - aluminium music stand, long-lasting design, adjustable height 80-130cm.	39,31	32,88	St
FTE-IS716-SPEAKER POLE	FOS IS716-Speaker pole - patented pneumatic speaker pole, adjustable height 80-134cm	38,92	32,55	St
FTE-IS717-SPEAKER POLE	FOS IS717-Speaker pole - patented pneumatic speaker pole, adjustable height 80-134-cm	39,54	33,07	St
FTE-IS718-SPEAKER MOUNT	IS718-Speaker Mount, Speaker mount for M20 poles, hope pitch 82mm	7,00	5,78	St
FTE-IS720-LED LIGHT	IS720-Led Light, Led battery and usb 5v powered music stand light, adjustable angle, foldable clip.	27,35	22,60	St
FTE-IS721-MIC STAND	FOS IS721-Mic Stand - short microphone boom stand, height 47cm, 2.2kg	29,57	24,44	St
FTE-IS722-GUITAR ADAPTOR	IS722-Guitar Adaptor, Guitar adaptor for microphone stands, fits to15-30mm tube dimater,	12,28	10,15	St
FTE-IS723-LAPTOP/PROJECTOR STAND	FOS IS723-Laptop/projector stand - durable tripod stand with solid flat table desk	38,85	32,49	St
FTE-IS724-SPEAKER STAND ADAPTOR	IS724-Speaker Stand Adaptor, Speaker Stand Adaptor, material steel, thread M10	13,18	10,89	St
FTE-IS725-SPEAKER POLE BASE	IS725-Speaker Pole Base, Steel base for Speaker Pole M20, heayvy weight 8.5kg, 48x48x2.7cm,	74,13	61,99	St
FTE-IS726-TABLET BASE	FOS IS726-Tablet Base - professional tablet adaptor base	14,64	12,10	St
FTE-IS727- TABLET ADPT MIC	FOS IS727 - Tablet Adapt Mic, professional tablet adaptor base	21,96	18,15	St
FTE-IS728-TABLET DESKTOP	IS728-Tablet Desktop, Professional tablet holder, fits tablets 6-12 inch, suitable for desktop mounting.	21,96	18,15	St
FTE-IS729-TABLET STAND	IS729-Tablet Stand, Professional tablet holder, fits tablets 6-12 inch, suitable for desktop mounting.	21,96	18,15	St
FTE-IS730-SPEAKER POLE	FOS IS730-Speaker Pole - Aluminium speaker pole adjustable height 100-180cm	16,32	13,49	St
FTE-ISB-16/4-20	ISB-16/4-20, Stage box 20meters 16 in XLR/ 4 out XLR, high quality flexible multicore cable	301,90	252,47	St
FTE-ISB-24/8-30	ISB-24/8-30, Stage box 30 meters 24 in XLR / 8 out XLR, high quality flexible multicore cable	616,55	515,59	St
FTE-ISB-32/4-30	ISB-32/4-30, Stage box 30 meters 32 in XLR / 4 out XLR, high quality flexible multicore cable	646,74	540,85	St
FTE-ISB-32/8-30	ISB-32/8-30, Stage box 30 meters 32 in XLR / 8 out XLR, high quality flexible multicore cable	749,56	626,83	St
FTE-ISB-8-15	ISB-8-15, Stage box 15 meters 8 in XLR , high quality flexible multicore cable	150,33	125,72	St
FTE-ISB-8/4-10	ISB-8/4-10, Stage box10 meters 8 in XLR / 4 out XLR, high quality flexible multicore cable	152,78	127,76	St
FTE-IWC-400	IWC-400	658,35	550,55	St
FTE-IWC-800	IWC-800	1.080,85	903,87	St
FTE-IWM-100	FOS IWM-100 - True Diversity UHF Wireless Microphone system	217,04	181,50	St
FTE-IWM-200	FOS IWM-200 - Double True Diversity UHF Wireless Microphone system,150m oprating range	312,00	260,91	St
FTE-IWM ANTENNA COMBINER	FOS IWM Antenna Combiner - Wireless microphones 4 channel antenna distributor device	492,40	411,78	St
FTE-IWM-CASE	IWM-Case, Aluminum case for IWM wireless system	50,64	42,35	St
FTE-IWM-H	FOS IWM-H - Beltpack transmitter for the IWM systems with Uni-Directional Headset Microphone	90,95	76,06	St
FTE-IWM-L	FOS IWM-L - Beltpack transmitter for the IWM systems with Omni-Directional Lavalier Microphone	85,27	71,31	St
FTE-IWM-R1	IWM-R1, Rack mount accesory for 1 receiver IWM.	10,57	8,74	St
FTE-IWM-R2	IWM-R2, Rack mount accesory for 2 receivers IWM.	17,57	14,52	St
FTE-IWM-T	FOS IWM-T - UHF Band 863-865 MHz plug on transmission system	81,39	68,06	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
FTE-JET 1500	FOS JET 1500 - 1500 watt CO2 machine, 21 led 3 watt RGB	393,56	329,12	St
FTE-JET 900	FOS JET 900 - 900 watt CO2 machine, 6X3W RGB 3 in 1 high quality LED	228,61	191,18	St
FTE-JET II COLORS	FOS JET II Colors - 1500 watt CO2 machine, 29 led 9 watt RGB	442,76	370,26	St
FTE-KB5.9 OUTDOOR ( FIXED INSTALLATIONS )	KB5.9 Outdoor ( fixed installations ), Outdoor Led Screen IP 65 for fixed installations , 3 in 1 nationstar SMD1921 (white lamps with gold wire), pixel pitch 5.9 mm , panel size 50 x 50 cm, 6kg , Brightness: 5000cd/?, Resolution of module: 64 x 64 ,	847,00	847,00	St
FTE-KEA SYSTEM	FOS KEA System - portable PA column system, 123dB SPL, 255W (sub) + 60W (sat)	630,86	527,56	St
FTE-KOS EXTENSION HANGER	KOS Extension Hanger	177,97	148,83	St
FTE-KOS FLYBAR	KOS FlyBar	322,66	269,83	St
FTE-KOS POLE ADAPTOR	KOS Pole Adaptor	173,63	145,20	St
FTE-KOS SATELLITE SET	KOS Satellite Set	1.016,82	850,33	St
FTE-KOS SUB	Kos Sub	844,78	706,46	St
FTE-KOS SYSTEM 1	KOS System 1	2.062,73	1.724,98	St
FTE-KOS SYSTEM 2	KOS System 2	3.723,21	3.113,57	St
FTE-KOS SYSTEM 3	KOS System 3	4.045,58	3.383,16	St
FTE-KOS SYSTEM 4	KOS System 4	7.946,47	6.645,32	St
fte-KZ 90-1 Gold cable	High resolution replacement / upgrade cable - Gold	18,59	15,37	St
FTE-KZ ABS CASE	KZ ABS Case, High Quality plastic case for KZ earphones.	7,32	6,05	St
FTE-KZ AS16 PRO	Professional 16-units pure balanced armature acoustic earphones, impedance: 15, sensitivity 105db, frequency : 20-40000HZ, light weight 33g, high performance aluminium hardware, 3.5mm plug, 3 channel guide tone, electronic c	104,18	87,12	St
FTE-KZ ASX	FOS KZ ASX - professional 20-units earphones, impedance:20Ω, sensitivity 106db, frequency : 10-40000HZ	195,33	163,35	St
FTE-KZ DQ6	FOS KZ DQ6 - professional 3-units earphones, impedance: 25Ω, sensitivity 112db, frequency : 20-40000HZ,	39,52	33,05	St
FTE-KZ LIGHTING SILVER CABLE	KZ Lighting Silver Cable, Lighting Silver Cable for apple devices, upgrade for KZ earphones, C type.	27,45	22,69	St
FTE-KZ MEMORY FOAM	KZ Memory Foam, Replacement memory foam for KZ earphones, 3 pairs (Large,Medium,Small), black,	3,66	3,03	St
FTE-KZ OFC FLAT CABLE	KZ OFC FLAT CABLE, Cable for KZ earphones, 3,5mm plug ,C pin type.	7,32	6,05	St
FTE-KZ OVAL CASE	KZ Oval Case, High Quality oval Leather fabric case for KZ earphones.	7,32	6,05	St
FTE-KZ SILICONE EARTIPS	KZ Silicone eartips, Silicone eartips for KZ earphones, 3 pairs (Large,Medium,Small) white.	2,93	2,42	St
FTE-KZ ZS10 PRO X	Professional 10-units pure balanced armature acoustic earphones, impedance: 30, sensitivity 111db, frequency : 7-40000HZ, light weight 32g, high performance aluminium hardware, 3.5mm plug, 4 Balanced Armature + 1 Dynamic.	81,78	68,39	St
FTE-KZ ZSN PROX BLACK	FOS KZ ZSN PROX Black - professional 2-units earphones, impedance: 25Ω, sensitivity 112db, frequency : 7-40000HZ	34,87	28,82	St
fte-Lanyard	FOS Technologies Black Orange Lanyard.	0,88	0,73	St
FTE-LED FOLLOW SPOT 150	FOS Led Follow Spot 150 - 150 watt, 10800lux@5m, Dimmer 0-100%	849,34	710,27	St
FTE-LED FOLLOW SPOT 350	FOS Led Follow Spot 350 - follow spot with electronic zoom and focus, led source 350 watt 8000K, 24000lm	2.565,39	2.145,33	St
FTE-LED FOLLOW SPOT 600	FOS Led Follow Spot 600 - electronic Zoom and Focus, Led Source 600 watt 7500K, 38000lm	3.581,12	2.994,75	St
FTE-LED STAR CURTAIN	FOS Led Star Curtain - 6x4m, RGB tri-color Super Bright Epistar LED, 75 watt Led DMX controller	1.264,61	1.057,54	St
FTE-LED STRIP 14.4W/24V IP65 COOL WHITE	FOS LED STRIP 14.4W/24V IP65 Cool White - 5 meter, 24volt DC, 6000K Cool White	30,75	25,41	St
FTE-LED STRIP 14.4W/24V IP65 PURE WHITE	FOS LED STRIP 14.4W/24V IP65 Pure White - 5 meter, 24volt DC, 4000K Natural white	30,75	25,41	St
FTE-LED SUPPORT 4X2.5M	Led Support 4x2.5m, Support System for Led display systems, 4m width and 2.5 meter height, Aluminium	7.583,30	6.341,61	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
	base-unit, adjustable connection bar and ladder style trussing segments provide you a very stable support for hanging your entire LED screen board.			
FTE-LIFTING TUBE	Lifting Tube, 1 meter RGB Lifting Tube, accessory for the Lifting Ball set.	115,75	96,80	St
FTE-LINEA ZOOM	FOS Linea Zoom - linear led Zoom bar, 1 meter, 18x 40W RGBW 4in1 LED multichips, Tilt movement: 205°, Control : DMX512	1.429,55	1.195,48	St
FTE-LUMINUS BAR	FOS Luminus BAR - battery operated led bar, 24x3 watt RGB 3in1 led, 25 degrees, pixel control, 103cm	260,45	217,80	St
FTE-LUMINUS BAR IP65	FOS Luminus BAR IP65 - Outdoor battery operated led bar	322,83	322,83	St
FTE-LUMINUS CASE BAR IP65	Luminus BAR IP65, Flight case with wheels for 6 pcs Luminus BAR IP65	581,66	324,28	St
FTE-LUMINUS PINSPOT	FOS Technologies Luminus PinSpot Rechargeable Lithium Battery	238,74	199,65	St
FTE-LUMINUS PINSPOT CARRY BAG	Luminus PinSpot Carry Bag, Luminus PinSpot soft Carry Bag for 4 devices.	110,41	92,34	St
FTE-LUMINUS POLE	Fos LUMINUS POLE - Pole battery lighting 9x 12 watt LED RGBWA+UV 6in1	626,52	523,93	St
FTE-LUMINUS POLE PEARL	Pole battery lighting, white housing, 2 meters with adjustable angle, 9pcs 12 watt LED RGBWA+UV 6in1, Beam Angle: 25, Lithium Ion battery up to 24 hours (single color), 2 DMX modes 6 and 10ch, wireless dmx 2.4Ghz and wifi c	626,52	523,93	St
FTE-LUMINUS PRO CASE	Luminus PRO Case, Flight case with charging station for 8 pcs Luminus PRO	581,66	486,42	St
FTE-LUMINUS PRO INOX	Luminus PRO Inox, Inox Cover plate for the Luminus PRO	35,14	29,04	St
FTE-LUMINUSPROIP	Luminus PRO IP - High quality professional battery operated outdoor led par	357,39	298,87	St
FTE-LUMINUS PRO RAIN COVER	Luminus PRO Rain Cover, Rain Cover for the Luminus PRO	10,98	9,08	St
FTE-LUMINUS PRO SOFT BAG	Luminus PRO Soft Bag, Soft carry bag for 4 pcs Luminus PRO	46,01	38,48	St
fte-LWS-2m	Stack support for modular LED screens. Each LWS-2 module measures 2.11m height x 1m width. The depth can be regulated between 106cm to 114cm. Weight: 36kg. Includes: 1 complete base,2 LW-T1 trusses, 2 LW-S1adjustable support	1.141,62	954,69	St
fte-LWS-3m	Stack support for modular LED screens. Each LWS-3 module measures 3.11m height x 1m width. The depth can be regulated between 106cm to 114cm. Weight: 44kg. Includes: 1 complete base,3 LW-T1 trusses, 3 LW-S1adjustable support	1.400,62	1.171,28	St
fte-LWS-4m	Stack support for modular LED screens. Each LWS-4 module measures 4.11m height x 1m width. The depth can be regulated between 106cm to 114cm. Weight: 52kg. Includes: 1 complete base,4 LW-T1 trusses, 4 LW-S1adjustable support	1.659,61	1.387,87	St
fte-LWS-P1	Counterweight support with 25mm bar	231,51	193,60	St
fte-LWS-S2	Telescopic reinforcement bar between stacks	231,51	193,60	St
FTE-MCG 506	FOS MCG 506 - dynamic uni-directional microphone, 80Hz-12KHz, sensitivity -70dBV/μbar	33,50	27,68	St
FTE-MCG 516	FOS MCG 516 - condenser cardioid multiple-use condenser gooseneck microphone, 48v phantom power, sensitivity -64dBV/μbar, impedance 680Ω	71,98	60,20	St
FTE-MHT 100	FOS MHT 100	299,99	294,03	St
FTE-MHT 150	FOS MHT 150	325,49	325,49	St
FTE-MHT 200	FOS MHT 200	352,11	352,11	St
FTE-MILOS FLYBAR	Milos FlyBar, FlyBar for Milos system	163,50	136,73	St
FTE-MILOS/KOS POLE	Pole For Milos and Kos System	27,82	22,99	St
FTE-MILOS POLE ADAPTOR	Milos Pole Adaptor, Pole Adaptor for Milos System	53,54	44,77	St
FTE-MILOS PRO	FOS MILOS PRO - ABS Plastic professional active line array speaker, 440w RMS, 128 dB, XLR input	635,20	531,19	St
FTE-MILOS SUB	FOS MILOS SUB - plywood professional active band pass	875,39	732,05	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
	subwoofer 12 inch, 700w RMS, 124 dB Spl, 1XLR input and output			
FTE-MILOS SUB FLYBAR	Milos Sub FlyBar, FlyBar for Milos SUB	199,67	166,98	St
FTE-MILOS SYSTEM 1	FOS Milos System 1 - Milos System Line Array system that includes 4 pcs Milos PRO ABS Active Line Array speaker	4.491,23	3.755,84	St
FTE-MILOS SYSTEM 2	FOS Milos System 2 - Milos System Line Array system that includes 2 pcs Milos PRO ABS Active Line Array speaker	2.226,81	1.862,19	St
FTE-MILOS SYSTEM 3	FOS Milos System 3 - Milos System Line Array system that includes 8 pcs Milos PRO ABS Active Line Array speaker	8.746,62	7.314,45	St
FTE-MINI PROFILE 40W	FOS Mini Profile 40w - 40W COB LED Warm White, 15° - 30° zoom lens, DMX Control 1/2/3/4 channels	423,77	354,38	St
FTE-MINI PROFILE 40W PEARL	FOS Mini Profile 40w Pearl - 40W COB LED Warm White, 15° - 30° zoom lens, DMX control 1/2/3/4 channels	423,77	354,38	St
FTE-MUG	MUG, FOS Technologies Black Orange cup.	6,95	5,75	St
FTE-NAXOS 10A DSP	IHOS NAXOS 10A DSP Professional ABS Plastic Active 10" Speaker	296,62	248,05	St
FTE-NAXOS 12A DSP	IHOS NAXOS 12A DSP Professional ABS Plastic Active 12" Speaker	323,75	270,74	St
FTE-NAXOS 15A DSP	IHOS NAXOS 15A DSP Professional ABS plastic Active 15" Speaker	341,83	285,86	St
FTE-NAXOS 18A SUB	IHOS NAXOS 18A SUB Professional Plywood Active Vented 18" Subwoofer	767,71	642,00	St
FTE-NEON FLEX RGB	FOS Neon Flex RGB - weatherproof ip67 neon flex 10 meter, power/meter: 17.2W	153,37	128,26	St
FTE-NITRO BSW	High Brightness Innovative multipurpose BSW moving head with the newest technology NEOLUX lamp 295 watt, Color Temperature: 8000K, high precision 138mm glass optic system with zoom 2.7 - 36 projection angle, 7 rotating gobo	1.265,33	1.058,15	St
FTE-NOTE PAD	Note Pad, A4 writing note pad	2,93	2,42	St
FTE-ODEUM WASH	FOS Odeum Wash - Professional Wash moving head for high-performance applications	714,86	597,81	St
FTE-ORION	FOS Technologies - Orion - Professional LED Beam/Spot/Wash moving head	3.418,34	2.858,63	St
FTE-PAR 12X15WPRO RGBWA	FOS Par 12x15WPRO RGBWA - high quality aluminium led par with powercon input and output.	221,38	185,13	St
FTE-PAR 18X10W FLAT	FOS Par 18x10w FLAT - aluminium flat led par RGBW, beam aperture: 25°, RGBW dimming/fade	126,24	105,57	St
FTE-PAR 18X10W PRO	FOS Par 18x10W Pro - high quality aluminium led par with powercon input and output. Beam aperture: 30°, 18 RGBW 10w LEDs (4in1)	231,51	193,60	St
FTE-PAR 18X10WPRO IP65	FOS Par 18x10WPRO IP65 - weatherproof aluminium led par with IP connectors, noiseless cooling system	243,08	203,28	St
FTE-PAR 18X10WPRO IP65 PEARL	FOS Par 18x10WPRO IP65 Pearl - weatherproof white aluminium housing led par with IP connectors, noiseless cooling system	243,08	203,28	St
FTE-PAR 18X15WPRO RGBWA	FOS Par 18x15WPRO RGBWA - Professional high quality aluminium led par with powercon input and and output	260,45	217,80	St
FTE-PAR 7X10W ALU	Par 7x10W ALU, Aluminium Led par with 7 Leds RGBW ,10 watt each , Beam aperture: 40° Dimmer: 0-100%, stop/strobe effect, DMX 512.	90,07	75,32	St
FTE-PAR AURORA	FOS PAR Aurora - Latest technology Led Par with NEON effect, 7x12 watt 4in1 RGBW leds & 60 x 0.2watt RGB leds	124,80	104,36	St
FTE-PAR COB 200W LED TW	FOS Par Cob 200w Led TW - tunable white COB led par, 200 watt, Color Rendering Index (CRI): Ra90	260,45	217,80	St
FTE-PAR COB 200W LED UV	Par Cob 200w Led UV, UV COB led par 200watt led source UV , LED angle: 60°. Barndoor Included.	256,10	214,17	St
FTE-PAR ZOOM CASE	PAR Zoom Case, Flight case with wheels for 6 pcs Par zoom IP.	299,51	250,47	St
FTE-PAR ZOOM ULTRA	FOS Par Zoom Ultra - Professional Zoom Par 19 leds x 15watt 4in1 RGBW color mixing	415,76	347,68	St
FTE-PC LED 200W	FOS PC Led 200W - 200 watt led Warm White 3200K PC, Adjustable Zoom 10-55 degrees ,12500 LM	830,53	694,54	St
FTE-PC SPOT	PC Spot, PC Spot Light with 1000 watt or 650 watt Lamp,	241,64	202,07	St



Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
	Lamp-socket GY9.5 , Color temperature?3200K.			
FTE-PEN	Pen, Fos Logo writing instrument , blue	1,17	0,97	St
FTE-PERFUME 20ML APPLE	Perfume 20ml Apple, Bottle of fragrances for smoke fluids 20ml. Apple	3,66	3,03	St
FTE-PERFUME 20ML JASMIN	Perfume 20ml Jasmin, Bottle of fragrances for smoke fluids 20ml.Jasmin	3,66	3,03	St
FTE-PERFUME 20ML RED ENERGY	Perfume 20ml Red Energy, Bottle of fragrances for smoke fluids 20ml. Red Energy	3,66	3,03	St
FTE-PICO PRO	FOS Technologies - Pico PRO - Unlimited Rotation Beam moving head	358,84	300,08	St
FTE-PIXEL BAR IP65	FOS Pixel Bar IP65 - professional pixel control outdoor IP65 bar for wall washing and stages, 18RGBW	433,70	362,69	St
FTE-PIXEL BLADE 7	FOS Technologies - Pixel Blade 7 - Pixel Blade Moving Head	801,59	670,34	St
FTE-PIXEL BLADE ULTRA	FOS Technologies - Pixel Blade Ultra - Dual Sided Pixel Blade Moving Head	1.073,61	897,82	St
FTE-PIXEL LINE 80	FOS Pixel Line 80 - 100cm, 11.25 pitch, 80 LEDs (tri-color RGB)	190,99	159,72	St
FTE-PIXEL LINE DRIVER	FOS Pixel Line Driver - driver controller for the Pixel Line 80, 48Volt, RJ45 for Kling-net & Art-net and DMX	512,21	428,34	St
FTE-PIXEL PANEL HANGER	Pixel Panel Hanger, Hanger bar for the FOS PIXEL PANEL RGB+WW.	30,75	25,41	St
FTE-PIXEL TUBE	FOS Pixel Tube - dynamic lighting cube, 100cm, RGB Leds	112,86	94,38	St
FTE-PLASTIC BAG	Plastic Bag, FOS Technologies plastic bag	0,15	0,12	St
FTE-PROFILE GOBO HOLDER	Profile GOBO Holder, Gobo Holder for FOS led profiles.	7,32	6,05	St
FTE-PROFILE LED 200W 15/30	FOS Profile Led 200W 15/30 - 200 watt COB Led Warm white 3200K profile, 22000LM	830,53	694,54	St
FTE-PROFILE LED 200W 25/50	FOS Profile Led 200W 25/50 - 200 watt COB led Warm White 3200K profile, 22000 LM	830,53	694,54	St
FTE-PROFILE LED IRIS	Profile Led IRIS, Iris for FOS led profiles.	46,30	38,72	St
FTE-Q19 ULTRA	FOS Technologies - Q19 Ultra - High power Wash / Beam Moving Head	1.281,97	1.072,06	St
FTE-QUADRODSP	IHOS Quadro DSP	711,88	595,32	St
FTE-QUADRODSP2.0	Fos Lighting Quadro DSP 2.0 digital amplifier	897,32	750,39	St
FTE-QUADRODSP6.4	Fos Lighting DSP 6.4 Fos technologies digital power amplifier 4x1500W@8Ω / 4x2000W@4Ω	1.763,79	1.474,99	St
FTE-QUICK SHOW PANGOLIN	QUICK SHOW PANGOLIN, Pangolin Quickshow Package 3.0 with FB3 USB interface	1.021,52	854,26	St
FTE-RAZOR LASER	FOS Technologies - Razor Laser - Multibeam RGB Laser Moving Head	1.044,67	873,62	St
FTE-RDM SPLITTER 6	FOS RDM Splitter 6 - RDM 6 channel isolated Dmx splitter, 100% electrical isolation between in/output	244,53	204,49	St
FTE-RDM TESTER	FOS RDM Tester - the ultimate tester, 3/5-Pin DMX cable testing, RDM controller and tester	532,47	445,28	St
FTE-REBORN 200	Reborn 200, Reborn 200 is a LED retrofit for Source 4 profile. Upgrade your source 4 profile in just seconds. high CRI?98,, bright output and low heat, energy save, RDM function, long life LED 175W 3200K, LCD display, XLR in & out,	453,61	379,34	St
FTE-RED BOX	Red Box, Red box with 2 pcs CE certified manual chain hoists with 9m chain and 1000 kg lifting capacity.	454,33	379,94	St
FTE-RETRO	Retro, Retro backround fixture, diameter 64cm, 750 watt halogen lamp driven by internal dimmer, 96pcs 3in1 RGB LEDs backround lighting, 4?6?9 DMX channels, Aluminum alloy housing, Lcd menu display,5pin and 3pin XLR, powercon in/out, floor stand,639x3	836,32	699,38	St
FTE-RGB BALL 25	FOS RGB Ball 25 - dynamic ligting ball, white plexi, 25cm diameter, high brightness RGB Leds	77,60	64,89	St
FTE-RGB DRONE	RGB Drone, Dynamic lighting sphere, 9 cm diameter, 32 high brightness RGB Leds , 360 degrees viewing angle, fast lock connecting system,	98,39	82,28	St
FTE-RGB FAN	RGB Fan, Fan effect with variable strobe,fan blades with 792pcs SMD 5050 RGB LEDs ,2-group controls of LED, 3	538,25	450,12	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
	blades each group, DMX, auto, sound activation, master/slave, DMX channels: 4 / 8 / 11 selectable, Dimension: 700 x 700 x 85 mm.			
FTE-RIBBON DRIVER 200	Ribbon Driver 200, Ribbon tape power supply 24v ,1 channel 200watt , DMX, Auto, Sound, Master/Slave, 5 DMX modes: 1ch,2ch,3ch,4ch, 7ch, 1 output port that can be addressed individually, 18 preset colors with linear dimme, 3 built-in programs, 4 butto	197,14	164,86	St
FTE-RIBBON DRIVER 800	FOS Ribbon Driver 800 - Ribbon tape power supply 24v, 4 channels 200watt elk	412,37	344,85	St
FTE-RJ45 SPLIT BOX FEMALE	RJ45 Split Box female, DMX Split Box RJ45 socket to 4 x DMX XLR 3-pin female plugs.	46,30	38,72	St
FTE-RJ45 SPLIT BOX MALE	RJ45 Split Box male, DMX Split Box RJ45 socket to 4 x DMX XLR 3-pin male plugs.	46,30	38,72	St
FTE-ROAD LABEL	Road Label, Touring sticker label 18cm x 13 cm .	2,55	2,11	St
FTE-ROLLER 7R	Roller 7R, Barrel mirror scanner, High precision glass lens, 230w/7R type, 13 colors + white 14 fixed gobos + white, Gobo shaking, 3 axis movement,LCD display, 8 DMX channels.	740,82	619,52	St
FTE-SAFETY WIRE	Safety Wire, Safety wire 4mm , 85 cm loading 25kg.	2,64	2,18	St
FTE-SAFETY WIRE BLACK	Safety Wire Black, Safety wire 4mm , 85 cm loading 25kg.	2,64	2,18	St
FTE-SCORPIO BEAM	FOS Technologies - Scorpio Beam - Professional LED Beam Moving Head	856,58	716,32	St
FTE-SCORPIO BEAM PEARL	FOS Technologies - Scorpio Beam PEARL - White Professional LED Beam Moving Head	856,58	716,32	St
fte-Scorpio BSW HP	High performance version , professional Beam/Spot/Wash moving head, 260 watt Led source 7500K, zoom 2.5-36, antireflection 136mm front lens, 11 colors , 16 static gobos, 6 rotating indexable gobos, frost filter, motorized f	1.335,51	1.116,83	St
FTE-SCORPIO SPOT	FOS Technologies - Scorpio Spot - Professional LED Spot Moving Head	865,26	723,58	St
FTE-SCORPIOWASH	Fos Scorpio Wash - Revolutionary led wash/beam moving head, 7 leds 60 watt RGBW	1.082,29	905,08	St
FTE-S FLIGHT CASE	S Flight Case, Flight Case with wheels for S Screens	436,97	365,42	St
FTE-SHOW REPLAY 1024	Show Replay 1024, Show Replay and record device, Supports ArtNet and DMX, 1024 channels DMX in & out,Real-time or step-by-step record from DMX / Artnet (via Lan or WiFi), 14 Memories and each up to 20 hours can be stored in SD card.	371,86	310,97	St
FTE-SIGMA PLUS 4	Sigma PLUS 4, Condenser cardioid microphone 48 v phantom power ,for instrument and cymbal ,141 mm, 50Hz-18KHz , senitivity -48dBV/μbar, impedance 1600Ω, 87gr.	48,56	40,61	St
FTE-SIGMA PLUS 5	Sigma PLUS 5, Condenser cardioid microphone 48v phantom power or AA batteries, for instrument and cymbal ,197mm, 50Hz-18KHz , senitivity -48dBV/μbar, impedance 600Ω%, 113gr.	51,28	42,88	St
FTE-SMART BEAM	FOS Technologies - Smart Beam - Innovative LED Beam moving head	839,21	701,80	St
fte-Smart BSW	Innovative multipurpose BSW moving head with High Brightness Seawy™ Led 200 watt. Color Temperature: 8000K, pixel control led ring 25 x 0.2 RGB SMD Led, high precision 136mm glass optic system with zoom 2.5 - 36 projecti	1.046,12	874,83	St
FTE-S MCTRL 300	S MCTRL 300, The MCTRL 300 is an M3 series sending card from NovaStar. This sending card supports video and audio inputs, and can decode and process them before sending them to the LED screen via Ethernet port. A single MCTRL 300 supports resolution	368,96	308,55	St
FTE-SNOW 1250	Snow 1250, High output Snow machine 1250 watt , Snow Output 30cbm, Approx Bubble Projection 7m, Capacity of oil tank 5L, Oil consumption 200min/L(30%) 120min/L(100%).	219,93	183,92	St
FTE-SNOW LIQUID 5L	Snow Liquid 5L, FOS Snow Liquid 5L , Ready to use.	14,64	12,10	St
FTE-SOLO	SOLO, Professional Super slim and ultra compact flat battery	277,53	232,09	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
	par , Super bright high power 3 x15Watt RGBWA+UV, 6-in-1 HEX , Beam angle 25 degrees , rechargeable lithium-ion battery with LG chem 12 hours at running any single color , 100% true wirele			
FTE-SOLO CASE	SOLO Case, Soft carry and charging bag for 4 pcs SoloPars	169,29	141,57	St
FTE-SPARK JET PRO	FOS Technologies Spark Jet Pro - Cold Sparkle Machine	947,43	947,43	St
FTE-SPARK JET PRO V2	The best sparkle machine with RDM function and density channel, Adjustable Height 1.5-5M , Lineary Adjustable Density 30-100%, Maximum Single Continuous Duration 30s, Heat Up Time 5 Minutes , 5 Minutes , seetronic connectors,	1.080,85	903,87	St
FTE-SPARK JET SMART CONSOLE	Spark Jet Smart Console, RDM Touch Screen DMX controller, Monitor temperature and machine status an control , Control single spark, and stop spark, Cue and stack operation, dmx input and 2 dmx outputs, key lock system, Battery:12.6V 700mAh, Fully cha	506,42	423,50	St
FTE-SPARK POWDER	Spark Powder, Titanium Powder 150 gr and RFID card for Spark Jet PRO.	48,83	40,84	St
FTE-SPEAKER STAND STEEL SET	Speaker Stand Steel Set, Speaker stand set that includes steel base with carrying bag and pole, self weight 11kg, maximum height 175 cm , for speakers and devices up to 26kg.	104,90	87,73	St
FTE-SPLITTER 8	Splitter 8, 8 channel isolated Dmx splitter, Fully compliant to DMX-512 100% electrical isolation between in/output , Signal & power LED indicator ,Terminator resistor switch, 3pin input / through.	175,08	146,41	St
FTE-SPLITTER TWIN	Splitter TWIN, Isolated DMX booster and Splitter, 1in10 or 2in5, 3pin and 5pin XLR in, 3pin XLR out, terminated press button, 100 optical Isolation, 3kg.	205,46	171,82	St
FTE-SPOT 100W PRO	FOS Technologies - Spot 100W PRO - LED Spot Moving Head	626,52	523,93	St
FTE-SPOT 100W PRO PEARL	FOS Technologies - Spot 100W PRO PEARL - White LED Spot Moving Head	626,52	523,93	St
FTE-SPOT 150 PRO	FOS Tehcnologies - Spot 150 Pro - High Performance LED Spot Moving Head	701,76	586,85	St
FTE-SPOT 150W	Spot 150W, Led Spot moving head, Beam aperture: 14°, 150W Luminus Led 7000K Cool White, 7 colors +white, 7 rotated gobos + open, interchangeable ,7 Fixed gobos + open, 3 facet prism rotation , 6 face prism linear , frost effect.	680,05	568,70	St
FTE-S STEEL HANGING BEAM	S Steel Hanging Beam, Steel Hanging Beam for a S Screens	175,08	146,41	St
FTE-STAGE HAZE	Stage Haze, Professional Haze machine Dmx controlled for stages. 1000 watt, Very quiet but very strong integrated fan, LCD display control ,DMX Control 2 channel, fluid consupcion 0.5-16ml/min	581,66	486,42	St
FTE-STAGE TAPE 25MM X 50M NEON BLUE	Stage Tape 25mm x 50M Neon Blue, Professional Fluorescent Cloth Tape, 70mesh, 300mic - 25mm x 50 meters NEON BLUE.	10,10	8,35	St
FTE-STAGE TAPE 25MM X 50M NEON GREEN	Stage Tape 25mm x 50M Neon Green, Professional Fluorescent Cloth Tape, 70mesh, 300mic -25mm x 50 meters NEON GREEN.	10,10	8,35	St
FTE-STAGE TAPE 25MM X 50M NEON ORANGE	Stage Tape 25mm x 50M Neon Orange, Professional Fluorescent Cloth Tape, 70mesh, 300mic -25mm x 50 meters NEON ORANGE.	10,10	8,35	St
FTE-STAGE TAPE 25MM X 50M NEON PINK	Stage Tape 25mm x 50M Neon Pink, Professional Fluorescent Cloth Tape, 70mesh, 300mic - 25mm x 50 meters NEON PINK.	10,10	8,35	St
FTE-STAGE TAPE 25MM X 50M NEON YELLOW	Stage Tape 25mm x 50M Neon Yellow, Professional Fluorescent Cloth Tape, 70mesh, 300mic -25mm x 50 meters NEON YELLOW.	10,10	8,35	St
FTE-STAGE TAPE 50MM X 50M BLACK	Stage Tape 50mm x 50M Black, Professional Cloth Tape, 70mesh, 300mic - 50mm x 50 meters BLACK.	8,20	6,78	St
FTE-STAGE TAPE 50MM X 50M CHROMA KEY BLUE	Stage Tape 50mm x 50M Chroma Key Blue, Professional Fluorescent Cloth Tape, 70mesh, 300mic - 50mm x 50 meters CHROMA KEY BLUE.	19,91	16,46	St
FTE-STAGE TAPE 50MM X 50M	Stage Tape 50mm x 50M Chroma Key Green, Professional	19,91	16,46	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
CHROMA KEY GREEN	Fluorescent Cloth Tape, 70mesh, 300mic - 50mm x 50 meters CHROMA KEY GREEN.			
FTE-STAGE TAPE 50MM X 50M GREY	Stage Tape 50mm x 50M Grey, Professional Cloth Tape, 70mesh, 300mic - 50mm x 50 meters GREY.	8,20	6,78	St
FTE-STAGE TAPE 50MM X 50M NEON BLUE	Stage Tape 50mm x 50M Neon Blue, Professional Fluorescent Cloth Tape, 70mesh, 300mic - 50mm x 50 meters NEON BLUE.	19,91	16,46	St
FTE-STAGE TAPE 50MM X 50M NEON GREEN	Stage Tape 50mm x 50M Neon Green, Professional Fluorescent Cloth Tape, 70mesh, 300mic - 50mm x 50 meters NEON GREEN.	19,91	16,46	St
FTE-STAGE TAPE 50MM X 50M NEON ORANGE	Stage Tape 50mm x 50M Neon Orange, Professional Fluorescent Cloth Tape, 70mesh, 300mic - 50mm x 50 meters NEON ORANGE.	19,91	16,46	St
FTE-STAGE TAPE 50MM X 50M NEON PINK	Stage Tape 50mm x 50M Neon Pink, Professional Fluorescent Cloth Tape, 70mesh, 300mic - 50mm x 50 meters NEON PINK.	19,91	16,46	St
FTE-STAGE TAPE 50MM X 50M NEON YELLOW	Stage Tape 50mm x 50M Neon Yellow, Professional Fluorescent Cloth Tape, 70mesh, 300mic - 50mm x 50 meters NEON YELLOW.	19,91	16,46	St
FTE-STAGE TAPE 50MM X 50M WHITE	Stage Tape 50mm x 50M White, Professional Cloth Tape, 70mesh, 300mic - 50mm x 50 meters WHITE.	8,20	6,78	St
FTE-STAGE WIND DMX	FOS Stage Wind DMX - 180 watt stage wind machine, high output, variable speed by 1 ch DMX	447,10	373,89	St
FTE-STAND 400 PRO	FOS Stand 400 PRO - wind up stand with one telescopic leg, TUV certified, height: 2.2-4m	299,99	250,87	St
FTE-STAND 400 TRUSS ADAPTOR	Stand 400 Truss Adaptor, Truss adaptor with 35mm mount , included pins and safety for the WindUP stand.	80,58	67,38	St
FTE-STAND FOLLOW SPOT 150	STAND Follow Spot 150, Stand for the Follow Spot 150 , 1.34 cm height , 6.2kg	122,99	102,85	St
FTE-STAND LED FOLLOW SPOT 350/600	Stand Led Follow Spot 350/600, Heavy Duty Black Stand for Led Follow Spot 350 and 600.	253,21	211,75	St
FTE-STARLIT DANCE FLOOR	FOS StarLit Dance Floor - white led dance floor set 25 sqm, 5mx5m included edges	11.637,56	9.732,03	St
FTE-SUNSTRIP LED	FOS SunStrip LED - halogen simulator High-power led bar, 10 white/amber COB LEDs of 50W	894,20	747,78	St
FTE-SUPER CLAMP 200	SUPER CLAMP 200, Professional clamp for fixtures lifting weight 200 kg - 40-70mm .	17,94	14,82	St
FTE-SUPER CLAMP 200 BLACK	SUPER CLAMP 200 BLACK, Professional clamp for fixtures lifting weight 200 kg - 40-70mm .	17,94	14,82	St
FTE-SUPERSTORM	FOS SuperStorm - IP65 LED Color Strobe Bar	788,57	659,45	St
FTE-SWIVEL CLAMP	Swivel Clamp, Swivel clamp for 42 - 52 mm trusses, Lifting weight 500 kg	20,15	16,65	St
FTE-TILOS COLUMN	FOS Tilos Column - Aluminium full range column speakers for the Tilos system	423,95	354,53	St
FTE-TILOS L SUB	FOS Tilos L Sub - Professional plywood active vented subwoofer 2 x10 inch for the Tilos Column system	769,76	643,72	St
FTE-TILOS POLE 600	Tilos Pole 600, Pole For Tilos 600 system	30,75	25,41	St
FTE-TILOS POLE 900	Tilos Pole 900, Pole For Tilos 900 system	37,62	31,46	St
FTE-TILOS SYSTEM I	FOS Tilos System I - configuration that can cover 200 people, professional plywood active vented subwoofer	1.231,33	1.029,71	St
FTE-TILOS SYSTEM II	FOS Tilos System II - configuration that can cover 400 people, Professional plywood active vented subwoofer	1.617,65	1.352,78	St
FTE-TILOS SYSTEM III	FOS Tilos System III - configuration that can cover 600 people, Professional plywood active vented subwoofer	2.811,36	2.351,03	St
FTE-TILOS SYSTEM I V2	FOS Tilos System I V2 - configuration that can cover 200 people, Professional plywood active vented subwoofer	1.224,09	1.023,66	St
FTE-TINOS SYSTEM	FOS TINOS System - Column PA system, lightweight portable and feature packed.	630,86	527,56	St
FTE-TITAN BEAM	FOS Technologies - TITAN Beam - Professional Lamp Beam with Super Prisms	1.014,29	848,21	St
FTE-TORNADO PRO	FOS Technologies - Tornado Pro - Professional LED Strobe	675,71	565,07	St
FTE-TOURING PAR 7X15 IP HEX	TOURING PAR 7X15 IP HEX, Weatherproof aluminium led par with IP True powercon connectors , Beam aperture: 25°,	209,80	175,45	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
FTE-TOURING PAR IP HEX	7 RGBW+Amber+UV 15w LEDs (6 in1)Dimmer: 0-100% stop/strobe effect, aluminium 3kg, noiseless cooling system. Touring PAR IP HEX, Weatherproof aluminium led par with IP True powercon connectors , Beam aperture: 25°, 18 RGBW+Amber+UV 15w LEDs (6 in1)Dimmer: 0-100% stop/strobe effect, aluminium 4kg, noiseless cooling system.	315,43	263,78	St
FTE-TOUR PAR 150	TOUR PAR 150, IP65 Weatherproof par, 1 x 150W RGBW LED module, Beam Angle: 80°, OLED touch display, 4 Dimmer Curve, DMX channel: 1/4/6/7/8/11 channels , Waterproof PowerCon in/out	383,43	320,65	St
FTE-TOUR PAR 150 PEARL	FOS TOUR PAR 150 PEARL - white housing IP65 weatherproof par, 1 x 150W RGBW LED module	381,99	319,44	St
FTE-TOWER 400	Tower 400, Telescopic lifting tower with 125 kg loading capacity , maximum height 3.8m , unit weight 21kg folded weight 1.26m , automated lock system , BGV-C1 certified.	697,41	583,22	St
FTE-TOWER 535	Tower 535, Telescopic lifting tower with 250 kg loading capacity , maximum height 5.35m , unit weight 80kg folded weight 1.74m , automated lock system , transportation wheels , BGV-C1 certified.	1.594,50	1.333,42	St
FTE-TOWER 650	Tower 650, Telescopic lifting tower with 220 kg loading capacity , maximum height 6.5m , unit weight 90kg folded weight 1.82m , automated lock system , transportation wheels , BGV-C1 certified.	1.708,81	1.429,01	St
FTE-TOWER 700	Tower 700, Telescopic Line Array/ Front load lifting tower with 270 kg loading capacity , maximum height 6.65 m , unit weight 144kg , KAT lock system , BGV-C1 certified.	3.018,27	2.524,06	St
FTE-TOWER 700 - AGR-1	Tower 700 - AGR-1, Line Array fly support for Tower 700	72,35	60,50	St
FTE-TOWER 700 - TA-2	Tower 700 - TA-2, Truss Adaptor for Tower 700	36,60	30,25	St
FTE-TOWER BAR 400/650	Tower Bar 400/650, Lighting Suspension bar for the tower 400 and the tower 650.	63,66	53,24	St
FTE-TRANSPORT CASE L	Transport Case L, Weatherproof IP67 plastic case with wheels and folding handle for easy transport, pre cutted foam for general applications, material TSU19 resin, external dimensions 55x35x24 cm , inside dimensions 52x29x21 cm, lid depth 4.7 cm, 6 k	111,41	93,17	St
FTE-TRANSPORT CASE M	Transport Case M, Weatherproof IP67 plastic case with pre cutted foam for general applications, material TSU19 resin, external dimensions 46x36x18 cm , inside dimensions 43x30x16 cm, lid depth 4.7 cm, 2.3 kg	94,05	78,65	St
FTE-TRANSPORT CASE XL	Transport Case XL, Weatherproof IP67 plastic case with wheels and folding handle for easy transport, pre cutted foam for general applications, material TSU19 resin, external dimensions 80x52x32 cm , inside dimensions 74x46x24 cm, lid depth 4.7 cm, 11	219,93	183,92	St
FTE-TRITON	Fos Technologies - Triton - Professional LED Beam/Spot/Wash moving head	2.131,31	1.782,33	St
FTE-TV BICOLOR PANEL	TV BICOLOR PANEL, Studio Bicolor Soft panel, 1200 SMD leds 0.2 Watts, Color temperature: 3200K-5600K adjustable (warm white to cold white), high CRI (Ra?95) and high brightness LED, Beam angle: 120degree, DMX channel: 4CH/5CH , Low Noise Operation, 9	655,45	548,13	St
FTE-TV FRESNEL WW	TV FRESNEL WW, Studio Fresnel, 100 watt Warm White 3200K Cob Led, high CRI (Ra?92) and high brightness LED, Beam angle: 15-60degrees, manual focus adjustable, DMX channel: 1CH, Low Noise Operation,5 kg.	632,30	528,77	St
FTE-TV MINI FRESNEL TW	TV MINI FRESNEL TW, Mini Fresnel tunable white 100 watt LED ( 50W warm white + 50W cool white), 2700K - 6500K tunable, CRI 95, 25° - 80° manual zoom, Smooth dimming, flicker free, Super compact, easy for set up, 4-leaf rotatable barndoor included.	344,37	287,98	St
FTE-ULTRA PAR	Ultra Par, Professional IP65 motorized Zoom Par 5-45 degrees, 7 leds 40 watt RGBW 4in1, linear dimmer, 11	539,70	451,33	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
	channels DMX 512 and RDM control, built in programs, color temperature adjustment, weather proof plugs, aluminum housing, 8 kg.			
FTE-V6	V6, Electric Chain Hoist , CE and TUV certified , Lifting Capacity:1000 KG , Lifting Height:25 M , Lifting Speed: 4 M/min , Double Electromagnetic Brake System, Protection Grade: IP 55 , Motor Protector , Overload Protector.	2.061,86	1.724,25	St
FTE-V6 4WAY CONTROLLER	V6 4way Controller, Portable electric motor 4 way controller ,waterproof plastic suitcase, emergency power and operation buttons: lift and fall control switches.	1.442,58	1.206,37	St
FTE-V6 8WAY COTROLLER	V6 8way Cotroller, Portable electric motor 8 way controller , built in flight case , emergency, power and operation buttons , lift control switches.	2.336,77	1.954,15	St
FTE-V6 CASE	V6 Case, Flight case with wheels for 1 pc chain motor V6	306,75	256,52	St
FTE-V6 CONTROLLER CABLE	V6 Controller Cable, 10 meter cable with plugs for connecting controllers with main power supply.	144,69	121,00	St
FTE-V6 MOTOR CABLE	V6 Motor Cable, 25 meter cable with plugs for connecting controllers with hoists.	144,69	121,00	St
FTE-VINTAGE 6	Vintage 6, Inline Retro Halogen with 6x300W lamps , Lamp life: 2000 Hours , color temperature 2900K , DMX Linear Dimmer , 6 DMX ch , Pixel Control , Size 153x32x41cm , 7.7kg.	604,81	505,78	St
FTE-VINTAGE 6 CASE	Vintage 6 Case, Flight case for 2 pcs Vintage 6	324,11	271,04	St
FTE-VINTAGE 6 ULTRA	Vintage 6 Ultra, Inline Retro back round fixture, 6x60watt romantic warm white 2200k led, 144?0.5W RGB 5050 smd back round led, dimeter 86cm, pixel control, , 9CH/10CH /28CH/38CH DMX channels, Aluminum alloy housing, Lcd menu display,5pin and 3pin XL	803,04	671,55	St
FTE-VINTAGE 7	Vintage 7, Retro Halogen with 7x300W lamps , Lamp life: 2000 Hours , DMX Linear Dimmer , 7 DMX ch , Pixel Control , Size 86x96.6x17cm , 12.5kg.	902,88	755,04	St
FTE-VINTAGE 7 CASE	Vintage 7 Case, Flight case for 2 pcs Vintage 7	364,62	304,92	St
FTE-VINTAGE 7 ULTRA	Vintage 7 Ultra, Retro background fixture, 7 x 60watt romantic warm white 2200k led, 168?0.5W RGB 5050 smd background led, dimeter 86cm, pixel control, , 9CH/10CH /28CH/38CH DMX channels, Aluminum alloy housing, Lcd menu display, 3pin XLR, powercon in/	1.216,86	1.017,61	St
FTE-W1000S	W1000S, TX/RX set is a real-time wireless video transmission system integrated with intercom which enable communication between the director and the photographer as well as wireless video transmission system functions, save your time and costs to set	1.028,76	860,31	St
FTE-WASH 600 HEX	FOS Technologies - Wash 600 HEX - Super Bright Wash LED Moving Head	541,15	452,54	St
FTE-WASH 7 X 15 RGBW ZOOM	Wash 7 x 15 RGBW zoom, Wash moving head , Zoom 15-50° ,7 RGBW 15w 4in1 LEDs, Preset color macros , Pixel Control ,Dimmer: 0-100% linear dimming,stop/strobe effect, 22 DMX channels, 6 kg	373,89	373,89	St
FTE-WASH LED QUAD III	FOS Technologies - Wash Led Quad III - LED Wash / Beam Moving Head	541,15	452,54	St
FTE-WASH Q19	Wash Q19, Wash / Beam moving head , 19 RGBW 15w 4in1 LEDs zoom 6-60° , 4 sections pixel control, Preset color macros RGBW mixing with or without DMX controller , TFT display.	876,83	733,26	St
FTE-WASH Q19 HP	Wash Q19 HP, Wash / Beam moving head , 19 RGBW 30w 4in1 LEDs zoom 6-60° , 4 sections pixel control, Preset color macros RGBW mixing with or without DMX controller , TFT display.	1.080,85	903,87	St
FTE-WASH Q7	FOS Technologies - Wash Q7 - LED Wash / Beam Moving Head	626,52	523,93	St
FTE-WASH Q7 PEARL	FOS Technologies - Wash Q7 PEARL - White Housing Wash / Beam Moving Head	626,52	523,93	St
FTE-WATERLOWFOG2000	Fos Water Low FOG 2000, Amazing Low Fog 1200 watt smoke machine	811,72	678,81	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
FTE-WATER LOW FOG PRO	Water Low FOG PRO, Amazing Low Fog 2200 watt smoke machine that needs only water supply for 200 sqm stages, no need Co2 or Dry ice. DMX 512 , Remote Control LCD screen, 2 dmx channels, heat up time 3.5 mins, fluid consumption 1-60ml/min, fluid-less p	1.281,97	1.072,06	St
FTE-WDMX TRX	WDmx TRX, Wireless DMX Transmitter/Receiver device Power 6W , transmitting range 300 meters , Interface rate: 250000bp / s ,Channel spacing: 5MHz.	298,07	249,26	St
FTE-WEATHERPROOF COVER	WeatherProof Cover, Weatherproof Cover for moving heads.	32,21	26,62	St
FTE-WEATHERPROOF DOME 470	WeatherProof Dome 470, Weatherproof Dome IP54 for moving heads up to 470 watt and height up to 75cm, stainless steel structure with plastic pressure casting covers, heating absorption though fans, true poweron and weather proof XLR in/out.	875,39	732,05	St
FTE-WHITE KIT 12R	White Kit 12R, Replacement white platics and metal parts for 12R white housing.	72,35	60,50	St
FTE-WHITE KIT 7R	White Kit 7R, Replacement white platics and metal parts for 7R white housing.	72,35	60,50	St
FTE-Z DJ TABLE	FOS Z DJ Table	565,74	473,11	St
FTE-Z DJ TABLE PEARL	Foldable Z-style DJ table flight case with handles and wheels, rendering it highly portable, simple to set up, and easy to break down for DJs . Its durable construction from white plywood with handles and wheels.	565,74	473,11	St