

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
APA-ACPL	(20) Audio Control Panel with front panel Mic/Line inputs, volume control and po	89,84	89,84	St
APA-ACPR	(20) Audio Control Panel with permanently connected rear connection input and fr	89,84	89,84	St
APA-ALINP	(20) Active Local Input Panel with MIC and Line input with individual volume con	232,62	232,62	St
apa-AMP-D225H	AMP-D225H 2 channel, 25W half-rack amplifier	634,34	634,34	St
APA-BBI1	Universal BTicino built-in box 3 modules	7,26	7,26	St
APA-BBI2	Universal BTicino built-in box 2 x 3 modules	12,10	12,10	St
APA-BUZZ19	Metal adapter for 2 pieces BUZZSTOP-MKIII in 19" rack	14,52	14,52	St
APA-BUZZSTOP-MKIII	(10) BUZZSTOP-MKIII - Universal stereo input adaptor, converts any output to line level.	87,19998	87,19998	St
APA-CE2E2	(10) (A) Cable 1.5m Euro connector 2P to Euro 2P	20,87	20,87	St
APA-CE3E3	(B) Cable 1.5m Euro connector 3P to Euro 3P	36,60	36,60	St
APA-CHAMP-4	(2) High End, very dynamic 4-channel low impedance power amplifier, convection c	897,89998	897,89998	St
APA-CM1008	(8) 8" two-way ceiling speaker 8 ohms / 100 watts, white, with removable logo an	89,84	89,84	St
APA-CM1008-BL	(8) 8" two-way ceiling speaker 8 ohms / 100 watts, black, with removable logo an	89,84	89,84	St
APA-CM1008D	(last pieces) (8) 8" two-way thin edge grille design ceiling speaker 8 ohms / 100 watts, white	97,10	97,10	St
APA-CM20DT	(12) Apart CM20DT - 6.5" two-way ceiling speaker 100-70 volt / 20 watts, 16 oh	106,55998	106,55998	St
APA-CM20DTS	(4) 4.25? two-way thin edge design ceiling speaker 100-70 volt / 20 watts, 16 oh	186,64	186,64	St
APA-CM20T	(12) 6.5" two-way ceiling speaker 70 - 100 volt / 20 watts, 16 ohms / 60 watts,	94,45998	94,45998	St
APA-CM20T-BL	(12) 6.5" two-way ceiling speaker 70 - 100 volt / 20 watts, 16 ohms / 60 watts,	94,45998	94,45998	St
APA-CM30DTD	(4) 4.25? two-way thin edge design ceiling speaker 100-70 volt / 30 watts, 16 oh	198,74	198,74	St
APA-CM3T	(24) apart CM3T - 3" Miniature ceiling speaker 70 - 100 volt white	43,63998	43,63998	St
APA-CM3T-BL	(24) Apart CM3T - 3" Miniature ceiling speaker 70 - 100 volt black	43,63998	43,63998	St
APA-CM4	(12) 4" ceiling speaker with backcan 16 ohms / 30 watts, spring clips mounting,	70,48	70,48	St
APA-CM4-BL	(12) 4" ceiling speaker with backcan 16 ohms / 30 watts, spring clips mounting,	70,48	70,48	St
APA-CM4T	(16) 4" ceiling speaker 70 - 100 volt / 6 watts, 16 ohms / 30 watts, spring clip	48,47998	48,47998	St
APA-CM4T-BL	(16) 4" ceiling speaker 70 - 100 volt / 6 watts, 16 ohms / 30 watts, spring clip	48,47998	48,47998	St
APA-CM608	(12) 6.5" two-way ceiling speaker 8 ohms / 60 watts, white, with removable logo	68,06	68,06	St
APA-CM608-BL	(12) 6.5" two-way ceiling speaker 8 ohms / 60 watts, black, with removable logo	68,06	68,06	St
APA-CM60DTD	(4) 6.5? two-way thin edge design ceiling speaker 100-70 volt / 60 watts, 16 ohm	244,72	244,72	St
APA-CM6E	(12) Apart CM6E - 6.5" dual cone ceiling speaker 100 volt	48,47998	48,47998	St
APA-CM6T	(12) 6.5" two-way ceiling speaker 70 - 100 volt / 6 watts, 16 ohms / 60 watts, w	77,51998	77,51998	St
APA-CM6T-BL	(12) 6.5" two-way ceiling speaker 70 - 100 volt / 6 watts, 16 ohms / 60 watts, b	77,44	77,44	St
APA-CMAR5T-W	(16) 5.25" two-way built-in marine speaker 8 ohms / 50 watts or 100 volt / 20 wa	152,53998	152,53998	St
APA-CMAR5-W	(16) 5.25" two-way built-in marine speaker 8 ohms / 50 watts, IP65, white	97,10	97,10	St
APA-CMAR6T-W	(12) 6.5" two-way built-in marine speaker 8 ohms / 60 watts or 100 volt / 20 wat	186,41998	186,41998	St
APA-CMAR6-W	(12) 6.5" two-way built-in marine speaker 8 ohms / 60 watts,	123,72	123,72	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
APA-CMAR8T-W	IP65, white (12) 8" two-way built-in marine speaker 8 ohms / 100 watts or 100 volt / 20 watt	232,39998	232,39998	St
APA-CMAR8-W	(12) 8" two-way built-in marine speaker 8 ohms / 100 watts, IP65, white	167,28	167,28	St
APA-CMBB	(12) On-wall box for CM6T, CM6E, CM20T, CM608, CM20DT and CM608D loudspeaker ran	38,79998	38,79998	St
APA-CMM108	(Last pieces)miniatuur inbouwluidspreker 8o10w,wit	22,30	22,30	St
APA-CMSUB8	(8) 8" dual coil ceiling subwoofer 2 x 8 ohms / 2 x 80 watts, built-in crossover	186,64	186,64	St
APA-CMX20DT	(8) 8" two-way thin edge design ceiling speaker 70 - 100 volt / 20 watts, 16 ohm	123,49998	123,49998	St
APA-CMX20T	(8) 8" two-way ceiling speaker 70 - 100 volt / 20 watts, 16 ohms / 100 watts, wh	108,97998	108,97998	St
APA-CMX20T-BL	(8) 8" two-way ceiling speaker 70 - 100 volt / 20 watts, 16 ohms / 100 watts, b	108,97998	108,97998	St
APA-COLS101	(4) 10 x 2" slim sound column speaker with 1" tweeter 70/100 volt / 40 watts or	370,33998	370,33998	St
APA-COLS41	(6) 4 x 2" slim sound column speaker with 1" tweeter 70 - 100 volt / 20 watts or	174,31998	174,31998	St
APA-COLS81	(6) 8 x 2" slim sound column speaker with 1" tweeter 70 - 100 volt / 30 watts or	300,15998	300,15998	St
APA-COLSBRA	(50) Bracket for easy tilting and rotating of COLS sound columns	38,72	38,72	St
APA-COLW101	(2) 10 x 3.3" sound column speaker with 1" tweeter 70 - 100 volt / 100 watts or	648,63998	648,63998	St
APA-COLW41	(4) 4 x 3.3" sound column speaker with 1" tweeter 70 - 100 volt / 40 watts or 16	343,71998	343,71998	St
APA-COLW81	(4) 8 x 3.3" sound column speaker with 1" tweeter 70 - 100 volt / 80 watts or 8	534,89998	534,89998	St
APA-COLWBRA	(50) Bracket for easy tilting and rotating of COLW sound columns	38,72	38,72	St
APA-CONCEPT1-RC	Infrared remote control for CONCEPT1 and CONCEPT1T	32,72	32,72	St
APA-CONCEPT1T-KIT	(20) 2 x 100 volt transformers, 60 watts each. Transforms CONCEPT1 into CONCEPT1	139,15	139,15	St
APA-CSP	(H) Speakon connector Male	8,47	8,47	St
APA-DAB-FM	combiner for DAB compatible tuners	56,87	56,87	St
APA-D-ALINP	(20) Active Local Input Panel decora style with MIC and Line input with individu	232,62	232,62	St
APA-D-DIWAC	(20) Digital decora style wall control with 2 line LCD display. Buttons for sou	225,06	225,06	St
APA-DIWAC	(20) Apart DIWAC Digital wall control with 2 line LCD display. Buttons for source selection	203,58	203,58	St
APA-D-MODON	(48) Built-on box for wall controls Decora style	19,36	19,36	St
APA-D-VOL120	(24) 70 volt, 120 watts Decora style volume control, white, with 24V priority re	94,38	94,38	St
APA-D-VOL30	(24) 70 volt, 30 watts Decora style volume control, white, with 24V priority rel	50,82	50,82	St
APA-D-VOL60	(24) 70 volt,60 watts Decora style volume control, white, with 24V priority rela	75,02	75,02	St
APA-E-MODIN	Built-in box for Euro controls	9,68	9,68	St
APA-E-MODON	(24) Built-on box for wall controls	19,36	19,36	St
APA-EN-CM5T6	(12) 5.25" built-in ceiling speaker made of powder coated steel (RAL 9010 equiva	94,45998	94,45998	St
APA-EN-CM6T6	(12) 6.5? built-in ceiling speaker made of powder coated steel (RAL 9010 equival	94,45998	94,45998	St
APA-EN-CMX6T10	(8) 6.5" built-in 2-way ceiling speaker made of powder coated steel (RAL 9010 eq	150,11998	150,11998	St
APA-EN-H10-G	(8) powerful horn speaker made of UV and impact resistant ABS (RAL 7035 equivale	162,21998	162,21998	St
APA-EN-H15-G	(8) powerful horn speaker made of UV and impact resistant ABS (RAL 7035 equivale	186,41998	186,41998	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
APA-EN-MP5T20-W	(8) compact and stylish sound projector with a 5.25" woofer, made of powder coa	254,17998	254,17998	St
APA-EN-MPBD5T10-W	(8) EN-MPBD5T10-W - compact and stylish bi-directional sound projector	254,17998	254,17998	St
APA-EN-SM6T10-W	(12) 6.5" surface mounted round speaker made of powder coated steel (RAL 9010 eq	121,07998	121,07998	St
APA-EN-SMS6MT6-W	(8) 6.5" surface mounted metal square speaker made of powder coated steel (RAL	150,11998	150,11998	St
APA-EN-SMS6T6-W	(8) 6.5"surface mounted speaker made of high density MDF with a steel grille (RA	116,23998	116,23998	St
APA-EN-SPH5T16-W	(6) compact 5.25? sphere loudspeaker with ABS housing (UI94 HB) (RAL 9010 equiva	208,19998	208,19998	St
APA-EN-SPH6T20-W	(4) 6.5? sphere loudspeaker with ABS housing (RAL 9016 equivalent), equipped wit	346,13998	346,13998	St
APA-E-VOL120	(24) 100 volt, 120 watts Euro volume control, white, with 24V prioirty relais	89,54	89,54	St
APA-E-VOL20	(24) 100 volt, 20 watts Euro volume control, white, with 24V prioirty relais	31,46	31,46	St
APA-E-VOL40	(24) 100 volt, 40 watts Euro volume control, white, with 24V prioirty relais	50,82	50,82	St
APA-E-VOL60	(24) 100 volt, 60 watts Euro volume control, white, with 24V prioirty relais	72,60	72,60	St
APA-E-VOLST	(24) Stereo, 2 x 40 watts Euro volume control, white	106,48	106,48	St
APA-H10-G	(12) Compact compression horn loudspeaker, 100 volt / 10 watts and 8 ohms / 20 w	94,45998	94,45998	St
APA-H20-G	(12) Powerful compression horn loudspeaker, 100 volt / 20 watts and 8 ohms / 30	116,23998	116,23998	St
APA-H30LT-G	(6) Long throw compression horn loudspeaker, 100 volt / 30 watts and 8 ohms / 45	140,43998	140,43998	St
APA-HM25-G	(6) Ultra long throw compression horn loudspeaker 100 volt / 25 watts, aluminium	174,31998	174,31998	St
APA-KUBO3-BL	(8) 3" compact design full range cabinet loudspeaker, 8 ohms / 40 watts, mountin	116,16	116,16	St
APA-KUBO3T-BL	(8) 3" compact design full range cabinet loudspeaker, 70 - 100 volt / 10 watts o	137,94	137,94	St
APA-KUBO3T-W	(8) 3" compact design full range cabinet loudspeaker, 70 - 100 volt / 10 watts o	137,94	137,94	St
APA-KUBO3-W	(8) 3" compact design full range cabinet loudspeaker, 8 ohms / 40 watts, mountin	116,16	116,16	St
APA-KUBO5-BL	(8) 5.25" compact design two-way cabinet loudspeaker, 8 ohms / 80 watts, mountin	162,44	162,44	St
APA-KUBO5T-BL	(8) KUBO5T-BL - 5.25" design two-way cabinet loudspeaker, 70 - 100 volt / 30 watts	188,76	188,76	St
APA-KUBO5T-W	(8) 5.25" compact design two-way cabinet loudspeaker, 70 - 100 volt / 30 watts o	188,76	188,76	St
APA-KUBO5-W	(8) 5.25" compact design two-way cabinet loudspeaker, 8 ohms / 80 watts, mountin	162,14	162,14	St
APA-LRAPRE-BL	Premium light rail adaptor KUBO3/5,SDQ5P,OVO5, pack of 2	147,62	147,62	St
APA-LRAPRE-W	Premium light rail adaptor KUBO3/5,SDQ5P,OVO5, pack of 2	147,62	147,62	St
APA-MA120	Apart Ma120 - 19" End-user and installer mixing amplifier 70 - 100 volt	648,63998	648,63998	St
APA-MA240	Apart MA240 - 19" mixing amplifier 70 - 100 volt / 240w	1.043,09998	1.043,09998	St
APA-MA247MR	Multizone Mixing amplifier, 6 Zone (1 passive, 5 active) 100 volt / 240 watts, v	1.936,07998	1.936,07998	St
APA-MA30	9.5" End-user and installer friendly intuitive mixing amplifier 70 - 100 volt /	382,43998	382,43998	St
APA-MA3060-19	(10) 19" bracket kit for MA30/MA60	41,14	41,14	St
APA-MA35-19	19" bracket for MA35/MA65	19,36	19,36	St
APA-MA60	Apart MA60 - 9.5" End-user and installer friendly intuitive mixing amplifier 70 - 100 volt /	510,69998	510,69998	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
APA-MA65	Compact mixing amplifier 100 volt / 65 watts, 3 mic + 2 line inputs, chime, 2-le	546,99998	546,99998	St
APA-MASK2-BL	(12) 2.5" compact design cabinet loudspeaker, 8 ohms / 50 watts, wall bracket in	89,84	89,84	St
APA-MASK2CMT-BL	(10) Ceiling mounting tool for MASK2-BL. Priced per piece sold in pairs.	12,10	12,10	St
APA-MASK2CMT-W	(10) Ceiling mounting tool for MASK2-W. Priced per piece sold in pairs.	12,10	12,10	St
APA-MASK2-W	(12) 2.5" compact design cabinet loudspeaker, 8 ohms / 50 watts, wall bracket in	89,84	89,84	St
APA-MASK4C-BL	(8) 4.25" small design two-way cabinet loudspeaker, 8 ohms / 70 watts, Black, CL	150,34	150,34	St
APA-MASK4CT-BL	(8) 4.25" small design two-way cabinet loudspeaker, 70 - 100 volt / 20 watts or	162,21998	162,21998	St
APA-MASK4CT-W	(8) 4.25" small design two-way cabinet loudspeaker, 70 - 100 volt / 20 watts or	162,21998	162,21998	St
APA-MASK4C-W	(8) Mask4c-w - 4.25" two-way cabinet loudspeaker, 8 ohms / 70 watts, White	150,34	150,34	St
APA-MASK6C-BL	(4) MASK6C-BL - 6.5" design two-way cabinet loudspeaker, 8 ohms / 200 watts, Black, CLICKMOU	208,42	208,42	St
APA-MASK6CT-BL	(4) Apart Mask6ct-bl - 6.5" design two-way cabinet loudspeaker, 70 - 100 volt / 60 watts	220,29998	220,29998	St
APA-MASK6CT-W	(4) 6.5" design two-way cabinet loudspeaker, 70 - 100 volt / 60 watts or 16 ohms	220,29998	220,29998	St
APA-MASK6C-W	(4) MASK6C-W - 6.5" design two-way cabinet loudspeaker, 8 ohms / 200 watts, White	208,42	208,42	St
APA-MASK8F-BL	(2) Apart MASK8F-BL 8" two-way full range wooden design cabinet loudspeaker, 8 ohms / 300 watts,	459,87998	459,87998	St
APA-MASK8F-W	(2) 8" two-way full range wooden design cabinet loudspeaker, 8 ohms / 300 watts,	459,87998	459,87998	St
APA-MASK8-W	(2) (EOL) 8" high SPL two-way wooden design cabinet loudspeaker, 8 ohms / 300 wa	329,19998	329,19998	St
APA-MASKCL-BL	(10) L-shaped side bracket for MASK4C(T)-BL / MASK6C(T)-BL. Priced per piece sol	36,30	36,30	St
APA-MASKCL-W	(10) L-shaped side bracket for MASK4C(T)-W / MASK6C(T)-W. Priced per piece sold	36,30	36,30	St
APA-MASKCV-BL	(10) V-shaped 2-way cluster bracket for MASK4C(T)-BL/MASK6C(T)-BL	58,08	58,08	St
APA-MASKCV-W	(10) V-shaped 2-way cluster bracket for MASK4C(T)-W/MASK6C(T)-W	58,08	58,08	St
APA-MASKCW-BL	(10) Double V-shaped cluster bracket for MASK4C(T)-BL/MASK6C(T)-B	94,38	94,38	St
APA-MASKCW-W	(10) Double V-shaped cluster bracket for MASK4C(T)-W/MASK6C(T)-W	94,38	94,38	St
APA-MDSCHAIR	(10) Chairman Microphone for Microphone discussion system	334,03998	334,03998	St
APA-MDSDEL	(10) Delegate Microphone for Microphone discussion system	288,05998	288,05998	St
APA-MDSINT	Interface and PSU for Microphone discussion system	210,61998	210,61998	St
APA-MICPAT-2	(5) 2-Zone paging microphone with gooseneck and push to talk button per zone.	217,87998	217,87998	St
APA-MICPAT-4	(12) 4-Zone paging microphone with gooseneck	699,45998	699,45998	St
APA-MICPAT-6	(12) 6-Zone paging microphone with gooseneck	629,27998	629,27998	St
APA-MICPAT-D	(5) All call dynamic paging microphone with gooseneck and priority switch, DIN5	152,53998	152,53998	St
APA-MP16-G	(6) Compact sound projector, 5.25" coated woofer, 100 volt / 16 watts, all metal	101,71998	101,71998	St
APA-MP26-G	(6) Powerful sound projector, 6.5" coated woofer, 100 volt / 26 watts, all metal	135,59998	135,59998	St
APA-MPBD20-G	(8) Bi-directional and angled sound projector, 2 x 5.25" full range coated woofe	179,15998	179,15998	St
APA-MPH31-G	(6) Horn loaded long throw high volume sound projector, 5.25" coated paper cone	142,85998	142,85998	St

Code	Naam	Catalogusprijs Uw nettoprijs Eenheid	
		Inclusief BTW	Inclusief BTW
APA-MPLT32-G	(2) High quality two-way long throw music projector with 6.5" HD woofer + 1" hor	406,63998	406,63998 St
APA-MPLT62-G	(2) Apart MPLT62-G - two-way long throw music projector with 6.5" HD woofer + 1"	462,29998	462,29998 St
APA-NETKIT-IR	NETKIT-Ethernet to IR convertor	252,96998	252,96998 St
APA-N-MODIN	Helia built-in box for wall controls	7,26	7,26 St
APA-N-VOL10K-W	10 K-ohms Niko volume control, white	121,00	121,00 St
APA-OVO3-BL	(12) Small design two-way cabinet speaker, 3" coated paper cone woofer + 1" silk	70,48	70,48 St
APA-OVO3T-BL	(12) Small design two-way cabinet speaker, 3" coated paper cone woofer + 1" silk	94,45998	94,45998 St
APA-OVO3T-W	(12) Apart Ovo3T-w - Small design two-way cabinet speaker, 3" + 1" silk	94,45998	94,45998 St
APA-OVO3-W	(12) Small design two-way cabinet speaker, 3" coated paper cone woofer + 1" silk	70,48	70,48 St
APA-OVO5-BL	(8) Apart Ovo5-bl - Design two-way cabinet speaker, 5.25" coated paper cone woofer + 1" silk dom	109,20	109,20 St
APA-OVO5P-BL	(4) Stereo loudspeaker set with 1 active and 1 passive loudspeaker, 2 x 20watts.	268,92	268,92 St
APA-OVO5P-W	(4) Stereo loudspeaker set with 1 active and 1 passive loudspeaker, 2 x 20watts.	268,92	268,92 St
APA-OVO5T-BL	(8) OVO5T-BL - 5.25" coated paper cone woofer + 1" silk dom	140,43998	140,43998 St
APA-OVO5T-W	(8) Design two-way cabinet speaker, 5.25" coated paper cone woofer + 1" silk dom	140,43998	140,43998 St
APA-OVO5-W	(8) Design two-way cabinet speaker, 5.25" coated paper cone woofer + 1" silk dom	109,20	109,20 St
APA-OVO8-BL	(2) Powerful two-way cabinet speaker, 8" coated paper cone woofer + 1" silk dome	199,95	199,95 St
APA-OVO8P-BL	(2) Design mono active cabinet speaker, 8" coated paper cone woofer + 1" silk do	343,94	343,94 St
APA-OVO8P-W	(2) Design mono active cabinet speaker, 8" coated paper cone woofer + 1" silk do	343,94	343,94 St
APA-OVO8T-BL	(2) Powerful two-way cabinet speaker, 8" coated paper cone woofer + 1" silk dome	261,43998	261,43998 St
APA-OVO8T-W	(2) Powerful two-way cabinet speaker, 8" coated paper cone woofer + 1" silk dome	261,43998	261,43998 St
APA-OVO8-W	(2) Powerful two-way cabinet speaker, 8" coated paper cone woofer + 1" silk dome	232,62	232,62 St
APA-P30DT-BL	4.5" two-way, pendant loudspeaker, black	312,25998	312,25998 St
APA-P30DT-W	4.5" two-way, pendant loudspeaker, white	312,25998	312,25998 St
APA-P60DT-BL	6.5" two-way, pendant loudspeaker 70-100 volt / 60 watts, 16 ohms / 120 watts, w	416,31998	416,31998 St
APA-P60DT-W	6.5" two-way, pendant loudspeaker 70-100 volt / 60 watts, 16 ohms / 120 watts, w	416,31998	416,31998 St
APA-PA2240BP	Apart PA2240BP - 2-channel 100 volt power amplifier, 2 x 240 watts	1.459,33998	1.459,33998 St
APA-PA240P	Power amplifier 240 watts @ 100 volt with program and priority input, 24V priori	941,45998	941,45998 St
APA-PC1000RMKII	(4) Media Player, CD/MP3 from Disc, SD-card or USB memory stick, RS232 control,	382,43998	382,43998 St
APA-PCD-REM	Optional remote control for DVD control functionality on PC1000RMKII and PCR3000	45,98	45,98 St
APA-PCR3000RMKIII	(4) Apart Pcr3000r mkiii - DAB+ and FM RDS / CD / USB / SD-card /Bluetooth	735,75998	735,75998 St
APA-PM1122RL	(12) Optional remote panel for PM1122 with music selection, music volume and mic	92,26	92,26 St
apa-PM4100	PM4100 Half-rack stereo pre-amplifier/mixer with 4 inputs	634,34	634,34 St
apa-PMR4000RMKIII	PMR4000RMKIII Multi source music player with Internet/FM radio, USB player (for MP3,WAV, FLAC files), UPNP player connection to ethernet via wired or wireless, 1U, 19" rackmount, black	532,70	532,70 St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
APA-PREZONE1	Stereo pre-amplifier/mixer with 2 mono / stereo volume zones, 4 line inputs, 2 M	636,53998	636,53998	St
APA-PREZONE2	Prezone 2 -Stereo Pre-Amplifier, Ethernet and RS232 controlled, 2 stereo zones	1.096,33998	1.096,33998	St
APA-REVAMP1120T	Apart REVAMP1120T - Class D amplifier 1 x 120 Watts (70/100 Volts or RMS @ 4 Ohms)	711,55998	711,55998	St
APA-REVAMP1680	16 Channel class D amplifier 16 x 80 Watts (RMS @ 4 Ohms), 16 x 100 Watts (Dynam	2.221,63998	2.221,63998	St
APA-REVAMP2060T	2 Channel class D amplifier 2 x 60 Watts (70/100 Volts or RMS @ 4 Ohms) or in br	711,55998	711,55998	St
APA-REVAMP2120T	2 Channel class D amplifier 2 x 120 Watts (70/100 Volts or RMS @ 4 Ohms) or in b	813,19998	813,19998	St
APA-REVAMP2150	2 Channel class D amplifier 2 x 150 Watts (RMS @ 4 Ohms), 2 x 165 Watts (Dynamic	663,15998	663,15998	St
APA-REVAMP2250	REVAMP2250 - 2 Channel amplifier 2 x 250 Watts (RMS @ 4 Ohms), 2 x 350 Watts	735,75998	735,75998	St
APA-REVAMP2600	2 Channel class H amplifier 2 x 600 Watts (RMS @ 4 Ohms), 2 x 840 Watts (Dynamic	977,75998	977,75998	St
APA-REVAMP4100	4 Channel class D amplifier 4 x 100 Watts (RMS @ 4 Ohms), 4 x 110 Watts (Dynamic	825,29998	825,29998	St
APA-REVAMP4120T	4 Channel class D amplifier 4 x 120 Watts (70/100 Volts or RMS @ 4 Ohms) or in b	1.650,51998	1.650,51998	St
APA-REVAMP4240T	4 Channel class D amplifier 4 x 240 Watts (70/100 Volts or RMS @ 4 Ohms) or in b	2.093,37998	2.093,37998	St
APA-REVAMP8250	8 Channel class D amplifier 8 x 250 Watts (RMS @ 4 Ohms), 8 x 350 Watts (Dynamic	1.839,27998	1.839,27998	St
APA-RJ45SPLIT	RJ45 splitter: 1 input, 4 output to connect multiple MICPAT-4 or ZONE4R to ZONE4	96,80	96,80	St
apa-RMS-1	RMS-1 1RU rack mount shelf	283,44	283,44	St
APA-ROCK20	(2) Rock design outdoor loudspeaker, two-way, 100 volt / 20 watts or 8 ohms / 60	237,23998	237,23998	St
APA-ROCK608	(2) Rock design outdoor loudspeaker, two-way, 8 ohms / 60 watts	203,58	203,58	St
APA-SDQ5P-BL	(4) Apart Audio SDQ5p-bl - Stereo loudspeaker set with 1 active and 1 passive loudspeaker, 2 x 30 watts	242,30	242,30	St
APA-SDQ5PIR-BL	(4) Stereo loudspeaker set with incl. IR and RS232 remote control. 1 active and	288,28	288,28	St
APA-SDQ5PIR-REM	Remote control for SDQ5PIR-W/BL	26,62	26,62	St
APA-SDQ5PIR-W	(4) Stereo loudspeaker set with incl. IR and RS232 remote control. 1 active and	288,28	288,28	St
APA-SDQ5P-W	(4) Stereo loudspeaker set with 1 active and 1 passive loudspeaker, 2 x 30 watts	244,72	244,72	St
APA-SM6V-W	(12) On-wall speaker with built-in volume control, 100 volt / 6 watts, white	87,19998	87,19998	St
APA-SM6-W	(12) On-wall speaker, 100 volt / 6 watts, white	43,63998	43,63998	St
APA-SMB6-G	(12) On-wall speaker with back plate and U-bracket, 100 volt / 6 watts, grey	50,89998	50,89998	St
APA-SMB6V-G	(12) On-wall speaker with back plate and U-bracket, built-in volume control, 100	96,87998	96,87998	St
APA-SPA-GSQ100	SPA-GSQ100 Square grille with integrated safety wire, 12-pack (fits CM60DTD, CM30DTD, CM20DTS, CM1008D, CM608D, CM20DT, CMX20DT)	559,32	559,32	St
APA-SPA-GSQ100/1X	SPA-GSQ100 1 PIECE Square grille with integrated safety wire, (fits CM60DTD, CM30DTD, CM20DTS, CM1008D, CM608D, CM20DT, CMX20DT)	46,89	46,89	St
APA-SPH16	(8) Two-way pendant sphere speaker, 100 volt / 16 watts, white	121,07998	121,07998	St
APA-SPH20	(4) Pendant sphere loudspeaker with 360° dispersion cone, 100 volt / 20 watts, w	142,85998	142,85998	St
APA-SQGR	(24) Optional square grille with integrated safety wire for CM Design Series Ava	50,89998	50,89998	St
APA-SUB2201-BL	Apart Sub2201-BL - Passive 10" subwoofer, 4 ohms / 250 watts	786,80	786,80	St

Code	Naam	Catalogusprijs Uw nettoprijs Eenheid	
		Inclusief BTW	Inclusief BTW
APA-SUB2400-BL	Apart Audio sub2400-bl - Passive 2 x 10" subwoofer, 600Watt	1.016,47998	1.016,47998 St
APA-SUB2400-W	Passive 2 x 10" subwoofer, 4 ohms or 16 ohms / 600 watts, plywood construction w	1.016,47998	1.016,47998 St
APA-SUBLIME-BL	(2) Ultra compact 6.5" dual coil passive subwoofer, 2 x 8 ohms / 2 x 80 watts, f	535,12	535,12 St
APA-SUBLIME-W	(2) Ultra compact 6.5" dual coil passive subwoofer, 2 x 8 ohms / 2 x 80 watts, f	535,12	535,12 St
APA-T20	(50) 8 ohms to 100 volt transformer with different power taps: 20 - 10 - 5 - 2.5	26,62	26,62 St
APA-T20IP	(24) 8 ohms to 100 volt transformer with different power taps: 20 - 10 - 5 - 2.5	62,92	62,92 St
APA-T60	(24) 8 ohms to 100 volt transformer with different power taps: 60 - 30 - 15 - 6	48,40	48,40 St
APA-TLVOL36T	TL-VOL36T Remote Control	20,00	20,00 St
APA-USB 200	USB 200 2x1 USB switch	319,74	319,74 St
APA-ZONE4	(6) Quad zone pre-amplifier: 4 stereo output zones. Inputs: 3 mono mic/line + 4	1.326,23998	1.326,23998 St
APA-ZONE4R	(12) Digital wall control panel for use with ZONE4 for music volume adjustment,	198,74	198,74 St
OND-APA-CM1008D/ROUNDGRILL	Round grill for cm 1008d / cmx20dt	17,24	17,24 St