

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
BKL-AP45	45° Profiel - 3 meter with plastic cover (prijs per 3 meter)	14,90	14,90	St
BKL-AP45CLIPS	45° Profiel - 3 meter with plastic cover (prijs per 3 meter) ap45clips	0,25	0,25	St
BKL-AP45ENDCAP	45° Profiel - 3 meter with plastic cover (prijs per 3 meter) ENDCAP for ap45	0,25	0,25	St
BKL-APECU12	Alu-profile Endcap U - 12mm - per piece *ALWAYS IN STOCK*	1,00	0,81	St
BKL-APECU7	Alu-profile Endcap U - 7mm - per piece *ALWAYS IN STOCK*	1,00	0,81	St
BKL-APU7	U Profiel 7mm - 3 meter with plastic cover (prijs per 3 meter)	9,70	7,99	St
BKL-APU7B	U Profiel 7mm Black - 3 meter with plastic cover (prijs per 3 meter)	14,75	12,15	St
BKL-APU7B-CAP	End cap - U profile 7 mm - 3 meter - black	0,81	0,81	St
BKL-APU7W	U Profiel 7mm White - 3 meter with plastic cover (prijs per 3 meter)	14,75	12,15	St
BKL-APU7W-CAP	End cap - U profile 7 mm - 3 meter - white	0,81	0,81	St
BKL-APW15	W-Profiel 15mm - 3 meter	48,64	48,64	St
BKL-APW6	W-Profiel 6mm - 3 meter inclusief afdekkap opaal	8,94	7,36	St
BKL-APW7	W-profiel 7mm - 3 meter - silver with milky cover	9,70	9,70	St
BKL-APW7B	W-profiel 7mm - 3 meter - black	15,75	15,75	St
BKL-APW7B-CAP	End cap - W-profiel 7mm - 3 meter - black	0,81	0,81	St
BKL-APW7-CLIP	Clips for APW7	0,12	0,12	St
BKL-APW7W	W-profiel 7mm - 3 meter - white	15,75	15,75	St
BKL-APW7W-CAP	End cap - W-profiel 7mm - 3 meter - white	0,81	0,81	St
BKL-COMBIDMXPT10	(3) Combi outdoor Power/DMX cable (powercontrue, ipXLR Seetronic) with heatshrink all black - 10 meter	71,39	71,39	St
BKL-COMBIDMXPT1.5	(16) Combi outdoor Power/DMX cable (powercontrue, ipXLR Seetronic) with heatshrink all black - 1,5 meter	35,09	35,09	St
BKL-COMBIDMXPT3	(8) Combi outdoor Power/DMX cable (powercontrue, ipXLR Seetronic) with heatshrink all black - 3 meter	42,35	42,35	St
BKL-COMBIDMXPT5	(6) Combi outdoor Power/DMX cable (powercontrue, ipXLR Seetronic) with heatshrink all black - 5 meter	53,24	53,24	St
BKL-DATALED100	Digital RGB Ledstrip - 100leds/m - IP20 - 5m - 5V	114,26	94,12	St
BKL-DATALED144	Digital RGBW Ledstrip - 144leds/m - IP20 - 2m - 5V	127,65	105,15	St
BKL-DATALED30	Digital RGBW Ledstrip - 30leds/m - IP20 - 5m - 5V	107,15	88,26	St
BKL-DATALED60	Digital RGB Ledstrip - 60leds/m - IP20 - 5m - 5V	107,15	88,26	St
BKL-DATALEDDRIVER	DMX Driver Digital RGB Ledstrip	131,89	108,63	St
BKL-DMX0001/100	DMX cable bulk AES/EBU 2*0,22mm <sup>2</sup> on reel (black, 6mm jacket) - 100 meter	180,29	180,29	St
BKL-DMX0001/300	DMX cable bulk AES/EBU 2*0,22mm <sup>2</sup> on reel (black, 6mm jacket) - 300 meter	482,79	482,79	St
BKL-DMX24	24 Channel DMX Decoder	249,00	249,00	St
BKL-DMX3/1	(50) DMX cable AES/EBU 2*0,22mm xlr male to xlr female (3p Seetronic) with heatshrink all black - 1 meter	8,47	8,47	St
BKL-DMX3/10	(14) DMX cable AES/EBU 2*0,22mm xlr male to xlr female (3p Seetronic) with heatshrink all black - 10 meter	24,20	24,20	St
BKL-DMX3/15	(10) DMX cable AES/EBU 2*0,22mm xlr male to xlr female (3p Seetronic) with heatshrink all black - 15 meter	31,46	31,46	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
BKL-DMX3/20	(8) DMX cable AES/EBU 2*0,22mm xlr male to xlr female (3p Seetronic) with heatshrink all black - 20 meter	41,14	41,14	St
BKL-DMX3/3	(30) DMX cable AES/EBU 2*0,22mm xlr male to xlr female (3p Seetronic) with heatshrink all black - 3 meter	12,10	12,10	St
BKL-DMX3/5	(20) DMX cable AES/EBU 2*0,22mm xlr male to xlr female (3p Seetronic) with heatshrink all black - 5 meter	14,52	14,52	St
BKL-DMXRGB	3 CHANNEL LED DMX512 CONTROLLER	39,00	39,00	St
BKL-DMXRGB8	Constant Voltage 3Channel RGB DMX Decoder	49,61	49,61	St
BKL-DMXRGBW	DMX RGBW - 4 CHANNEL LED DMX512 CONTROLLER	49,00	49,00	St
BKL-DMXRGBW8	Constant Voltage 4Channel RGBW DMX Decoder	55,66	55,66	St
BKL-DMXTOOL3	DMX Tool 3 - DMX address setting for Ekspoled with DMX	160,49	160,49	St
BKL-DROPPER100	E27 extender cable with base and socket, rubber cable 2*1,0mm <sup>2</sup> , 1 m	6,90	6,90	St
BKL-DROPPER200	E27 extender cable with base and socket, rubber cable 2*1,0mm <sup>2</sup> , 2 m	8,90	8,90	St
BKL-DROPPER300	E27 extender cable with base and socket, rubber cable 2*1,0mm <sup>2</sup> , 3 m	13,48	11,11	St
BKL-DROPPER50	E27 extender cable with base and socket, rubber cable 2*1,0mm <sup>2</sup> , 0,5 m	6,90	6,90	St
BKL-E27BAR8	E27 bar 100 cm with 8*E27 Socket, with Powercon in/out	137,37	113,16	St
BKL-E27SOCKET	Loose e27 socket to put on wire	1,58	1,30	St
BKL-EKSPOLED100	Ekspoled100 - 100w flood light led - Powercon true - 120°	231,58	190,76	St
BKL-EKSPOLED100NW	Ekspoled100 - 100w flood light led - Powercon true - 4000k - 120°	163,35	163,35	St
BKL-EKSPOLED200	Ekspoled200 - 200w flood light led - Powercon true - 5000k - 120°	375,11	308,99	St
BKL-EKSPOLED200CCTDMX	Bekaled Ekspoled 200 CCT DMX - 200w Flood Light LED - Cold & Warm White - DMX - 120°	398,09	299,00	St
BKL-EKSPOLED200RGB	Ekspoled200 - 200w flood light led - Powercon true-RGB color - 120°	684,82	564,10	St
BKL-EKSPOLED200RGBCCTDMX	Bekaled Ekspoled 200 RGB + CCT DMX - 200w Flood Light LED - RGB Cold & Warm White - DMX - 120°	398,09	299,00	St
BKL-EKSPOLED200RGBCCTDMXFIXEDCABLE	Bekaled Ekspoled 200 RGB + CCT DMX - 200w Flood Light LED - RGB Cold & Warm White - DMX - 120°	398,09	299,00	St
BKL-EKSPOLED200RGBDMX	Ekspoled200 - 200w flood light led - Powercon true-RGB color - 120° - DMX new version	587,05	483,56	St
BKL-EKSPOLED200WW	Ekspoled200 - Warm White -200w flood light led - Powercon true - 3000k - 120°	375,11	308,99	St
BKL-FLOEDLED100	FLOEDLED - 200w flood light led - 6500k - 120°	189,00995	155,70995	St
BKL-FLOEDLED100WW	FLOEDLED - 100w flood light led - 3000k - 120°	189,00995	155,70995	St
BKL-FLOEDLED200	FLOEDLED - 200w flood light led - 6500k - 120°	306,77995	252,71995	St
BKL-FLOEDLED200WW	FLOEDLED - 200w flood light led - 3000k - 120°	306,77995	252,71995	St
BKL-FLOEDLED30	FLOEDLED - 30w flood light led - 6500k - 120°	64,58995	53,21995	St
BKL-FLOEDLED30WW	FLOEDLED - 30w flood light led - 3000k - 120°	64,58995	53,21995	St
BKL-FLOEDLED50	FLOEDLED - 50w flood light led - 6500k - 120°	100,14995	82,50995	St
BKL-FLOEDLED50WW	FLOEDLED - 50w flood light led - 3000k - 120°	100,14995	82,50995	St
BKL-GUIRLANDEFLAT100MR	Flatcable without sockets 100m, black, with french plug and end piece	258,83	213,21	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
BKL-GUIRLANDEFLAT25M/25S	Guirlande black flatcable with french plug, 25m and 25 sockets e27 mounted, with	99,00	99,00	St
BKL-GUIRLANDEFLAT25M/25SW	Guirlande white flatcable with french plug, 25m and 25 sockets e27 mounted, with	160,49	132,20	St
BKL-GUIRLANDEFLAT25M/50S	Guirlande black flatcable with french plug, 25m and 50 sockets e27 mounted, with	190,08	156,58	St
BKL-GUIRLANDEFLAT50M/50S	Guirlande black flatcable with french plug, 50m and 50 sockets e27 mounted, with	199,00	199,00	St
BKL-GUIRLANDEFLATEXT10	Guirlande Flat Extension cable 10m - Outdoor male & female connector	36,06	29,71	St
BKL-GUIRLANDEFLATEXT5	Guirlande Flat Extension cable 5m - Outdoor male & female connector	19,99	19,99	St
BKL-GUIRLANDEFLATSOCKET	Spare socket e27 black to mount on guirlande flatcable.	2,06	2,06	St
BKL-GUIRLANDEFLATSTOPWITHHOOK	End Cap with Hook for Guirlande Flat	1,21	1,21	St
BKL-GUIRLANDEPOLE	Guirlande Pole	35,09	35,09	St
BKL-GUIRLANDEPRO10M/10S	Guirlande Pro - Outdoor, french to waterproof socket, linkable, 10m, 10 E27	45,00	45,00	St
BKL-GUIRLANDEPRO10M/20S	Guirlande Pro - Outdoor, french to waterproof socket, linkable, 10m, 20 E27	59,00	59,00	St
BKL-GUIRLANDEPRO15M/15S	Guirlande Pro - Outdoor, french to waterproof socket, linkable, 15m, 15 E27	55,00	55,00	St
BKL-GUIRLANDEPRO15M/15SRGB	Guirlande Pro - Outdoor, waterproof socket, linkable, 15m, 15x RGBW with remote	117,83	97,06	St
BKL-GUIRLANDEPRO25M/25S	Guirlande Pro - Outdoor, french to waterproof socket, linkable, 25m, 25 E27	99,00	99,00	St
BKL-GUIRLANDEPRO25M/50S	Guirlande Pro - Outdoor, french to waterproof socket, linkable, 25m, 50 E27	149,00	149,00	St
BKL-GUIRLANDEPRO5M/10S	Guirlande Pro - Outdoor, french to waterproof socket, linkable, 5m, 10 E27	40,30	33,19	St
BKL-GUIRLANDEPRO5M/15S	Guirlande Pro - Outdoor, french to waterproof socket, linkable, 5m, 15 E27	93,04	76,64	St
BKL-GUIRLANDEPRO5M/5DS	Guirlande Pro - Outdoor, french to waterproof socket, linkable, 5m, 10 E27	82,99	68,36	St
BKL-GUIRLANDEPRO5M/5S	Guirlande Pro - Outdoor, french to waterproof socket, linkable, 5m, 5 E27	19,99	19,99	St
BKL-GUIRLANDEPROCOVER15M/15S	Guirlande Pro Screw Ring String Light, 15m with 15 Sockets	79,00	79,00	St
BKL-GUIRLANDEPROEXT3	Guirlande Pro Extension cable 3m - Outdoor male & female connector	10,99	9,05	St
BKL-GUIRLANDEPROEXT5	Guirlande Pro Extension cable 5m - Outdoor male & female connector	15,66	12,90	St
BKL-GUIRLANDEPROSPLIT5	Guirlande Pro Splitter - Outdoor male & female connectors	5,49	4,53	St
BKL-GUIRLANDEPROSTOP	Guirlande Pro - Outdoor stop ip 65 connector with buit in electronics	14,99	14,99	St
BKL-K275BRAIDED	Braided wire for pendant lamps, per meter, 2*0.75mm²	2,53	2,08	St
BKL-LEDDMX3	Coding Switch DMX Decoder	31,61	26,04	St
BKL-LLA60C1WPLASTICRED	A60 - PLASTIC CLEAR - RED - 2W - NOT DIMMABLE	2,77	2,29	St
BKL-LLA60C1WPLASTICWW	A60 - PLASTIC CLEAR - WARM WHITE - 2W - 2700K - NOT DIMMABLE	2,77	2,29	St
BKL-LLA60C2WPLASTIC	A60 - PLASTIC CLEAR - 2W - 2700K - FULL DIMMABLE	2,99	2,99	St
BKL-LLA60C4WFULLDIM	A60 - GLASS CLEAR - 4W - 2700K - FULL DIMMABLE	4,17	3,43	St
BKL-LLG125S4W	G125C - GLASS SMOKED - 4W - 2700K - FULL DIMMABLE	10,89	8,12	St
BKL-LLG125S4WPLASTICFULLDIM	G125C - PLASTIC SMOKED - 4W - 2700K - FULL DIMMABLE	9,56	9,56	St
BKL-LLG45C07WPLASTIC	G45C - 0.7W - 2000K - E27 - CLEAR - 220V - PLASTIC NOT DIMMABLE	7,14	5,88	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
BKL-LLG45S07WPLASTIC	G45 - Smoked - 0.7W - 2000K - Full Dimmable	7,14	5,88	St
BKL-LLG95S4W	G95C - GLASS SMOKED - 4W - 2700K - FULL DIMMABLE	6,85	5,64	St
BKL-LLG95S4WPLASTICFULLDIM	G95C - PLASTIC SMOKED - 4W - 2700K - FULL DIMMABLE	8,35	8,35	St
BKL-LLMLA602B1W	MLA602 - PLASTIC CLEAR - BLUE - 1W - NOT DIMMABLE	1,99	1,99	St
BKL-LLMLA602G1W	MLA602 - PLASTIC CLEAR - GREEN - 1W - NOT DIMMABLE	1,99	1,99	St
BKL-LLMLA602R1W	MLA602 - PLASTIC CLEAR - RED - 1W - NOT DIMMABLE	1,99	1,99	St
BKL-LLMLA602W1W	MLA602 - PLASTIC CLEAR - COLD WHITE - 1W - 5000K - NOT DIMMABLE	1,99	1,99	St
BKL-LLMLA602Y1W	MLA602 - PLASTIC CLEAR - YELLOW - 1W - NOT DIMMABLE	1,99	1,99	St
BKL-LLS14C1-5WBLUE	S14 - PLASTIC CLEAR - BLUE - 1-5W - FULL DIMMABLE	4,01	3,30	St
BKL-LLS14C1-5WBLUE-GLASS	S14 - GLASS CLEAR - BLUE - 1-5W - FULL DIMMABLE	4,01	4,01	St
BKL-LLS14C1-5WGREEN	S14 - PLASTIC CLEAR - GREEN - 1-5W - FULL DIMMABLE	4,01	3,30	St
BKL-LLS14C1-5WGREEN-GLASS	S14 - GLASS CLEAR - GREEN - 1-5W - FULL DIMMABLE	4,01	4,01	St
BKL-LLS14C1-5WPINK	S14 - PLASTIC CLEAR - PINK - 1-5W - FULL DIMMABLE	4,01	3,30	St
BKL-LLS14C1-5WPINK-GLASS	S14 - GLASS CLEAR - PINK - 1-5W - FULL DIMMABLE	4,01	4,01	St
BKL-LLS14C1-5WRED	S14 - PLASTIC CLEAR - RED - 1-5W - FULL DIMMABLE	4,01	3,30	St
BKL-LLS14C1-5WWW	S14 - GLASS CLEAR - 1-5W - 2700K	1,89	1,89	St
BKL-LLS14C1-5WWWPLASTIC	S14 - PLASTIC CLEAR - 1-5W - 2700K - FULL DIMMABLE	2,45	2,45	St
BKL-LLS14C1-5WYELLOW	S14 - PLASTIC CLEAR - YELLOW - 1-5W - FULL DIMMABLE	4,01	3,30	St
BKL-LLST64C1-5WPLASTICFLAME	ST64C - PLASTIC CLEAR - 1-5W - 2700K - FLAME	8,46	8,46	St
BKL-LLST64C2W	ST64 - GLASS CLEAR - 2W - 2700K - FULL DIMMABLE	3,19	2,63	St
BKL-LLST64C2WPLASTIC	ST64 - PLASTIC CLEAR - 2W - 2700K - FULL DIMMABLE	4,69	4,69	St
BKL-LLST64C4W	ST64 - GLASS CLEAR - 4W - 2700K - FULL DIMMABLE	4,07	3,36	St
BKL-LLST64C4WPLASTIC	ST64C - PLASTIC CLEAR - 4W - 2700K - NOT DIMMABLE	7,61	7,61	St
BKL-LLST64S1-5WPLASTICFLAME	ST64C - PLASTIC SMOKED - 1-5W - 2700K - FLAME	8,46	8,46	St
BKL-LLST64S4W	ST64C - GLASS SMOKED - 4W - 2700K - THREE STEP DIMMABLE	4,58	3,77	St
BKL-LLST64S4WPLASTIC	ST64C - 4W - 2700K - E27 - SMOKED - 220V - PLASTIC NOT DIMMABLE	8,65	7,13	St
BKL-LLST64S4WPLASTICDIM	ST64C - PLASTIC SMOKED - 4W - 2700K - 3 STEPS DIMMABLE	9,99	7,89	St
BKL-LLST64S4WPLASTICFULLDIM	ST64C - PLASTIC SMOKED - 4W - 2700K - FULL DIMMABLE	9,99	9,99	St
BKL-LLST64S4WPLASTICFULLDIMSFIL	ST64C - PLASTIC SMOKED - 4W - 2700K - FULL DIMMABLE - FLEXIBLE FILAMENT	9,56	9,56	St
BKL-LS24CW130	Ledstrip high lumen, 24v, 130w/5m, cold white 6000k	57,76	49,00	St
BKL-LS24CW130IP65	Ledstrip outdoor high lumen, 24v, 130w/5m, cold white 6000k, ip 65	67,87	59,00	St
BKL-LS24CW70	Ledstrip 24v, 70w/5m, cold white 6000-6500k	44,40	39,00	St
BKL-LS24NW130	Ledstrip high lumen 24v, 130w/5m, neutral white 4000k	57,76	49,00	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
BKL-LS24NW130IP65	Ledstrip outdoor 24v high lumen, 130w/5m, neutral white 4000k ip65	67,87	59,00	St
BKL-LS24NW70	Ledstrip 24v, 70w/5m, neutral white 4000-4500k	44,40	39,00	St
BKL-LS24RGB70	Ledstrip 24v, 70w/5m, RGB	39,79	39,00	St
BKL-LS24RGBW85	Ledstrip 24v, 85w/5m, RGB+W	64,68	59,00	St
BKL-LS24WW130	Ledstrip high lumen 24v, 130w/5m, warm white 2700 k	57,76	49,00	St
BKL-LS24WW130IP65	Ledstrip outdoor high lumen,24v, 130w/5m, warm white 2700 k ip65	67,87	59,00	St
BKL-LS24WW70	Ledstrip 24v, 70w/5m, warm white 3000-3200k	44,40	39,00	St
BKL-LSCOB24CW556500K	COB LED Strip 24V, 11W/m, cold white 6500K - 1155lm/m - CRI: >90	58,08	49,00	St
BKL-LSCOB24CW60	(Last pieces) Cob Ledstrip 24v, 60w/5m, cold white 6000-6500k - 1320LM - cri >90	73,55	60,59	St
BKL-LSCOB24CW70	(Last Pieces) Cob Ledstrip 24v, 70w/5m, cold white 6000-6500k - 1400LM - cri = 80	84,95	69,98	St
BKL-LSCOB24CW75	(Last Pieces) Cob Ledstrip 24v, 75w/5m, cold white 6000-6500k - 1500LM - cri = 90	111,38	91,75	St
BKL-LSCOB24NW554000K	COB LED Strip 24V, 11W/m, natural white 4000K - 1100lm/m - CRI: >90	58,08	49,00	St
BKL-LSCOB24NW60	(Last Pieces) Cob Ledstrip 24v, 60w/5m, natural white 4000k - 1280LM - cri >90	73,55	60,59	St
BKL-LSCOB24RGB70	Bekaled COB LED Strip 24V - 14W/m - RGB - IP20	62,02	49,00	St
BKL-LSCOB24WW552700K	COB LED Strip 24V, 11W/m, warm white 2700K - 1045lm/m - CRI: >90	58,00	49,00	St
BKL-LSCOB24WW553000K	COB LED Strip 24V, 11W/m, warm white 3000K - 1045lm/m - CRI: >90	58,08	49,00	St
BKL-LSDMX24RGBW100	Bekaled - Pixel Controllable DMX Ledstrip 24V, 100w/5m, RGB+W	79,00	79,00	St
BKL-MIC0006/100	Microphone cable bulk 2*0,22mm <sup>2</sup> on reel (black, 6mm jacket) - 100 meter	107,69	107,69	St
BKL-MIC0006/300	Microphone cable bulk 2*0,22mm <sup>2</sup> on reel (black, 6mm jacket) - 300 meter	301,29	301,29	St
BKL-MIC/1	(50) Microphone cable xlr male to xlr female (Seetronic) with heatshrink all black - 1 meter	8,47	8,47	St
BKL-MIC/10	(18) Microphone cable xlr male to xlr female (Seetronic) with heatshrink all black - 10 meter	18,15	18,15	St
BKL-MIC/15	(10) Microphone cable xlr male to xlr female (Seetronic) with heatshrink all black - 15 meter	21,78	21,78	St
BKL-MIC/20	(10) Microphone cable xlr male to xlr female (Seetronic) with heatshrink all black - 20 meter	26,62	26,62	St
BKL-MIC/3	(35) Microphone cable xlr male to xlr female (Seetronic) with heatshrink all black - 3 meter	9,68	9,68	St
BKL-MIC/30	(7) Microphone cable xlr male to xlr female (Seetronic) with heatshrink all black - 30 meter	36,30	36,30	St
BKL-MIC/5	(25) Microphone cable xlr male to xlr female (Seetronic) with heatshrink all black - 5 meter	10,89	10,89	St
BKL-OEFOLED200	OEFOLED- 200w flood light led - 6500k - 110°	352,44	290,31	St
BKL-PB104-1-5F	Powerstrip with Child Protection, 3-Way, 3 Cords, French Version, 1.5m PVC, 3*1.0mm <sup>2</sup>	4,99	4,99	St
BKL-PC315PFBE/1-5	Cable rubber powercon blue to bare ended, 3*1.5mm <sup>2</sup> , 1.5m no heatshrink	12,71	12,71	St
BKL-PC315PMF/1-5	Cable rubber powercon blue/white, 3*1.5mm <sup>2</sup> , 1.5m with clear heatshrink for identification	22,61	22,61	St
BKL-PC315PMF/3	Cable rubber powercon blue/white, 3*1.5mm <sup>2</sup> , 3m with clear heatshrink for identification	28,54	28,54	St
BKL-PC315PMF/5	Cable rubber powercon blue/white, 3*1.5mm <sup>2</sup> , 5m with clear heatshrink for identification	34,09	34,09	St
BKL-PC315PTRUEFB/1-5	Cable rubber powercon true to bare ended, 3*1.5mm <sup>2</sup> , 1.5m no heatshrink	17,55	17,55	St

Code	Naam	Catalogusprijs	Uw nettoprijs	Eenheid
		Inclusief BTW	Inclusief BTW	
BKL-PC315PTRUEMF/10	Cable rubber powercon true male female, 3*1.5mm2, 10m with clear heatshrink for identification	43,56	43,56	St
BKL-PC315PTRUEMF/1-5	Cable rubber powercon true male female, 3*1.5mm2, 1.5m with clear heatshrink for identification	19,99	19,99	St
BKL-PC315PTRUEMF/20	Cable rubber powercon true male female, 3*1.5mm2, 20m with clear heatshrink for identification	79,62	79,62	St
BKL-PC315PTRUEMF/3	Cable rubber powercon true male female, 3*1.5mm2, 3m with clear heatshrink for identification	26,99	26,99	St
BKL-PC315PTRUEMF/5	Cable rubber powercon true male female, 3*1.5mm2, 5m with clear heatshrink for identification	33,42	33,42	St
BKL-PC315SMF/10	Powercable rubber schuko male female, 3*1.5mm2, 10m with clear heatshrink for identification	35,36	35,36	St
BKL-PC315SMF/15	Powercable rubber schuko male female, 3*1.5mm2, 15m with clear heatshrink for identification	49,90	49,90	St
BKL-PC315SMF/1-5	Powercable rubber schuko male female, 3*1.5mm2, 1.5m with clear heatshrink for identification	10,44	10,44	St
BKL-PC315SMF/20	Powercable rubber schuko male female, 3*1.5mm2, 20m with clear heatshrink for identification	64,46	64,46	St
BKL-PC315SMF/3	Powercable rubber schuko male female, 3*1.5mm2, 3m with clear heatshrink for identification	13,31	13,31	St
BKL-PC315SMF/5	Powercable rubber schuko male female, 3*1.5mm2, 5m with clear heatshrink for identification	20,69	20,69	St
BKL-PC315SP/1-5	Powercable rubber schuko to powercon blue, 3*1.5mm2, 1.5m with clear heatshrink for identification	14,08	14,08	St
BKL-PC315SPTRUE/1-5	Powercable rubber schuko to powercon true, 3*1.5mm2, 1.5m with clear heatshrink for identification	14,08	14,08	St
BKL-PC315SPTRUE/3	Powercable rubber schuko to powercon true, 3*1.5mm2, 3m with clear heatshrink for identification	18,37	18,37	St
BKL-PC315SPTRUE/5	Powercable rubber schuko to powercon true, 3*1.5mm2, 5m with clear heatshrink for identification	24,78	24,78	St
BKL-PC315SVDE/10	Cable VDE male female , 3*1.5mm2, 10m with clear heatshrink for identification	37,32	37,32	St
BKL-PC315SVDE/1-5	Cable VDE male female , 3*1.5mm2, 1.5m with clear heatshrink for identification	9,66	9,66	St
BKL-PC315SVDE/3	Cable VDE male female , 3*1.5mm2, 3m with clear heatshrink for identification	14,64	14,64	St
BKL-PC315SVDE/5	Cable VDE male female , 3*1.5mm2, 5m with clear heatshrink for identification	21,14	21,14	St
BKL-PC325SMF/10	Powercable rubber schuko male female, 3*2.5mm2, 10m with clear heatshrink for identification	51,60	51,60	St
BKL-PC325SMF/15	Powercable rubber schuko male female, 3*2.5mm2, 15m with clear heatshrink for identification	74,34	74,34	St
BKL-PC325SMF/1M5	Powercable rubber schuko male female, 3*2.5mm2, 1m5 with clear heatshrink for identification	15,49	15,49	St
BKL-PC325SMF/20	Powercable rubber schuko male female, 3*2.5mm2, 20m with clear heatshrink for	97,13	97,13	St

Code	Naam	Catalogusprijs Uw nettoprijs Eenheid	
		Inclusief BTW	Inclusief BTW
	identification		
BKL-PC325SMF/3	Powercable rubber schuko male female, 3*2.5mm2, 3m with clear heatshrink for identification	19,74	19,74 St
BKL-PC325SMF/30	Powercable rubber schuko male female, 3*2.5mm2, 30m with clear heatshrink for identification	158,11	158,11 St
BKL-PC325SMF/40	Powercable rubber schuko male female, 3*2.5mm2, 40m with clear heatshrink for identification	212,95	212,95 St
BKL-PC325SMF/5	Powercable rubber schuko male female, 3*2.5mm2, 5m with clear heatshrink for identification	28,92	28,92 St
BKL-PENDANT1000	E27 pendant cable with schuko and socket, rubber cable 2*1,0mm <sup>2</sup> , 10 m	26,00	26,00 St
BKL-PENDANT500	E27 pendant cable with schuko and socket, rubber cable 2*1,0mm <sup>2</sup> , 5 m	14,99	14,99 St
BKL-PS104/1-5F	Extension Powerstrip with Heat Shrink for Identification - Rubber Cable - 3*1,5mm <sup>2</sup> - 1,5M	9,99	9,99 St
BKL-PS104/5F	Extension Powerstrip with Heat Shrink for Identification - Rubber Cable - 3*1,5mm <sup>2</sup> - 5M	19,99	19,99 St
BKL-PS204/1-5F	Extension Powerstrip with Heat Shrink for Identification - Rubber Cable - 3*2,5mm <sup>2</sup> - 1,5M	13,99	13,99 St
BKL-PTFEMALE	3 Cords Orange Connector Female	6,53	6,53 St
BKL-PTMALE	3 Cords Orange Connector Male	6,53	6,53 St
BKL-REMOTERGB	Remote voor Ekspoed200 - 200w flood light led - Powercon true-RGB color - 120°	36,06	29,71 St
BKL-RGBREPAETER	RGB repeater, 2-24vdc, 3*10a	14,75	12,15 St
BKL-SPLIT12	Powercable Split 1 to 2	16,77	16,77 St
BKL-SPLIT13	Powercable Split 1 to 3	21,14	21,14 St
BKL-T1000S	T-1000s - Digitale ledstrip controller with SD card - 2048 max pixels	64,08	52,78 St