



Visit product page



FOS LED FOLLOW SPOT 350

L005511

Professional Follow Spot with electronic Zoom and Focus, Led Source 350 watt 8000K, 24000lm, Color wheel 7 colors + open white, CTO wheel? 3200k+4500k+5600k, Beam angle: 7°-13°. 13kg

TECHNICAL DETAILS

General

Professional follow spot, suitable for small to medium venues / stage applications.
Suggested maximum throw: 60 meters.

Light Source

1x White LED 350 Watt.
24000 lm output.
LED color temperature: 8500K.
Lifespan: 50000 hours aprox.

Technical Specifications

Motorized zoom from 7° to 13°.
Motorized focus.
Wheel with 7 colors.
Wheel with 3 color temperature correction filters: 3200K, 4500K & 5600K.
Built in controller and DMX control available with 7 channels.

Power requirements / Physical characteristics

Power supply: AC 100/240V, 50/60 Hz.

Power consumption: 450 Watt maximum.

Use in environment with temperatures between 20 and 45 °C

Case and stand are available as separate accessories.


Net weight: 13 Kgs.

Gross weight: 15,5 Kgs.

Dimensions: 860 x 315 x 295 mm (L x W x H).

Box Dimensions: 995 x 390 x 390 mm (L x W x H).

PHOTOS



PRODUCT VIDEO



ACCESSORIES



FOS Case Led Follow Spot
350

Flight case with wheels for
Led Follow Spot 350.



FOS Stand Led Follow Spot
350/600

Heavy Duty Black Stand for
Led Follow Spot 350 and



www.fos-lighting.eu

