



Visit product page



FOS WASH Q19

L005336

Wash / Beam moving head , 19 RGBW 15w 4in1 LEDs zoom 6-60° , 4 sections pixel control, Preset color macros RGBW mixing with or without DMX controller , TFT display.

TECHNICAL DETAILS

Light Source

Sources: 19x 15 Watt 4 in 1 RGBW LEDs

Lifespan: 50000 hours approx.

6° - 60° motorized linear zoom.

Effects

Linear color temperature change from 2800 to 8000 K.

LEDs can be controlled in 4 independent groups.

Linear dimmer 0 - 100%.

Built in Macros and Auto Programs.

Pulse and strobe effects.

Control

DMX512, master/slave, auto & sound control.

16 / 22 / 38 DMX control channels.

8 & 16 bit Pan & Tilt movement resolution, with movement feedback function.

630°/540°/360°PAN optional and 270°/180°/90°TILT optional.

TFT screen for accessing the options menu.

Installation / Dimension details

Power supply: AC90 / 260 Volt, 50 / 60 Hz AC.

Power consumption: 350 Watt.

Power input & output with PowerCON connectors.

Signal input & output with 3 pin XLR.

Ambient operating temperature: -35 / + 45°C.

IP20, for indoor use only.

DB rating@1M=54.18dB, with temperature controlled cooling fans.

Dimensions: 411(D) x 280(W) x 410(H)mm

Packing Dimensions: 490(D) x 280(W) x 560(H)mm

Net Weight: 11.2kg

Gross Weight: 13.9kg

PHOTOS



PRODUCT VIDEO



ACCESSORIES



FOS Folded Clamp

Folded clamp for FOS moving heads. Suitable for Q1



FOS Double Case Wash Q19

Double Case with Wheels for 2 pcs Wash Quad.



www.fos-lighting.eu

