

| Code | Naam | Catalogus Inclus |
|-----------------------------|---------------------------------------------------------------------------------------------------|---------------------|
| OPT-3652RK | Optoma 3652RK - Touch 3 Series 65" interactive flat panel display | 1. |
| OPT-3752RK | Optoma 3752RK - Touch 3 Series 75" interactive flat panel display | 2. |
| OPT-3862RK | Optoma 3862RK Creative Touch 3 Series 86" interactive flat panel display | 2. |
| OPT-4K400STX | Optoma 4K400STx 4K UHD Short Throw Lamp Projector - 4000 AL - Contrast Ratio: 1 000 000:1 - White | 2. |
| OPT-4K400X | Optoma 4K400x 4K UHD Lamp Projector - 4000 AL - Contrast Ratio: 1 000 000:1 - White | 1. |
| OPT-5653RK | Optoma 5653RK - IFP - Screen Size: 65" - 32 to 50 Points Touch | 2. |
| OPT-5753RK | 5753RK 75 inch Touch Panel (5 series) | 2. |
| OPT-5863RK | Optoma 5863RK 86 inch Touch Panel (5 series) | 3. |
| OPT-BM21SPEAKERPHONE | Optoma BM21 Bluetooth Speaker | . |
| opt-BX-CTA11 | Optoma BX-CTA11 | 7. |
| opt-BX-CTA27 | Optoma BX-CTA27 | 10. |
| OPT-BXCTADOME | BX-CTADOME ZU660 / ZU850 / ZU1050 180 deg | 6. |
| OPT-BX-CTSFX | [last]BX-CTSFX - special effects short throw lens for ZU650(+)/ZU850/WU630/EW865 | 2. |
| opt-Carry bag M | Optoma Carry bag M | . |
| OPT-DC556 | Optoma DC556 - Document Camera 4KVideo 13MP | . |
| OPT-DE-1095EGA | Motorised screen viewing size: 2030 x 1269mm / 16:10 | . |
| OPT-DE-1109EGA | Motorised screen viewing size: 2340 x 1463mm / 16:10 | . |
| OPT-DE-1123EGA | Motorised screen viewing size: 2656 x 1660mm / 16:10 | 1. |
| OPT-DE5811100256-S | Lamp EX530 / ES520 garanty:1year/1000hrs | . |
| OPT-DE-9092EGA | Motorised screen viewing size: 2030 x 1145mm / 16:9 | . |
| OPT-DE-9106EGA | Motorised screen viewing size: 2340 x 1320mm / 16:9 | . |
| OPT-DE-9120EGA | Motorised screen viewing size: 2656 x 1494mm / 16:9 | 1. |
| OPT-DP9080MWL | Pull Up Screen - Viewing Size: 1770 x 995 - 16:9 | . |
| OPT-DP9092MWL | Pull Up Screen - Viewing Size: 2030 x 1145 - 16:9 | . |
| OPT-DS-1095PMG+ | Manual screen viewing size: 2030 x 1269mm / 16:10 | . |
| OPT-DS-1109PMG+ | Manual screen viewing size: 2340 x 1463mm / 16:10 | . |
| OPT-DS-1123PMG+ | Manual screen viewing size: 2656 x 1660mm / 16:10 | . |
| OPT-DS-3084PWC | Manual screen viewing size: 1710 x 1280mm / 4:3 | . |
| OPT-DS-3100PMG+ | Manual screen viewing size: 2030 x 1520mm / 4:3 | . |
| OPT-DS-3120PMG+ | Manual screen viewing size: 2340 x 1755mm / 4:3 | . |
| OPT-DS-9084PMG+ | Manual screen viewing size: 1860 x 1045mm / 16:9 | . |
| OPT-DS-9092PWC | Manual screen viewing size: 2030 x 1145mm / 16:9 | . |
| OPT-DS-9106MGA | Manual screen viewing size: 2340 x 1320mm / 16:9 | . |
| opt-DS-9120MGA | Optoma DS-9120MGA | . |
| OPT-E1P2A2F6E1Z1 | Optoma ML1050ST+ WXGA Led Projector – 1 000 AL - Contrast Ratio: 20 000:1 | 1. |
| OPT-EH401 | Optoma EH401 Full HD projector - 4 000 AL - Contrast Ratio: 22 000:1 | . |
| OPT-EST09 | Optoma EST09 Motorised trolley for interactive displays | 1. |
| OPT-EX536/ES526LAMP | Reservelamp voor Optoma projector EX536/ES526 | . |
| OPT-FC1500650 | Flight case WU1500/ZU660/ZU850/ZU1050 Heavy Duty Flightcase for WU1500/ZU660/ZU8 | . |
| OPT-GT2000HDR | Optoma GT2000HDR - Full HD Laser Projector – 3 500 AL - Contrast Ratio: 300 000:1 | 1. |
| OPT-GT2100HDR | Optoma GT2100HDR - Full HD Short-Throw Laser Projector – 4 200 AL - Contrast Ratio: 300 000:1 | 2. |
| OPT-H117ST | Optoma H117ST - 720p - 3800 Lumens - Contrast ratio: 30 000:1 | . |
| OPT-H190X | Optoma H190X - WXGA Lamp projector - 3900 Lumens - Contrast ratio: 30 000:1 | . |
| OPT-H1AX00000276 | WIB6560A Wallmount for FPD (Non Interactive) | . |
| OPT-HD30LV | Optoma HD30LV Full HD Projector - 4 500 AL - Contrast Ratio: 22 000:1 | . |
| opt-HZ40HDR | Optoma HZ40HDR | 1. |
| opt-IFPDpen5series | Optoma (I)FPD IFPD pen 5 series | . |
| opt-IFPD Wifi Dongle | Optoma IFPD Wifi Dongle AZ832-HN | . |
| AZ832-HN | | . |
| opt-Lamp Warranty extension | Optoma Lamp Warranty extension | . |
| OPT-ML1050ST+ | Optoma ML1050ST+ - WXGA - 1000 AL - LED projector - Contr:20,000:1 - Throw:0,8 | . |
| OPT-ML1080 | Optoma ML1080 Full HD Laser Projector – 1 200 AL - Contrast Ratio: 3 000 000:1 | 1. |
| OPT-ML1080ST | Optoma ML1080ST - Full HD Laser Projector - 1 200 AL - Contrast Ratio 3 000 000:1 | 1. |
| OPT-ML750E | Optoma ML750E - WXGA - 700 AL - LED projector - Contr:15,000:1 - Throw: 1,5 | . |
| OPT-N3551K | Optoma N3551K Pro Display 4K/55" 450cd | 1. |
| OPT-N3651K | Optoma N3651K Pro Display 4K/65" 450cd | 1. |
| OPT-N3751K | Optoma N3751K Pro Display 4K/75" 450cd | 1. |
| OPT-N3861K | Optoma N3861K 4k/86" 450 cd | 2. |

| Code | Naam | Catalogi Inclus |
|--------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|--------------------|
| OPT-N3981K | Optoma N3981K Pro Display 4K/98" 500 cd | 5. |
| OPT-NANO6 | Optoma NANO6 - Vioso Nano6 Multi-channel | 12. |
| OPT-OCH100 | Optoma OCH100 - Collaboration Hub | |
| OPT-OCM815B | Pole Mount/B Black polemount for all projectors garanty 3months | |
| OPT-OCM815W | Pole Mount/W White polemount for all projectors garanty 3months | |
| OPT-OCM818B-RU | Flush Mount/B/Retail Black flush mount for all projectors garanty 3months | |
| OPT-OCM818W-RU | Flush Mount/W/Retail White flush mount for all projectors garanty 3months | |
| OPT-OCMPROCLAMP | Trigger clamp for truss mounting Trigger clamp for | |
| OPT-OCMPROM | Medium PRO AV ceiling mount Medium ceiling mount | |
| OPT-OCMPROS | Short PRO AV ceiling mount Short ceiling moun | |
| OPT-OPS3-i7-TPM | Optoma OPS3-i7-TPM Slot-In PC for Optoma Creative Touch Interactive Flat Panel Displays | 1. |
| OPT-OWM3000 | Optoma OWM3000 - UST Projector mount Wall Arm Mount for 319/320/300/330/400 UST-series | |
| OPT-OWMFP01 | OWMFP01 - Wall mount for Optoma Interactive flat panel displays | |
| opt-ProAV Projector Warranty extension up to 5 years, projector only | Optoma ProAV Projector Warranty extension up to 5 years, projector only | |
| opt-Projector Warranty extension up to 5 years, projector only | Optoma Projector Warranty extension up to 5 years, projector only | |
| OPT-QCCRADLE | Optoma QuickCast Cradle only | |
| OPT-QCTX | Optoma QuickCast Transmitter - 1xTransmitter | |
| OPT-RISE2005 | Optoma RISE 2005 MOTORIZED DISPLAY LIFT FLOOR/WALL 50 B EU | 1. |
| OPT-RISE 2005 MOTORIZED DISPLAY LIFT FLOOR/WALL 50 W EU | Optoma RISE 2005 MOTORIZED DISPLAY LIFT FLOOR/WALL 50 W EU | 1. |
| OPT-RISE 2008 MOTORIZED DISPLAY LIFT FLOOR/WALL 80 W EU | Optoma RISE 2008 MOTORIZED DISPLAY LIFT FLOOR/WALL 80 W EU | 1. |
| OPT-RISE 5105 MOTORIZED DISPLAY LIFT FLOOR STAND 50 B EU | Optoma RISE 5105 MOTORIZED DISPLAY LIFT FLOOR STAND 50 B EU | 1. |
| OPT-RISE 5108 MOTORIZED DISPLAY LIFT FLOOR STAND 80 B EU | Optoma RISE 5108 MOTORIZED DISPLAY LIFT FLOOR STAND 80 B EU | 1. |
| OPT-RISE 5305 MOTORIZED DISPLAY LIFT TROLLEY 50 B EU | Optoma RISE 5305 MOTORIZED DISPLAY LIFT TROLLEY 50 B EU | 1. |
| OPT-RISE 5308 MOTORIZED DISPLAY LIFT TROLLEY 80 B EU | Optoma RISE 5308 MOTORIZED DISPLAY LIFT TROLLEY 80 B EU | 1. |
| OPT-RISE A216 WHITEBOARD SET 65" MOTORIZED LIFT FLOOR/WALL | Optoma RISE A216 WHITEBOARD SET 65" MOTORIZED LIFT FLOOR/WALL | |
| OPT-RISE A217 WHITEBOARD SET 75" MOTORIZED LIFT FLOOR/WALL | Optoma RISE A217 WHITEBOARD SET 75" MOTORIZED LIFT FLOOR/WALL | |
| OPT-RISE A218 WHITEBOARD SET 86" MOTORIZED LIFT FLOOR/WALL | Optoma RISE A218 WHITEBOARD SET 86" MOTORIZED LIFT FLOOR/WALL | |
| OPT-RISE A226 WHITEBOARD SET 65" MOTORIZED LIFT STAND & TROLLEY | Optoma RISE A226 WHITEBOARD SET 65" MOTORIZED LIFT STAND & TROLLEY | |
| OPT-RISE A227 WHITEBOARD SET 75" MOTORIZED LIFT STAND & TROLLEY | Optoma RISE A227 WHITEBOARD SET 75" MOTORIZED LIFT STAND & TROLLEY | |
| OPT-RISE A228 WHITEBOARD SET 86" MOTORIZED LIFT STAND & | Optoma RISE A228 WHITEBOARD SET 86" MOTORIZED LIFT STAND & TROLLEY | 1. |

| Code | Naam | Catalogi Inclus |
|------------------|------------------------------------------------------------------------------------------------------|--------------------|
| TROLLEY | | |
| OPT-SFFPRO2 | Flying/Stacking frame for ZU650+/ZU850/ZU1050 Flying/Stacking frame for ZU | 2. |
| OPT-SFFPROCLAMP | Clamp set for truss mounting Flying/Stacking frames Clamp set for truss mountin | . |
| OPT-SI07B | Optoma IFPD Wifi & Bluetooth module | |
| OPT-SP70201GC01 | Lamp W351 / W350 / X351 / X350 / X316ST / W316ST / HD28DSE / EH341 / DH1011i gar | . |
| OPT-SP71K03GC01 | IR Pen for 319/320USTi/ir series IR Pen for 319/320USTi/ir series garanty 3month | |
| OPT-SP71P01GC01 | Lamp S321 / S331 / W331 / W330 / H183X / H114 / DW315 / EH330 / EH331 / DH1010i | |
| OPT-SP71W01GC0V | BX-CTA21 Standard Lens WU1500 Throw Ratio 1,5-2,0 garanty 3 yrs | 4. |
| OPT-SP71W02GC0V | BX-CTA22 Long Zoom Lens WU1500 Throw Ratio 2,0-4,0 garanty 3 yrs | 4. |
| OPT-SP71W03GC0V | BX-CTA23 Extra Long Zoom Lens WU1500 Throw Ratio 4,0-7,2 garanty 3 yrs | 4. |
| OPT-SP71W04GC0V | BX-CTA18 Short Zoom NR Lens WU1500 Throw Ratio 0,84-1,02 garanty 3 yrs | 4. |
| OPT-SP71W05GC0V | BX-CTA19 Short Zoom NR Lens WU1500 Throw Ratio 1,02-1,36 garanty 3 yrs | 2. |
| OPT-SP71W06GC0V | BX-CTA20 Short Zoom SR Lens WU1500 Throw Ratio 1,2-1,5 garanty 3 yrs | 5. |
| OPT-SP71Z01GC01 | WUSB Dongle Wireless USB adapter for ML750e, ML750ST, ML1050S | |
| OPT-SP72701GC01 | Lamp X320UST / X320USTi / W320UST / W320USTi / EH320UST / EH320USTi / EH319UST / | . |
| OPT-SP72801GC01 | Optoma Carry bag L Large Carry bag for Ultra Short Throw | |
| OPT-SP72G01GC01 | Lamp S341 / DS349 / X341 / X340 / X345 / X344 / DX349 / W341 / W340 / W345 / W34 | . |
| OPT-SP72J02GC01 | Lamp HD27 / HD142X / DH1009i / HD137X / HD140X / HD240Wi / HD26Bi / HD270 / HD422X | . |
| OPT-SP72N13GC01 | BX-CTA13 Extra Long Throw Lens ZU660 / ZU850 / ZU1050 Throw Ratio 2,9-5,5 garant | 2. |
| OPT-SP72N15GC01 | BX-CTA15 Short Throw Lens ZU660 / ZU850 / ZU1050 Throw Ratio 0,75-0,95 garanty 3 | 2. |
| OPT-SP.72WR1GR01 | Lamp EH416e | . |
| OPT-SP72Y01GC01 | Lamp X416 / W416 / EH416 / WU416 / DH400 / DU400 garanty:1year/1000hrs | . |
| OPT-SP76P06GC01 | BX-CTA06 Standard lens ZU660 / ZU850 / ZU1050 Throw Ratio 1,22-1,53 garanty 3 y | 1. |
| OPT-SP76P16GC01 | BX-CTA16 Ultra Short Throw Lens ZU660 / ZU850 / ZU1050 Thro | 8. |
| OPT-SP78B01GC01 | Lamp X400 / X400+ / W400 / W400+ / EH400 / EH400+ garanty:1year/1000hrs | . |
| OPT-SP78H01GC01 | Lamp HD29Darbee garanty:1year/1000hrs | . |
| OPT-SP78V01GC01 | Lamp UHD60 / UHD65 / UHD550X / UHD300X / UHD40 garanty:1year/1000hrs | . |
| OPT-SP79C01GC01 | Lamp GT1080Darbee garanty:1year/1000hrs | . |
| OPT-SP.7AF01GC01 | Optoma Lamp HD39Darbee/HD152X | . |
| OPT-SP7AZ01GC01 | Lamp HD27e / HD143X / HD144X / EH334 / EH335 / EH337 / WU334 / WU335 / WU337 gar | . |
| OPT-SP7C101GC01 | Lamp 4K550/4K550ST garanty:1year/1000hrs | . |
| OPT-SP7C601GC01 | Lamp EH330UST garanty:1year/1000hrs | . |
| OPT-SP7CR01GC01 | SP.7CR01GC01 | . |
| OPT-SP7D101GC01 | Lamp S322e/S334e/S342e/S343e/X343e/W334/5/H184X/H116ST/X308S garanty:1year/1000 | . |
| OPT-SP7D1R1GR01 | Lamp S322e/S371/S381/S400Lve/X309ST/W309ST/DW322/W371/W381/W400Lve/185X/H190X/H117ST | . |
| OPT-SP.7DQR1GR01 | Lamp W319ST/X319ST | . |
| OPT-SP7EH01GC01 | Lamp HD29H garanty:1year/1000hrs | . |
| OPT-SP7FM01GC01 | SP.7FM01GC01 | . |
| OPT-SP7G6R1GR01 | SP.7G6R1GR01 | . |
| OPT-SP7G901GC01 | Lamp HD28e/HD146X/HD145X/HD15/HD29He | . |
| OPT-SP8EH01GC01 | Lamp EX536 / EX531 / EX531P / ES526 / DS316 / DX319 / DX319P / EW536 / EW531 / H | . |
| OPT-SP8LB01GC01 | BX-CTA02 Standard Lens ZU660 Throw Ratio 1,22-1,53 garanty 3 yrs | . |
| OPT-SP8LB02GC01 | BX-CTA01 Wide Angle Lens ZU660 / ZU850 / ZU1050 Throw Ratio 0,95-1,22 garanty 3 | 2. |
| OPT-SP8LB03GC01 | BX-CTA03 Long Throw Lens ZU660 / ZU850 / ZU1050 Throw Ratio 1,52-2,92 garanty 3 | 1. |
| OPT-SP8MQ01GC01 | Lamp HD23 / HD230X garanty:1year/1000hrs | . |
| OPT-SP8TU01GC01 | Lamp X306ST / W306ST | . |
| OPT-SP8VH01GC01 | Lamp S315 / X315 / X316 / W316 / DS345 / DX345 / DW345 / DW346 / HD26 / GT1080 / | . |
| OPT-STAND | Optoma STAND - ST01 Trolley for IFP displays | . |
| OPT-UHD35STX | Optoma UHD35STx Short Throw 4K UHD Lamp Projector - 3600 AL - Contrast Ratio: 1 000 000:1 - White | 1. |
| OPT-UHD35X | Optoma UHD35X 4K UHD Lamp Projector 3600 AL - Contrast Ratio: 1 000 000:1 | 1. |
| OPT-UHD38X | Optoma UHD38X 4K UHD Lamp Projector 4000 AL - Contrast Ratio: 1 000 000:1 | 1. |
| OPT-UHZ35ST | Optoma UHZ35ST 4K UHD Laser Projector - 3 500 AL - Contrast Ratio: 500 000:1 | 2. |
| OPT-UHZ55 | Optoma UHZ55 SMART UHD LASER PROJECTOR | 2. |
| OPT-UHZ65LV | Optoma UHZ65LV - UHD Laser projector - 5000 ansi lumen - contrast: 2,000,000:1 | 4. |
| opt-UHZ66 | Optoma Projector UHZ66 | 2. |
| OPT-W309ST | Optoma W309ST - WXGA Lamp Projector - 3800 Lumens - Contrast ratio: 25 000:1 - Short Throw | . |
| OPT-W319USTIRE | Optoma W319USTIRE - WXGA - 3500 AL - Lamp projector - Contr:18,000:1 - Throw: 0,27 - | 1. |

| Code | Naam | Catalogi Inclus |
|--------------------------------------------------|---------------------------------------------------------------------------------------------|--------------------|
| | Interactive | |
| OPT-W340UST | Optoma WXGA Ultra Short Throw Lamp Projector - 4000 AL - Contrast ratio: 22 000:1 - White | 1. |
| OPT-W400LVE | Optoma W400LVE - WXGA - 4000 Lumens - Contrast ratio: 25 000:1 | |
| opt-WIB9080A Wallmount for FPD (Non Interactive) | Optoma WIB9080A Wallmount for FPD (Non Interactive) | |
| OPT-WIFPD7Y | Optoma Extra Warranty WIFPD7Y | |
| OPT-X309ST | Optoma X309ST - XGA - 3700 Lumens - Contrast ratio: 25 000:1 | |
| OPT-ZH350 | Optoma ZH350 Full HD laser projector - 3 600 AL - Contrast Ratio: 2 000 000:1 | 1. |
| OPT-ZH350ST | Optoma ZH350ST Compact short throw Full HD laser projector | 1. |
| OPT-ZH400 | Optoma ZH400 Full HD laser projector - 4 000 AL - Contrast Ratio: 2 000 000:1 | 1. |
| OPT-ZH406 | (last pieces) Optoma ZH406 1080p Laser Projector - 4500 AL - Contrast Ratio: 300 000:1 | 1. |
| OPT-ZH420 | Optoma ZH420 Full HD laser projector - 4 300 AL - Contrast Ratio: 2 000 000:1 | 1. |
| OPT-ZH430UST | Optoma ZH430UST Full HD laser projector - 4 000 AL - Contrast Ratio: 3 000 000:1 | 2. |
| OPT-ZH450 | Optoma Zh450 Full HD laser projector - 4 500 AL - Contrast Ratio: 2 000 000:1 | 1. |
| OPT-ZH450ST | Optoma ZH450ST Eco-friendly high brightness short throw Full HD laser projector | 2. |
| OPT-ZH462 | Optoma ZH462 Full HD Laser Projector – 5 000 AL - Contrast Ratio: 3 000 000:1 | 1. |
| OPT-ZH507+ | Optoma ZH507+ High brightness smart DuraCore laser projector | 2. |
| OPT-ZH520 | Optoma ZH520 1080p Laser Projector - 5 500 AL - Contrast Ratio: 3 000 000:1 | 1. |
| OPT-ZK430ST | Optoma ZK430ST 4K UHD Laser Projector - 3 700 AL - Contrast Ratio: 300 000:1 | 3. |
| OPT-ZK450 | Optoma ZK450 UHD Laser Projector - 4200 lumens - Contrast Ratio: 300 000:1 - White | 3. |
| OPT-ZK507-W | Optoma ZK507 Laser Projector 4K/UHD - 5000 AL - Contrast Ratio: 300 000:1 - White | 5. |
| OPT-ZK810T | Optoma ZK810T UHD Laser Projector - 8600 lumens - Contrast Ratio: 300 000:1 | 11. |
| OPT-ZK810TST | Optoma ZK810TST UHD Laser Projector - 8500 lumens - Contrast Ratio: 300 000:1 | 14. |
| OPT-ZU1100NOLENS | Optoma ZU1100 NO LENS WUXGA Laser Projector - 11 500 AL - Contrast Ratio: 2 000 000:1 | 14. |
| OPT-ZU1300 (NO LENS) | Optoma ZU1300 (no lens) Spectacular image quality, low maintenance and ultimate reliability | 17. |
| OPT-ZU1700NOLENS | Optoma ZU1700 WUXGA Laser Projector - 17 000 AL - Contrast Ratio: 2 000 000:1 | 25. |
| OPT-ZU1900NOLENS | Optoma ZU19000 WUXGA Laser Projector - 19 000 AL - Contrast Ratio: 2 000 000:1 | 35. |
| OPT-ZU2200NOLENS | Optoma ZU2200 WUXGA Laser Projector - 22 000 AL - Contrast Ratio: 2 000 000:1 | 42. |
| OPT-ZU500USTE | Optoma ZU500USTE - Ultra short throw laser projector | 4. |
| OPT-ZU607T | Optoma ZU607T WUXGA Laser Projector - 6500 AL - Contrast: 300 000:1 - HDBaseT | 3. |
| OPT-ZU607TST | Optoma ZU607TST WUXGA Laser Projector - 6000 AL - Contrast: 300 000:1 - HDBaseT | 5. |
| OPT-ZU707T | Optoma ZU707T WUXGA - Laser Projector - 5900 AL - Contrast ratio: 300 000:1 | 4. |
| OPT-ZU820T | Optoma ZU820T WUXGA Laser Projector - 8800 AL - Contrast ratio: 3 000 000:1 - Black | 5. |
| OPT-ZU820TST | Optoma ZU820TST Ultra bright professional installation laser projector | 6. |
| OPT-ZU860NOLENS | Optoma ZU860 - NO LENS WUXGA Laser Projector - 8500 AL - Contrast Ratio: 2 000 000:1 | 10. |
| OPT-ZU920T | Optoma ZU920T WUXGA Laser - 9800 AL - Contrast ratio: 3.000.000:1 - Black | 8. |
| OPT-ZU920TST | Optoma ZU920T Short Throw WUXGA Laser - 9800 AL - Contrast ratio: 3.000.000:1 - Black | 11. |
| OPT-ZW340E | Optoma ZW340e Compact high brightness laser projector | |
| OPT-ZW350ST | Optoma ZW350ST WXGA laser projector - 3 600 AL - Contrast Ratio: 2 000 000:1 | 1. |
| OPT-ZW410UST | Optoma ZW410UST- WXGA Laser Projector- 4000 Lumens - Contrast ratio: 300 000:1 | 1. |
| OPT-ZX350ST | Optoma ZX350ST Compact high brightness short throw laser projector | 1. |
| ZZZ-EH461 | Optoma EH461 - 1080p - 5000 AL - Lamp projector - Contr:20,000:1 - Throw: 1,22-1,46 | 1. |
| ZZZ-ZH506EW | Optoma ZH506E 1080p Laser Projector - 5500 AL - Contrast ratio: 300,000:1 | 2. |